Cheatography

oh-my-zsh Cheat Sheet

by kaltepeter via cheatography.com/67497/cs/16971/

git

alias	command
g	git
ga	git add
gaa	git add --all
gapa	git add --patch
gb	git branch
gba	git branch -a
gbd	git branch -d
gbl	git blame -b -w
gbnm	git branch --no-merged
gbr	git branch --remote
gbs	git bisect
gbsb	git bisect bad
gbsg	git bisect good
gbsr	git bisect reset
gbss	git bisect start
gc	git commit -v
gc!	git commit -v --amend
gca	git commit -v -a
gca!	git commit -v -a --amend
gcan!	git commit -v -a --no-edit --amend
gcans!	git commit -v -a -s --no-edit --amend
gcam	git commit -a -m
gcsm	git commit -s -m
gcb	git checkout -b
gcf	git conifg --list
gcl	git clone --recursive
gclean	git clean -fd
gpristine	git reset --hard && git clean -dfx
gcm	git checkout master

git (cont)

gcd	git checkout develop
gcmsg	git commit -m
gco	git checkout
gcount	git shortlog -sn
gcp	git cherry-pick
gcpa	git cherry-pick --abort
gcpc	git cherry-pick --continue
gcs	git commit -S
gd	git diff
gdca	git diff --cached
gdct	git describe --tabs `git rev-list --tags --max- count=1`
gdt	git diff-tree --no-commit-id --name-only -r
gdw	git diff --word-diff
gf	git fetch
gfa	git fetch --all --prune
gfo	git fetch origin
gg	git gui citool
gga	git gui citool --amend
ggpnp	git pull origin ${current_branch} && git push origin ${current_branch}
ggpull	git pull origin ${current_branch}
ggl	git pull origin ${current_branch}
ggpur	git pull --rebase origin ${current_branch}
glum	git pull upstream master

git (cont)

ggpush	git push origin ${current_branch}
ggp	git push origin ${current_branch}
ggfl	git push --force-with-lease origin <your_argument>/${current_branch}
ggsup	git branch --set-upstream-to=origin/${current_branch}
gpsup	git push --set-upstream origin ${current_branch}
gignore	git update-index --assume-unchanged
gignored	git ls-files -v | grep "^:lower:"
git-svn-dcommit-push	git svn dcommit && git push github master:svntrunk
gk	gitk --all --branches
gl	git pull
glg	git log --stat --max-count=10
glgg	git log --graph --max-count=10
glgga	git log --graph --decorate --all
glo	git log --oneline --decorate --dolor
glog	git log --oneline --decorate --color --graph
glp	_git_log_prettily(git log --pretty=$1)
gm	git merge
gmt	git mergetool --no-prompt
gp	git push

git (cont)

gpoat	git push origin --all && git push origin --tags
gr	git remote
grba	git rebase --abort
grbc	git rebase --continue
grbs	git rebase --skip
grbi	git rebase -i
grh	git reset HEAD
grhh	git reset HEAD --hard
grmv	git remote rename
grrm	git remote remove
grset	git remote set-url
grt	cd $(git rev-parse --show-toplevel || echo ".")
grup	git remote update
grv	git remote -v
gsd	git svn dcommit
gsps	git show --pretty=short --show-signature
gsr	git svn rebase
gss	git status -s
gst	git status
gsta	git stash save
gstaa	git stash apply
gstd	git stash drop
gstl	git stash list
gstp	git stash pop
gsts	git stash show --text
gsu	git submodule update
gunignore	git update-index --no-asume-unchanged



By **kaltepeter**

cheatography.com/kaltepeter/

Not published yet.

Last updated 7th September, 2018.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

http://crosswordcheats.com

Cheatography

oh-my-zsh Cheat Sheet

by kaltepeter via cheatography.com/67497/cs/16971/

git (cont)

gunwip	git log -n 1 | grep -q -c "--wip--" && git reset HEAD~1
gup	git pull --rebase
gvt	git verify-tag
gwch	git whatchanged -p --abbrev-commit --pretty = medium
gwip	git add -A; git ls-files --deleted -z | xargs -r0 git rm; git commit -m "--wip--"

Commands

tabs	create a new tab in the current directory
take	create a new dir and change dir, will create intermediate
x | extract	extract an archive
zsh_stats	list of top 20 commands
uninstall_oh_my_zsh	
upgrade_oh_my_zsh	
source ~/.zshrc	uptake new changes

alias

alias	list all aliases
..	cd ..



By **kaltepeter**
cheatography.com/kaltepeter/

Not published yet.
Last updated 7th September, 2018.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com