

Some locations more at risk from tectonic hazards?

Key idea	Question
1.1 The global distribution of tectonic hazards can be explained by plate boundary and other tectonic processes.	a. The global distribution and causes of earthquakes, volcanic eruptions and tsunamis

Answer(Distribution):

Earthquakes are found around the Pacific Ring of Fire, along the Mid-Atlantic Ridge, throughout South East Asia and etc.....

Answer(causes):

Volcanoes are found near subduction zones because the oceanic crust is being subducted here causing magma to rise and form volcanoes . They are also found on constructive boundaries as magma is rising through the gap left by plate movement to form volcanoes .

Distribution of Plate Boundaries

b. The distribution of plate boundaries resulting from divergent, convergent and conservative plate movements (oceanic, continental and combined situations).

(Divergent):Plates also can pull apart from each other. This is known as a divergent boundary. A divergent boundary is a fault where the two plates are moving away from each other. Most active divergent plate boundaries occur between oceanic plates and exist as mid-oceanic ridges

(Convergent):A subduction zone is formed at a convergent plate boundary when one or both of the tectonic plates is composed of oceanic crust. The denser plate, made of oceanic crust, is subducted underneath the less dense plate, which can be either continental or oceanic crust.

(Conservative):At a conservative or transform boundary the plates slide past each other. Friction leads to tension between the 2 plates, which results in tension being released suddenly at the epicentre, creating an earthquake.

Intra-Plate Earthquakes and Volcanoes

c. The causes of intra-plate earthquakes, and volcanoes associated with hot spots from mantle plumes.

Intra-plate earthquakes are caused by stresses within a plate. Since plates move over a spherical surface, zones of weakness are created. Intraplate earthquakes happen along these zones of weakness. The earthquakes may take place along ancient faults or rift zones.

There is also volcanic activity bear the centre of of some hots spots. This is the result of the up-welling of hot molten material from the mantle boundary. It is also possible that large meteorite impacts create symmetrical hot spots on opposite sides of the planet when they collide with the Earth.



By **katasunis1317**

cheatography.com/katasunis1317/

Not published yet.

Last updated 2nd May, 2017.

Page 1 of 1.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>