

### File Management

save file	SPC f s
open file	SPC f f
toggle explorer	SPC f t

### Spell-checking

toggle spell-check	SPC t S
correct word	SPC S c
go to next error	SPC S n

Spell-checking uses `aspell`. Make sure `aspell` and `aspell-en` are installed from the AUR.

### Misc

toggle fold	SPC z a
close folds	SPC z m
toggle shell	SPC '
expand snippet	Alt- /
word count in region	SPC x c

### Git

open Magit	SPC g s
stage file/region	s
unstage file/region	u
open commit menu	c
finalise commit	' c
open log	l l

All commands except the first apply only inside Magit.

### Buffers

switch buffer	SPC b b
kill current buffer	SPC b k

A buffer is a container for text, that persists in the background even when not displayed in a window.

### Windows

change to window	SPC w number
close window	SPC w c
split horizontally	SPC w s
split vertically	SPC w v

A window contains a buffer and can be used to create layouts.

### Markdown

export	SPC m c e
preview	SPC m c p
insert heading	SPC m h level
insert link	SPC m i l
insert footnote	SPC m i f
bold selection	SPC m x b
italicise selection	SPC m x i
blockquote selection	SPC m x q
clean up list numbers	SPC m c n

### Python

look up function	SPC m h h
run script	SPC m c c
reformat according to PEP8	SPC m =
run all tests	SPC m t a
select virtualenv	SPC m V w

### Clojure

start REPL	SPC m s i
evaluate function	SPC m e f
evaluate buffer	SPC m e b
look up function	SPC m h h
run all tests	SPC m t a

