

Math Module Functions

<code>ceil(x)</code>	Returns the smallest integer greater than or equal to x
<code>copysign(x, y)</code>	Returns x with the sign of y
<code>fabs(x)</code>	Returns the absolute value of x
<code>factorial(x)</code>	Returns the factorial of x
<code>floor(x)</code>	Returns the largest integer less than or equal to x
<code>fmod(x, y)</code>	Returns the remainder when x is divided by y
<code>isfinite(x)</code>	Returns True if x is neither an infinity nor a NaN (Not a Number)
<code>isinf(x)</code>	Returns True if x is a positive or negative infinity
<code>isnan(x)</code>	Returns True if x is a NaN
<code>ldexp(x, i)</code>	Returns $x(2^i)$
<code>modf(x)</code>	Returns the fractional and integer parts of x
<code>exp(x)</code>	Returns e^{**x}
<code>expm1(x)</code>	Returns $e^{**x} - 1$
<code>log(x[, base])</code>	Returns the logarithm of x to the base (defaults to e)
<code>log2(x)</code>	Returns the base-2 logarithm of x
<code>log10(x)</code>	Returns the base-10 logarithm of x
<code>pow(x, y)</code>	Returns x raised to the power y
<code>sqrt(x)</code>	Returns the square root of x
<code>acos(x)</code>	Returns the arc cosine of x
<code>asin(x)</code>	Returns the arc sine of x
<code>atan(x)</code>	Returns the arc tangent of x
<code>atan2(y, x)</code>	Returns $\text{atan}(y / x)$
<code>cos(x)</code>	Returns the cosine of x
<code>hypot(x, y)</code>	Returns the Euclidean norm, $\sqrt{x^2 + y^2}$
<code>sin(x)</code>	Returns the sine of x
<code>tan(x)</code>	Returns the tangent of x
<code>degrees(x)</code>	Converts angle x from radians to degrees
<code>radians(x)</code>	Converts angle x from degrees to radians
<code>gamma(x)</code>	Returns the Gamma function at x
<code>lgamma(x)</code>	Returns the natural logarithm of the absolute value of the Gamma function at x
<code>pi</code>	Mathematical constant, the ratio of circumference of a circle to its diameter (3.14159...)

Math Module Functions (cont)

<code>e</code>	mathematical constant e (2.71828...)
* import math and use math.fun()	
Sets Functions	
<code>S.add(e)</code>	Adds the element <code>e</code> to the set <code>S</code>
<code>S1.update(S2)</code>	Adds the items specified in the set <code>S2</code> to the set <code>S1</code>
<code>S.remove(e)</code>	Remove the element <code>e</code> from the set <code>S</code>
<code>S.pop()</code>	Removes any element from the set <code>S</code>
<code>S.clear()</code>	Remove all element from the set <code>S</code>
<code>S.copy()</code>	Creates a copy of the set <code>S</code>
<code>S1.union(S2)</code>	Returns a set containing elements from both <code>S1</code> and <code>S2</code>
<code>S1.intersect- ion(S2)</code>	Returns a set containing elements common in set <code>S1</code> and <code>S2</code>
<code>S1.differenc- e(S2)</code>	Returns a set containing elements in set <code>S1</code> but not in <code>S2</code>
<code>S1.symmetric- _differen- ce(S2)</code>	Returns a set containing elements which are in one of the either sets <code>S1</code> and <code>S2</code> , but not in both

String Functions

<code>S.count(str)</code>	Counts the number of times <code>str</code> occurs in string <code>S</code>
<code>S.find(str)</code>	Returns index of first occurrence of string <code>str</code> in string <code>S</code> , and <code>-1</code> if <code>str</code> is not present int string <code>S</code>
<code>S.rfind(str)</code>	Returns index of last occurrence of string <code>str</code> in string <code>S</code> , and <code>-1</code> if <code>str</code> is not present in string <code>S</code>
<code>S.capi- talize()</code>	Returns a string that has first letter of the string <code>S</code> in uppercase and rest of the characters in lowercase
<code>S.title()</code>	Returns a string that has first letter of every word in the string <code>S</code> in uppercase and rest of the characters in lowercase
<code>S.lower()</code>	Returns a string that has all uppercase characters in string <code>S</code> converted into lowercase characters



By **atinfosec** (KilGrave)
cheatography.com/kilgrave/

Published 18th October, 2018.
 Last updated 19th October, 2018.
 Page 1 of 2.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>

String Functions (cont)

S.upper()	Returns a string that has all lower characters in string S converted into uppercase characters
S.swapcase()	Returns a string that has all lowercase characters in string S converted into uppercase characters and vice versa
S.isupper()	Returns True if all alphabets in string S are in uppercase,else False
S.islower()	Returns True if all alphabets in string S are in lowercase,else False
S.istitle()	Returns True if string S is in titlecase
S.replace(st- r1,str2)	Returns a string that has every occurrence of string str1 in S replaced by with the occurrence of string str2
S.strip()	Returns a string that has whitespaces in S removed from start and end
S.lstrip()	Returns a string that has whitespaces in S removed from start
S.rstrip()	Returns a string that has whitespaces in S removed from end
S.split(d- elimeter)	Returns a list formed by splitting the string S into various substring. The delimiter is used to mark the split points
S.partiti- on(del- imeter)	Partitions the string S into two parts base on delimiter and returns a tuple comprising of string before delimiter
S.join(se- quence)	Returns a string comprising of elements of the sequence separated by delimiter S
S.isspace()	Returns True if all characters in string S comprise of whitespace characters only,i.e. ' ', '\n', '\t' else False
S.isal- pha()	Returns True if all characters in string S comprise of alphabets only, else False

String Functions (cont)

S.isdigit()	Returns True if all characters in string S comprise of digits only, else False
S.isalnum()	Returns True if all characters in string S comprise of alphabets and digits only, else False
S.startswith(str)	Returns True if string S starts with string str ,else False
S.endswith(str)	Returns True if string S ends with string str ,else False
S.encode(str)	Returns S in encoded format according to the given encoding scheme
S.decode(str)	Returns the decoded string S according to the given encoding scheme

List

L.append(e)	Adds the element e to the end of the list L
L.extend(L2)	Adds the items specified in the list L2 at the end of the list L
L.remove(e)	Remove the element e from the list L
L.pop(i)	Removes the element specified at index i <i>from the list L</i>
L.count(e)	Returns count of occurrence of element e in list L
L.index(e)	Returns index of element e from list L
L.insert(i,e)	Returns element e at the index i in list L
L.sort()	Sorts the elements of the list L
L.reverse()	Reverses the order elements in list L

File Handling

open(filename,mode)	Open a file and store it as an object
file.close()	Close a file which is opened
file.read()	Read whole data from file
file.readline()	Read a line from file
file.readlines()	Read all the lines in a list from file
file.write('data')	Write data in a file

* Mode can be 'r', 'w' and 'a'



By **atinfosec** (KilGrave)
cheatography.com/kilgrave/

Published 18th October, 2018.
 Last updated 19th October, 2018.
 Page 2 of 2.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>