

## Values

```
("@")  
("#")  
("$")
```

## Individual

```
( )  
set @myname$, get_name(@mysd);  
( )  
set @user_id, name2id(@username$);  
set @user_sd, name2sd(@username$);
```

## Declaration

```
set()  
myid() id  
mysd() sd  
id2sd() id  
sd2id() sd  
name2id() id [ ]  
name2sd() sd [ ]
```

## General

```
get_name()  
  
get_password()  
  
get_birth()
```

## General (cont)

```
set_birth() [ 6 ]  
  
get_gmlevel()  
  
set_gmlevel() [0= ,1=GM ]  
  
get_gender()  
  
set_gender() [0= ,1= ]  
  
get_nation()  
  
set_nation() [1= ,2= ]  
  
get_totem()  
  
set_totem() [0= ,1= ,2= ,3= ]  
  
get_level()  
  
set_level()  
  
get_job()  
  
set_job() [1= ,2= ,3= ,4= ,5= ]  
  
get_joblevel()  
  
set_joblevel()  
  
get_jobname()  
  
get_face()  
  
set_face()
```

## General (cont)

```
get_hair()  
  
set_hair()  
  
get_haircolor()  
  
set_haircolor()  
  
get_state()  
  
set_state() [0= ,1= ,2= ,3= ,4= ]  
  
get_riding()  
  
set_riding()  
  
get_speed()  
  
set_speed() [ =80]  
  
get_exp()  
  
set_exp()  
  
giveexp()  
  
del_exp()  
  
get_money()  
  
set_money()
```