

doc

```

/*=====
 *
 * Description: $0
 * Parameters: None
 * Returns: None
 *=====
 *=====*/

```

Documentation Header

gslog

```
gs.log(['+gs.getUser().getFirstName()+'] '+$0);
```

gs.log

jslog

```
jslog("label: " +$0);
```

jslog

for

```

for (var i=0; i< myArray.length; i++) {
    //m yAr ray[i];
}

```

Standard loop for arrays

grq

```

var gr = new GlideRecord("$0");
gr.add Que ry( " nam e", " val ue");
gr.que ry();
if (gr.ne xt()) {

}

```

GlideRecord Query

grqor

```

var gr = new GlideRecord('$0');
var qc = gr.add Que ry( 'fi eld', 'value1');
qc.add OrC ond iti on( 'fi eld', 'value2');
gr.que ry();
while (gr.ne xt()) {

}

```

GlideRecord Or Query



clientajax

```
var ga = new GlideAjax('HelloWorld');
ga.add Param( 'sysparm_name', 'helloWorld');
ga.add Param( 'sysparm_user_name', "Bob");
ga.getXML(HelloWorldParse);

function HelloWorldParse(response) {
    var answer = response.responseText.trim().replace("answer");
    alert(answer);
}
```

Client script ajax code

serverajax

```
var HelloWorld = Class.create();
HelloWorld.prototype = Object.extend({}, AbstractAjaxProcessor, {
    helloWorld: function() {
        return "Hello " + this.getParameter('sysparm_user_name') + "!";
    },

    privateFunction: function() { // this function is not client callable
    }
});
```

Server script include ajax code

method

```
/*=====
 * Description: $0
 * Parameters: None
 * Returns: None
 *=====
 *=====*/
$0: function() {
},
```

JavaScript Class Method

stdrun

```
//set the short description for the workflow
current.short_description = current.short_description + ' - ' + current.variables.short_description -
short_description;
current.description = current.variables.description;
```

'Run Script' code to initialize workflow vars



stdtask

```
//route to user specified group
task.assignment_group = current.variables.assignment_group;
//set the task due date to the request item due date
task.due_date = current.due_date;
//set the short description to match the requested item
task.short_description = current.short_description;
//set the description to match the requested item description
task.description = current.description;
```

Task template



By **kippg**
cheatography.com/kippg/

Not published yet.
Last updated 12th May, 2016.
Page 3 of 3.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>