

Respiratory System (Acid) CO₂ is a volatile acid

Change • The respiratory system can effect a change in 15-30 minutes

ACIDOSIS • **Decrease your respiratory rate (hypoventilation) you retain CO₂ (acid) therefore increasing your CO₂ (acid)**

ALKALOSIS • **Increased respiratory rate (hyperventilation) "blow off" CO₂ (acid) therefore decreasing CO₂ acid**

The Renal System (Base)

Renal System (Base) • Kidneys rid the body of the nonvolatile acids H⁺ (hydrogen ions) and **maintain a constant bicarb (HCO₃⁻)**.
• Bicarbonate is the body's base

Acidosis • **Kidneys** try to adjust for this by **excreting H⁺ and retaining HCO₃⁻ base**.
• **Respiratory System** will try to **compensate by increasing ventilation to blow off CO₂ (acid)** and therefore decrease the Acidosis.
• Have **excess H⁺ and decreased HCO₃⁻** causing a decrease in pH.

Alkalosis • **H⁺ decreases and you have excess (or increased) HCO₃⁻ base**.
• The **kidneys excrete HCO₃⁻ (base) and retain H⁺ to compensate**.
• The **respiratory** system tries to **compensates with hypoventilation** to retain CO₂ (acid) to decrease the alkalosis

Change • The renal system takes several hours to days to have an effect.

The Land of the ABG

The • First, look at her pH (normal is 7.35
Last - 7.45)
Name • If her pH is < 7.35; her name is ACIDOSIS
• If her pH is > 7.45; her last name is ALKALOSIS
• NOTE: To have an absolutely perfect last name; her pH needs to be 7.40. So, keep in mind that if her pH is 7.35 - 7.39 she's thinking about marrying into the ACIDOSIS family. If her pH is 7.41 - 7.45 she's thinking about marrying into the ALKALOSIS family

The • Look at her pH again.
First • If it is 7.35 - 7.45 (normal) then her
Name first name is COMPENSATED.
• If the pH is < 7.35 or > 7.45 then her first name is UNCOMPENSATED.

The • First you need to look at the CO₂
Middle and HCO₃⁻. Remember : **normal**
Name **CO₂ 35 - 45; and HCO₃⁻ 22 - 26**. 1.
• The middle name will either be Respiratory or Metabolic. 2.
• If the **CO₂ is < 35 or > 45** her middle name is RESPIRATORY. 3.
• If the **HCO₃⁻ is < 22 or > 26**; her middle name is METABOLIC.

The Land of the ABG (cont)

The • **pH and HCO₃⁻** are "kissin' cousins"
Family they like to **go in the same direction**
Feud • CO₂ is the "black sheep" pH runs the **opposite direction** when it sees him Coming. THEREFORE:
• Decreased pH with decreased HCO₃⁻: ACIDOSIS
• Increased pH with increased HCO₃⁻: ALKALOSIS
• **Decreased pH with increased CO₂⁻: ACIDOSIS**
• **Increased pH with decreased CO₂⁻: ALKALOSIS**

Metabolic Acidosis

• pH < 7.35 (Normal: 7.35 - 7.45)
HCO₃⁻ < 22 (normal: 22 - 26)
Causes • **Increased H⁺, excess loss of HCO₃⁻**
• Overproduction of organic acids (starvation, ketoacidosis, increased catabolism)
• Impaired renal excretion of acid (renal failure)
• Abnormal loss of HCO₃⁻ (diarrhea, biliary fistula, Diamox)
• Ingestion of acid (salicylate overdose, oral anti-freeze)



Metabolic Acidosis (cont)

Signs and Symptoms

- CNS depression (confusion to coma)
- Cardiac Dysrhythmias (elevated T wave, wide QRS to ventricular standstill)
- Electrolyte abnormalities (**elevated K+, Cl-, Ca2+**)
- Flushed skin (arteriolar dilatation)
- Nausea

Treatment (treat the underlying cause)

- NaHCO₃- (sodium bicarbonate) based on ABGs only and with caution
- IV fluids and insulin for DKA
- Dialysis for renal failure
- Antibiotics, increased nutrition for tissue catabolism
- Increased cardiac output and tissue perfusion for low CO states
- Rehydrate, monitor I and O
- Treat dysrhythmias, support hemodynamic and respiratory status

Metabolic Alkalosis

- pH > 7.45 (Normal: 7.35 - 7.45) HCO₃⁻ > 26

Metabolic Alkalosis (cont)

Causes

- Loss of H⁺ or increased HCO₃⁻
- Loss of K⁺ (diarrhea, vomiting)
- Ingestion of large amounts of bicarbonate (antacids, resuscitation)
- Prolonged use of diuretics (distal tubule lose ability to reabsorb Na⁺ and Cl⁻ therefore NaCl); Ammonia is in the urine and then binds with H⁺

Signs and Symptoms

- Similar to the disease process
- Diaphoresis
- Nausea and Vomiting
- Increase neuromuscular excitability (Ca²⁺ binds with protein)
- Shallow breathing (respiratory compensation)
- EKG changes (increased QT, sinus tachycardia)
- May also see confusion progressing to lethargy to coma
- Electrolyte abnormality (decreased Ca²⁺), normal or decreased K⁺, increased base excess on the ABG

Metabolic Alkalosis (cont)

Treatment (treat the underlying cause)

- Replace potassium (KCl) losses in 0.9% NaCl (rehydrates and increases HCO₃⁻ excretion)
- Diamox (acetazolamide, increases HCO₃⁻ excretion)
- Monitor neuro status, re-orient, seizure precaution, monitor I and O

RESPIRATORY ACIDOSIS

- pH < 7.35 (Normal: 7.35 - 7.45)
- CO₂ > 45 (Normal: 35 - 45)

Causes

- **Hypoventilation** • Depression of the Respiratory Center (sedatives, narcotics, drug overdose, CVA, cardiac arrest, MI).
- Respiratory muscle paralysis (spinal cord injury, Guillian-Barre, paralytics).
- Chest wall disorders (flail chest, pneumothorax).
- Disorders of the lung parenchyma (CHF, COPD, pneumonia, aspiration, ARDS).
- Alteration in the function of the abdominal system (distension)



By [xkissmekatex \(kissmekate\)](#)
cheatography.com/kissmekate/

Not published yet.
Last updated 17th January, 2017.
Page 2 of 3.

Sponsored by [Readability-Score.com](#)
Measure your website readability!
<https://readability-score.com>

RESPIRATORY ACIDOSIS (cont)

Signs and Symptoms

- CNS depression (**decreased LOC**)
- Muscle twitching which can progress to convulsions
- Dysrhythmias, tachycardia, diaphoresis (related to hypoxia secondary to hypoventilation)
- Palpitations
- Flushed skin
- Serum electrolyte abnormalities including elevated K⁺ (potassium leaves the cell to replace the H⁺ buffers leaving the cell)

Treatment

- Physically stimulate the patient to improve ventilation
- Vigorous pulmonary toilet (chest PT, coughing and deep breathing, spirometer, respiratory treatments with bronchodilators)
- Mechanical ventilation (to **increase the respiratory rate and tidal volume**)
- Reversal of sedatives and narcotics
- Antibiotics for infections
- Diuretics for fluid overload
- NOTE: beware of NaHCO₃⁻ sodium bicarbonate—can compensate and cause metabolic alkalosis. Also, if patient has been hypoxic and this is a lactic acidosis; NaHCO₃⁻ can be dangerous)

Respiratory Alkalosis

pH > 7.45 (Normal: 7.35 - 7.45)
CO₂ < 35 (Normal: 35 – 45)

Causes

- **Alveolar Hyperventilation**
- Psychogenic (fear, pain, anxiety)
- CNS stimulation (brain injury, ETOH, early salicylate poisoning, brain tumor)
- Hypermetabolic states (**fever**, thyrotoxicosis)
- Hypoxia** (high altitude, pneumonia, heart failure, pulmonary embolism)
- Mechanical overventilation (**ventilator rate too fast**)

Signs and Symptoms

- Heachache
- Vertigo
- Paresthesias (numb fingers /toes, circumoral, carpal pedal spasms and tetany)
- Tinnitus (ringing in the ears)
- Electrolyte abnormalities (**decreased Ca⁺, K⁺**)

Respiratory Alkalosis (cont)

Treatment (treat the underlying cause)

- Sedatives or analgesics
- Correction of hypoxia (possible diuretics, mechanical ventilation to also **decrease respiratory rate and decrease the tidal volume**)
- NOTE: patients with brain injury may need hyperventilation
- Antipyretics for fever
- Treat hyperthyroidism
- Breathe into a paper bag for hyperventilation