

Capistrano

:application	application name
:deploy_to	deploy directory
:domain	domain name or ip
:use_sudo	use sudo to execute commands?
:keep_releases	number of releases to keep
:role	defines role of the server
:log_level	:debug log level

PHP

:php_bin	"php"
-----------------	-------

Permissions

:writable_dirs (by the HTTP Server)	[log_path, cache_path]
:webserver_user	"www-data"
:permission_method (:chmod, :acl, or :chown)	false
:use_set_permissions	false

Folders and Files

:remote_tmp_dir	"/tmp"
:shared_files (Files that need to remain the same between deploys)	false
:shared_children (Dirs that need to remain the same between deploys (shared dirs))	[log_path, web_path + "/uploads"]
:backup_path (Database backup folder)	"backups"

scm

:scm	defines which scm to use (:git, :svn, etc)
:repository	repository address
:deploy_via	<p>:remote_cache - git repository will be kept on the server and Capifony will only fetch the changes since the last deploy.</p> <p>:copy - clone the latest project version from the local git repo and copy to prod.</p>

ssh_options[:forward_agent]

if **true**, then local ssh keys will be used

:branch

branch to use. default **master**

:scm_username

the username that your Source Control system will use to access the repository.

:scm_password

The password that your source control system (for ex: subversion) will use to access the repository. **Not recommended**

:local_repository

The repository URL that should be used when querying from your workstation. If this is set, :repository, becomes the URL that should be used when querying the repository from the remote hosts. This is handy when you are accessing the repository via different methods locally vs. remotely. more <http://lee.hambley.name/2010/03/22/self-hosted-repositories-with-capistrano-and-git/>

Symfony2

:app_path	"app"	application path
:web_path	"web"	web path
:symfony_console	app_path + "/console"	console bin
:symfony_debug	false	debug flag for console commands
:log_path	app_path + "/logs"	log path
:cache_path	app_path + "/cache"	cache path
:app_config_path	app_path + "/config"	config file path
:clear_controllers	true	Need to clear *_dev controllers
:controllers_to_clear	['app_*.php']	controllers to clear

Model Manager

:model_manager (doctrine, propel)	"doctrine"
:doctrine_em	false
:doctrine_clear_use_flush_option Use --flush option in doctrine:clear_* task	false

Assets

:dump_asetic_assets	false
:assets_install	false
:assets_symlinks	false



Assets (cont)

:assets_relative

false

:assets_install_path

web_path

:update_assets_version Whether to update `assets_version` in `config.yml`

false

:asset_children Asset folders (that need to be timestamped)

[web_path + "/css", web_path + "/images", web_path + "/js"]

Other

:intera-ctive_ave_-mode true If set to false, it will never ask for confirmations (migrations task for instance)

Vendors

:symfony_vendors

"bin/vendors". bin vendors

:build_bootstrap

"bin/build_bootstrap" build_bootstrap script

:use_composer

false Whether to use composer to install vendors. If set to false, it will use the bin/vendors script

:use_composer_tmp

false Whether to use composer to install vendors to a local temp directory

:composer_bin

false Path to composer binary. If set to false, Capifony will download/install composer

Vendors (cont)

:composer_options

"--no-dev --verbose --prefer-dist --optimize-autoloader --no-progress"

Options to pass to composer when installing/updating

:composer_dump_autoload_options

"--optimize" Options to pass to composer when dumping the autoloader (dump-autoloader)

:update_vendors

false Whether to update vendors using the configured dependency manager (composer or bin/vendors)

:vendors_mode

"reinstall" run bin/vendors script in mode (upgrade, install (faster if shared /vendor folder) or reinstall)

:copy_vendors

false Copy vendors from previous release

ssh

:user

The SSH username you are logging into the server(s) as.

:password

The SSH password you are logging into the server(s) with. **Not recommended**

:gateway

Define a gateway server. All subsequent connections will be tunneled through the gateway (using SSH forwarded ports).

Multistage

:stages stages names: %w(dev prod)

:default_stage default stage name

:stage_dir directory with stages configs



By [kn1ght](#)
cheatography.com/kn1ght/

Not published yet.
Last updated 12th May, 2016.
Page 2 of 2.

Sponsored by [CrosswordCheats.com](#)
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>