

## Font Cheat Sheet

Type	Class Name	Font Size (px)	Font Size (%)
H1	x3-large	28px	215.4%
H2	x2-large	24px	182.5%
H3	x-large	19px, Bold	146.5%
H4	large	16 px, Bold	123.1%
H5	med-large	16 px	123.1%
H6	medium	15px	116%
H7	med-small	14px, Bold	108%
H8	small	14 px	108%


## Button Fields

Field	Description	Default Value
tag	The HTML tag name.	button
button	<b>core, stick, form, exclusive, edit, task, table.</b>	core
type	<b>submit, reset, button.</b>	submit (if tag is button or input)
label	The label text .	Label Text
class	The extra class name .	
disabled	Disabled or not.	false

## Button Fields (cont)

href	href attribute.	# (if tag is a)
target	Target attribute.	_self (if tag is a)_self, _blank or some target)
title	Title attribute.	# (if tag is a)
tabindex	Tabindex attribute.	
name	The form name attribute.	
value	The value attribute.	

## Exclusive Button




```
$var = button(
array(
"button" => "exclusive",
"name" => "button-name",
"value" => $value,
"href" => $url ,
"label" => $lang["key"],
"class" => "class-name",
"disabled" => FALSE
)
);
```

Description :

**For no content module, Promotional page**

## Form Button




```
$var = button(
array(
"button" => "core",
"name" => "button-name",
"value" => $value,
"type" => "submit",
"label" => $lang["key"],
"class" => "class-name",
"disabled" => FALSE
)
);
```

Description :

**Page/Popup action button**

## Task Button



```
$var = button(
array(
"button" => "task",
"name" => "button-name",
"value" => $value,
"href" => $url,
"label" => $lang["key"],
"class" => "class-name",
"disabled" => FALSE,
)
);
```

Description :

**Page main functional button**



By kvzhuang  
[cheatography.com/kvzhuang/](http://cheatography.com/kvzhuang/)

Published 16th August, 2012.  
Last updated 2nd June, 2014.  
Page 1 of 2.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

## Stick Button




```
$var = button(  
array(  
"button" => "stick",  
"name" => "button-name",  
"value" => $value,  
"label" => $lang["key"],  
"href" => $url,  
"class" => "class-name",  
"disabled" => FALSE  
)  
);
```

Description :

**Page sub functional button (Stick Viewport)**

## Core Button



```
$var = button(  
array(  
"button" => "core",  
"name" => "button-name",  
"target" => "_blank",  
"href" => $url,  
"label" => $lang["label-name"],  
"class" => "class-name",  
"disabled" => FALSE  
)  
);
```

Description :

**For user badge**

## Table Button



```
$var = button(  
array(  
"button" => "table",  
"href" => $url,  
"name" => "button-name",  
"value" => $value,  
"label" => $lang["key"],  
"class" => "label-name",  
"disabled" => FALSE  
)  
);
```

Description :

**Page sub sub functional button**

## Edit Button



**It seems no longer used.**

Description :

**Edit button**



By kvzhuang  
[cheatography.com/kvzhuang/](http://cheatography.com/kvzhuang/)

Published 16th August, 2012.  
Last updated 2nd June, 2014.  
Page 2 of 2.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>