

### Create/List key pairs

dotenvx init	Create .env and .env.keys in current directory
dotenv -p test init	Create .env.test and .env.keys for test profile
dotenvx init -g	Create \$HOME/.env.keys for global profiles
dotenvx keypair	Validate and print key pair for .env
dotenvx -p test keypair	Validate ad print key pair for .env.test
dotenvx keypair --all	List all global key pairs
dotenvx keypair --import	Import private key

Please use 'cargo binstall dotenvx-rs' to install dotenvx or download it from <https://github.com/linux-china/dotenvx-rs/releases>

### encrypt and decrypt for .env files

dotenvx encrypt	Encrypt .env file
dotenvx -p test	Encrypt .env.test file
encrypt	
dotenvx encrypt --sign	Encrypt and sign .env file
dotenvx verify	Verify the .env file with public key and sign header in the file
dotenvx decrypt	Decrypt .env file
dotenvx -p test	Decrypt .env.test file
decrypt	
dotenvx decrypt --stdout	Read .env file and print the decrypted items to stdout
dotenvx decrypt --dump	Decrypt .env file and output entries to stdout with JSON format

You can sign an .env file. If somebody modify the .env file, and verification will be failed.

### .env file example

```
# ---  
# uuid: f7580a c5- 0b2 4-4 385 -b3 ff- 819 225 -  
b687f3  
# name: input your name here  
# group: demo  
# ---  
DOTENV _PU BLI C_K EY= " 02b 497...."  
# Enviro nment variables. MAKE SURE to ENCRYPT  
them before committing to source control  
HELLO= enc ryp ted :ba se6 4_text
```

### .env.key file example

```
# ---  
# uuid: 8499c5 c3- cee 3-4 c94 -99 a4- 9c8 6b2 -  
ed5dd9  
# name: input your name here  
# group: demo  
# ---  
# Private decryption keys. DO NOT commit to source  
control  
DOTENV _PR IVA TE_ KEY =9e 701 8-h ex-text  
DOTENV _PR IVA TE_ KEY _EX AMP LE= a3d 15- hex -  
text
```

### GitHub Actions setup

```
jobs:  
  dot env x-demo:  
    run s-on: ubuntu -latest  
    steps:  
      - uses: action s/c hec kout@v4  
      - uses: linux- chi na/ set up- dot env -  
x@main  
      - run: npm install  
      - run: $HOME/.ca rgo /bi n/d otenvx run  
-- node index.js  
    env:  
      DOT ENV _PR IVA TE_KEY: ${  
secret s.D OTE NV_ PRI VAT E_KEY }}}
```

Please add DOTENV \_PR IVA TE\_KEY secret to the Repository secrets first.

If you use act for local GitHub Actions test, please use act -j dot env x-demo --secrets-file .env.keys.



By linux\_china

cheatography.com/linux-china/

Published 24th July, 2025.

Last updated 15th August, 2025.

Page 1 of 2.

Sponsored by [Readable.com](#)

Measure your website readability!

<https://readable.com>

### Get/Set item from .env file

dotenvx get admin	Get ADMIN value from .env file
dotenvx get	GET all key/value pairs from .env file
dotenvx set admin Jackie	SET ADMIN to Jackie in .env file
dotenvx set admin -	SET ADMIN from input
dotenvx set key - < ./private.pem	Set key from text of private.pem file
dotenvx set <key> --clipboard	Set key from clipboard

Please press Ctrl+D on Linux/macOS or Ctrl+Z on Windows to finish input.

### Switch profile

dotenvx -p test	Change profile to test
dotenvx encrypt -f .env.test	Change profile to test by .env file name
NODE_ENV=test dotenvx encrypt	Change profile to test by environment
profile's environment variable names: NODE_ENV, RUN_ENV, APP_ENV, SPRING_PROFILES_ACTIVE.	

### Run command with .env support

dotenvx run -- ./demo.sh	Inject env variables from .env and run ./demo.sh
dotenvx -f prod run -- ./demo.sh	Inject env variables from .env.prod and run ./demo.sh
dotenvx run -- echo '\$HELLO'	Inject env variables from .env to run command line
dotenvx -c 'echo \$HELLO'	Inject env variables from .env and run command line

Please use single quote to wrap variables from .env file.

### Rotate key pair for project

dotenvx rotate	Rotate key pair for .env file
dotenvx -p prod rotate	Rotate key pair for .env.prod file
dotenvx rotate -f .env.prod	Rotate key pair for .env.prod file

### Global private key management

dotenvx init --global	Generate global private keys in \$HOME/.env.keys
dotenvx --seal	Encrypt \$HOME/.env.keys, \$HOME/.dotenvx/.env-key.json with your password
dotenvx --unseal	Decrypt \$HOME/.env.keys.aes, \$HOME/.dotenvx/.env.keys.json.aes with password

### Misc

eval \$(dotenvx decrypt --export)	Export .env items to environment variables
eval \$(dotenvx get hello --format shell)	Export HELLO from .env items as environment variable
dotenvx ls	List all .env file from current directory recursively
dotenvx -f test ls	List all .env.test file from current directory recursively
dotenvx diff key1,key2	Display keys' values between all .env files
dotenvx diff key1,key2 --format csv	Display keys' values between all .env files by csv

**Tips:** if you use direnv, and you can add "eval \$(dotenvx decrypt --export)" to the .envrc file to automatically load .env as the environment variables when you enter the directory.

