

Social Influence

<i>DEUTSCH & GERARD</i>	2-process theory (ISI & NSI)
<i>ASCH</i>	line length
<i>ZIMBARDO</i>	Stanford prison experiment
<i>MILGRAM</i>	electric shocks
<i>ADORNO et al</i>	f-scale
<i>MOSCOVICI et al</i>	blue-green slides

Social Influence Evaluation

<i>LUCAS et al</i>	maths ability
<i>PERRIN & SPENCER</i>	engineering students
<i>MCGHEE & TEEVAN</i>	nAffiliators
<i>SHERIDAN & KING</i>	real shocks to puppy
<i>HOFLING et al</i>	nurses obeying doctor, no anxiety
<i>BICKMAN</i>	uniform
<i>MIRANDA et al</i>	Spanish replication
<i>BLASS & SCHMIDT</i>	expert authority
<i>ELMS & MILGRAM</i>	obedience correlated with f-scale
<i>ALLEN & LEVINE</i>	thick glasses dissenter
<i>HOLLAND</i>	externals and internals
<i>TWENGE et al</i>	more independent and more external
<i>ROTTER</i>	LOC not imp. in familiar situations
<i>WOOD et al</i>	minority = consistent = influential
<i>MARTIN et al</i>	changing viewpoint
<i>NOLAN et al</i>	reduce energy usage hung on doors

Memory

<i>BADDELEY</i>	coding in STM & LTM
<i>JACOBS</i>	capacity in STM & LTM
<i>MILLER</i>	capacity of STM
<i>PETERSON & PETERSON</i>	duration of STM
<i>BAHRICH et al</i>	duration of LTM
<i>ATKINSON & SHIFFRIN</i>	multi-store model
<i>BADDELEY & HITCH</i>	working memory model
<i>MCGEOCH & MCDONALD</i>	effects of similarity
<i>GODDEN & BADDELEY</i>	content-dependent forgetting
<i>LOFTUS & PALMER</i>	clips of car accidents
<i>GABBERT et al</i>	post-event discussion
<i>JOHNSON & SCOTT</i>	negative effect of anxiety

Memory (cont)

<i>YUILLE & CUTSHALL</i>	positive effect of anxiety
<i>YERKES & DODSON</i>	'inverted U' theory
<i>FISCHER & GEISELMAN</i>	cognitive interview

Memory Evaluation

<i>COWAN</i>	STM = 4 chunks
<i>SHALLICE & WARRINGTON</i>	patient KF
<i>CRAIK & WATKINS</i>	2 types of rehearsal
<i>TULVING et al</i>	different LTM stores
<i>BELLEVILLE et al</i>	mild cognitive impairments treatments
<i>BADDELEY et al</i>	dual task performance
<i>BRAVER et al</i>	central executive activity
<i>BADDELEY & HITCH</i>	rugby players recall teams
<i>TULVING & PSOTKA</i>	categories
<i>GODDEN & BADDELEY</i>	recognition test
<i>YUILLE & CUTSHALL</i>	real armed robbery
<i>ANASTASI & RHODES</i>	own-age bias
<i>PICKEL</i>	surprising items
<i>MILNE & BULL</i>	report everything & context reinstatement
<i>KÖHNKEN et al</i>	increase in correct and incorrect info.

Attachment

<i>FELDMAN & EIDLEMAN</i>	alert phase
<i>MELTZOF & MOORE</i>	facial expressions/ distinctive gestures
<i>ISABELLA et al</i>	synchrony and quality of attachment
<i>SCHAFFER & EMERSON</i>	primary attachment, separation anxiety
<i>GROSSMANN</i>	longitudinal study
<i>FIELD</i>	father as primary caregiver
<i>LORENZ</i>	imprinting
<i>HARLOW</i>	imp. of contact comfort in monkeys

Attachment (cont)

<i>DOLLARD & MILLER</i>	learning theory - drive reduction
<i>BOWLBY</i>	monotropic theory, maternal deprivation hypothesis, 44 thieves
<i>AINSWORTH</i>	strange situation
<i>VAN IJZENDOORN & KROONENBERG</i>	cultural variations
<i>SIMONELLI et al</i>	Italian variations
<i>GOLDFARB</i>	intellectual development
<i>RUTTER et al</i>	English and Romanian adoptee
<i>ZEANAH et al</i>	bucharest early intervention project
<i>HAZAN & SHAVER</i>	romantic relationships quiz

Attachment Evaluation

<i>CROTWELL et al</i>	PCIT improved interactional synchrony
<i>GROSSMAN</i>	father's role = play & stimulation
<i>GUITON</i>	chicks imprinted on yellow washing-up gloves
<i>HAY & VESPO</i>	parents model attachment behaviour
<i>BRAZLETON et al</i>	primary figure ignores babies social releasers
<i>BAILEY et al</i>	internal working model
<i>BICK et al</i>	different observers agree on type
<i>TAKAHASHI</i>	Japanese mothers rarely separated from infant
<i>MAIN & SOLOMON</i>	type: mix of avoidant and resistant
<i>KAGAN</i>	temperament more imp.
<i>LEWIS</i>	prolonged separation didn't predict criminality
<i>KOLUCHOVÁ</i>	isolated Czech twin boys
<i>LEVY et al</i>	separated baby rats
<i>RUTTER</i>	deprivation and privation
<i>ZIMMERMAN</i>	little relationship between quality and attachment

Psychopathology

<i>ROSENHAN & SELIGMAN</i>	proposed signs for failure to function adequately
<i>JAHODA</i>	criteria for ideal mental health
<i>MOWRER</i>	2-process model (UCS,NS,CS,CR)
<i>WATSON & RAYNOR</i>	little Albert
<i>BECK</i>	negative triad
<i>ELLIS</i>	ABC(DE) model
<i>TAYLOR</i>	up to 230 different genes involved

Psychopathology Evaluation

<i>GILROY et al</i>	spider phobia treatment
<i>GRAZIOLI & TERRY</i>	post-natal depression
<i>MARCH et al</i>	CBT, antidepressants, combination
<i>NESTADT et al</i>	OCD vulnerable due to genetic make-up (twins)
<i>CROMER et al</i>	past traumatic event
<i>SOOMRO et al</i>	comparing SSRIs to placebos

