

Création d'un projet JUnit5 avec IntelliJ

\* créer un projet

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 1 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Création d'un projet JUnit5 avec IntelliJ (cont)

\* placer le curseur sur le nom de la classe à tester

### Création d'un projet JUnit5 avec IntelliJ (cont)

\* ALT + ENTREE => une fenêtre s'affiche, choisir "nouveau test"

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 2 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Création d'un projet JUnit5 avec IntelliJ (cont)

\* remplir, et cocher la case "importer JUnit5"

### Test simple

```
<imports>
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 3 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Test simple (cont)

```
class FirstJUnit5Test {
```

### Test simple (cont)

```
@Test
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 4 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Test simple (cont)

```
void myFirstTest () {
```

### Test simple (cont)

```
assertEquals (2, 1+1, "1+1 <> 2 ??");
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 5 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

Test simple (cont)

```
}
```

Test simple (cont)

```
}
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 6 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Annotations

@BeforeAll, @AfterAll

### Annotations (cont)

@BeforeEach, @AfterAll

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 7 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Annotations (cont)

@Disabled("test non effectué, ce texte est affiché")

### Annotations (cont)

@Disabled peut décorer des méthodes ou des classes

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 8 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>



### Annotations (cont)

```
@DisplayName("texte affiché lors des tests")
```

### Annotations (cont)

```
@RepeatedTest(10)
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 9 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests paramétrés

```
@ParameterizedTest
```

### Tests paramétrés (cont)

```
@ValueSource(strings = { "Hello", "World" })
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 10 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests paramétrés (cont)

```
void testWithParams (String argument) {
```

### Tests paramétrés (cont)

```
assertNotNull (argument) ;
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 11 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests paramétrés (cont)

```
}
```

### Tests paramétrés (cont)

```
//possibilité d'exécuter un test plusieurs fois avec  
des arguments différents. A la place de assertNotNull  
il pourrait y avoir un appel de méthode, et/ou un  
bloc.
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 12 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests paramétrés, type des paramètres

types de base

String, int, long, or double

### Tests paramétrés, type des paramètres (cont)

enums

voir doc

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 13 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests paramétrés, type des paramètres (cont)

méthode qui renvoie une collection

[voir doc](#)

### Assertions, assertThrows

@Test



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 14 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Assertions, assertThrows (cont)

```
void exceptionTesting() {
```

### Assertions, assertThrows (cont)

```
    Throwable exception =  
    assertThrows(MyException.class, () -> {
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 15 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Assertions, assertThrows (cont)

```
throw new MyException("a message");
```

### Assertions, assertThrows (cont)

```
});
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 16 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>



### Assertions, assertThrows (cont)

```
assertEquals("a message",  
exception.getMessage());
```

### Assertions, assertThrows (cont)

```
}
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 17 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Assertions, assertThrows (cont)

```
//à la place du throw nex MyException, mettre la  
méthode à tester et susceptible de déclencher une  
exception
```

### assertTimeout

```
@Test
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 18 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### assertTimeout (cont)

```
void timeoutNotExceededWithResult() {
```

### assertTimeout (cont)

```
int vrai=assertTimeout(ofMinutes(2), () ->{
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 19 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

```
assertTimeout (cont)
```

```
return 10 ;
```

```
assertTimeout (cont)
```

```
} ) ;
```



By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 20 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

assertTimeout (cont)

```
assertEquals(10, vrai);
```

assertTimeout (cont)

```
}
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 21 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### assertTimeout (cont)

```
// The assertion succeeds, and returns the supplied  
object.*
```

### assertTimeout + appel de méthode

```
@Test
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 22 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### assertTimeout + appel de méthode (cont)

```
void timeoutNotExceededWithMethod() {
```

### assertTimeout + appel de méthode (cont)

```
String ret =  
assertTimeout(ofMinutes(2), MyClass::greeting);
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 23 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### assertTimeout + appel de méthode (cont)

```
assertEquals("hello world!", ret);
```

### assertTimeout + appel de méthode (cont)

```
// The assertion invokes a method reference and  
returns an object.
```

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 24 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>



**assertTimeout, arrêt forcé**

`assertTimeoutPreemptively`

utilisation comme `assertTimeout`

**assertTimeout, arrêt forcé (cont)**

arrêt et échec du test si timeout atteint

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 25 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Assertions

messages d'erreur	assertEquals (1,2,"non égaux") --> le message est après
----------------------	--

### Assertions (cont)

asserts & lambdas	AssertTrue(false,() -> "message évalué dynamiquement")
----------------------	---

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 26 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Assertions (cont)

```
assertAll  assertAll("texte", () -> code avec asserts,() -> code avec  
asserts ); etc...
```

### Assertions (cont)

même contexte pour les blocs

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 27 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### Tests groupés

@Nested définit, à l'intérieur d'une classe de tests, une 2e classe de tests avec ses propres @BeforeAll etc...

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 28 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

C

By **lowley**  
[cheatography.com/lowley/](https://cheatography.com/lowley/)

Not published yet.  
Last updated 4th November, 2017.  
Page 29 of 100.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>