

HEADERS

Heading Level 1

```
=====
```

Heading Level 2

```
-----
```

Another way:

```
# Header1
```

```
## Header2
```

```
### Header3
```

```
...
```

LINKS & LINK TO A SECTION

Text that will link to a website.

Text that will link to the section.

This will link the text to the "Section With Spaces" header.

You can also organize all your links like this:

```
[math.stackexchange.com][1]
```

```
[link.number.two][2]
```

[1]: <http://math.stackexchange.com/>

[2]: <http://website.com>

IMAGES

```
![Image of dog] (https://www.codeproject.com/KB/GDI-plus/ImageProcessing2/flip.jpg)
```

TABLE OF CONTENTS

You can insert a table of contents using the marker [TOC]

FOOTNOTES

You can create footnotes like this^[^footnoteName].

^[^footnoteName]: Here is the *text* of the **footnote**.

Every time you create a footnote it automatically sets the text at the bottom of the page and link them together.

PARAGRAPHS < p >

Paragraphs are lines of text

(single returns are collapsed into a space)

Blank lines indicate a new paragraph

TEXT EFFECTS

```
**bold**          bold
```

```
*italic*          italic
```

```
~~strikethrough~~ strikethrough
```

UNORDERED LIST < ul > < li >

```
* First bullet
```

```
* Second bullet
```

```
** Second.1 bullet
```

ORDERED LIST < ol > < li >

```
1. First item
```

```
2. Second item
```

```
3. Third item
```

TABLES

```
| Item | Value | Qty |
```

```
| :----- | ----: | :---: |
```

```
| Computer | $1600 | 5 |
```

You can specify alignment with : at one or both sides

FLOWCHARTS

```
st=>start: Start
```

```
e=>end
```

```
op1=>operation: My Operation
```

```
sub1=>subroutine: My Subroutine
```

```
cond=>condition: Yes
```

```
or No?:>http://www.google.com
```

```
io=>inputoutput: catch something...
```

```
st->op1->cond
```

```
cond(yes)->io->e
```

```
cond(no)->sub1(right)->op1
```

You can have more info at: <http://flowchart.js.org/>

CODE

Simple html < code > text: ``code``

Code block (< pre >) in a certain language:

```
``` javascript
```

```
if (isBad) {
```

```
 return false
```

```
}
```

```
```
```

HORIZONTAL RULE < hr />

```
---
```

```
---
```

BLOCK QUOTE

```
> This is a
```

```
> blockquote
```

ADDING ICONS

```
##### <i class="icon-file"></i> Create a document
```

This would add the icon  before the text

KEYBOARD KEYS

```
<kbd>Ctrl+Shift+F1</kbd>
```

DEFINITION LIST

Belongs to this term

: This definition

First, write the syntax for the definition

SEQUENCE DIAGRAMS

```
Andrew->China: Says Hello
```

```
Note right of China: China thinks\nabout it
```

```
China-->Andrew: How are you?
```

```
Andrew-->China: I am good thanks!
```

You can have more info at: <https://bramp.github.io/js-sequence-diagrams/>



By **lucbpz**
cheatography.com/lucbpz/

Published 4th October, 2017.
Last updated 4th October, 2017.
Page 1 of 1.

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish Yours!
<https://apollopod.com>