

Math Operations

<code>a = 3</code>	
<code>b = 4</code>	
<code>a + b</code>	Sum a and b (7)
<code>a - b</code>	Subtract b from a (-1)
<code>a * b</code>	a times b (12)
<code>a / b</code>	a divided by b (0.75)
<code>a // b</code>	Integer part of a divided by b (0)
<code>a % b</code>	Rest of a divided by b (3)
<code>a ** b</code>	a to the power of b (81)

Logic Tests

<code>5 > 3</code>	Tests if 5 is greater than 3 (True)
<code>5 >= 3</code>	Tests if 5 is greater than or equal to 3 (True)
<code>5 == 3</code>	Tests if 5 is equal to 3 (False)
<code>5 != 3</code>	Tests if 5 is different than 3 (True)
<code>5 <= 3</code>	Tests if 5 is lower than or equal to 3 (False)
<code>5 < 3</code>	Tests if 5 is lower than 3 (False)
<code>not True</code>	Opposite of True (False)

Math Module

<code>import math</code>	Imports module math
<code>math.ceil(x)</code>	Rounds x up
<code>math.floor(x)</code>	Rounds x down
<code>round(x)</code>	Rounds x with 0 decimal places
<code>round(x, 2)</code>	Rounds x with 2 decimal places
<code>math.sqrt(x)</code>	Square root of x
<code>math.sin(-angle)</code>	Sine of angle
<code>math.cos(-angle)</code>	Cosine of angle
<code>math.tan(-angle)</code>	Tangent of angle
<code>math.sinh(x)</code>	Hiperbolic sine of x
<code>math.cosh(x)</code>	Hiperbolic cosine of x
<code>math.tanh(x)</code>	Hiperbolic tangent of x
<code>math.asin(-angle)</code>	Arc sine of angle
<code>math.acos(-angle)</code>	Arc cosine of angle
<code>math.atan(-angle)</code>	Arc tangent of angle
<code>math.asinh(x)</code>	Inverse hiperbolic sine of x

Math Module (cont)

<code>math.a-cosh(x)</code>	Inverse hiperbolic cosine of x
<code>math.a-tanh(x)</code>	Inverse hiperbolic tangent of x
<code>math.degr-ees(angle)</code>	Covert rad_angle from radians to degrees
<code>math.radi-ans(angle)</code>	Covert rad_angle from degrees to radians
<code>math.factori-al(x)</code>	Factorial of x
<code>math.g-amma(x)</code>	Gamma function of x
<code>math.exp(x)</code>	e to the power of x
<code>math.log(x)</code>	Natural logarithm of x
<code>math.log(x, 2)</code>	Base 2 logarithm of x
<code>math.e</code>	Constant e
<code>math.pi</code>	Constant pi

Round is not part of the math module.

The python standard is to work with angles in radians.

C

By **lucidxtra**
cheatography.com/lucidxtra/

Not published yet.
 Last updated 27th March, 2022.
 Page 1 of 2.

Sponsored by **ApolloPad.com**
 Everyone has a novel in them. Finish Yours!
<https://apollopad.com>

Second Degree Equation Roots

```
# This script solves ax^2 + bx +
c = 0
import math
a = 1
b = -1
c = -6
delta = b2 - 4 * a * c
r1 = (-b + math.sqrt(delta)) / (2*a)
r2 = (-b - math.sqrt(delta)) / (2*a)
print( f"r1 = {r1}")
print( f"r2 = {r2}")
```

```
r1 = 3.0
r2 = -2.0
```

Triangle Angles

```
# Calculates the angles of a
triangle based on its
sides.
import math
side1, side2, side3 = 3, 4, 5
angle1 = math.atan(side2 / side1)
angle2 = math.acos(side2 / side3)
print( f"angle 1 = {math.degrees(angle1)}")
print( f"angle 2 = {math.degrees(angle2)}")
```

```
angle 1 = 53.13010235415598
angle 2 = 36.86989764584401
```

Data Types

Name	Type	Description
Integers	int	Whole numbers, such as: 3 300 200
Floating point	float	Numbers with a decimal point: 2.3 4.6 100.0
Strings	str	Ordered sequence of characters: "hello" 'Sammy' "2000" "樂し い"
Lists	list	Ordered sequence of objects: [10,"hello",200.3]
Dictionaries	dict	Unordered Key:Value pairs: {"mykey": "value", "name": "Frankie"}
Tuples	tup	Ordered immutable sequence of objects: (10,"hello",200.3)
Sets	set	Unordered collection of unique objects: {"a","b"}
Booleans	bool	Logical value indicating True or False



By **lucidxtra**
cheatography.com/lucidxtra/

Not published yet.
 Last updated 27th March, 2022.
 Page 2 of 2.

Sponsored by **ApolloPad.com**
 Everyone has a novel in them. Finish Yours!
<https://apollopad.com>