

definiowanie

literal	<code>make_graph_from_literal(1-2-3, 1-3)</code>	- for an undirected edge, -+ for directed (+ is the arrowhead)
adjacency matrix	<code>graph_from_adjacency_matrix(matrix_name, mode = "undirected")</code>	mode = "directed" or "undirected"
edgelist	<code>gr1<-graph_from_edgelist(matrix_name, directed=FALSE)</code>	directed= "false" or "true" for a directed or non-directed graph

atrybuty

list vertices	<code>V(graph_name)</code>
list edges	<code>E(graph_name)</code>
list degrees	<code>degree(graph_name)</code>
list degrees in oriented graph	<code>degree(graph_name, mode="in"/"out")</code>

files

saving into file	<code>write_graph(graph_name, "file_name.graphml", format = "graphml")</code>
------------------	---

spójność

wyszukiwanie spójnych składowych	<code>components(graph_name, mode="weak")</code>	mode = "weak" or "strong"
----------------------------------	--	---------------------------

rysowanie

rysowanie w edytorze	<code>plot(graph_name)</code>
rysowanie ...	<code>tkplot(graphname)</code>

drawing add-ons

<code>edge.width = E(graph_name)\$weight</code>	
<code>edge.label=E(graph_name)\$weight</code>	
<code>edge.label.dist = 0.5</code>	
<code>vertex.color="green"</code>	
<code>vertex.shape = "square"</code>	
<code>vertex.size=8</code>	
<code>layout=layout_type(graph_name)</code>	<code>layout_in_circle, layout_with_kk, layout_with_fr</code>
<code>vertex.attribute_type</code>	<code>vertex.color, vertex.shape, vertex.size</code>
<code>edge_attr(graf1, "weight") <- c(2,2,1,5,1,4,3,2,3,6,4,1,2,1,5,3,2,3,1)</code>	
<code>plot(graf1, edge.label = E(graf1)\$weight)</code>	



By Lydia_4

cheatography.com/lydia-4/

Not published yet.

Last updated 14th October, 2024.

Page 1 of 1.

Sponsored by CrosswordCheats.com

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>