

Respiratory System NPB 101 Cheat Sheet by lydiap34 via cheatography.com/213368/cs/46429/

general anatomy		
pharynx	common passage for lungs and stomach	
larynx	voice box at entry of trachea	
trachea	tube for air to go into the lungs	
bronchi	division of trachea into two main branches	
bronch- ioles	small branches of respiratory airway	
alveoli	small, thin-walled sacs where gas exchange takes place	
conducting zone	top of trachea to respiratory bronchioles	
respiratory zone	where gas exchange occurs	
pleural sacs	pair of thin, fluid filled membranes that enclose the lungs	
pleural cavity	space between pair of membranes	
pleurae	two flattened, closed sacs with pleural fluid- form serosa	

Respiratory Mechanics

Pressure Gradient

air moves from high to low pressure; respiratory pressure relative to atmospheric

Inspiration

diaphragm and external intercostal muscles contract- increase dimensions of thoracic cavity

Passive Expiration

inspiratory muscles relax- ribs, sternum, diaphragm return to resting position

Active Expiration

abdominal and internal intercostal muscles contract- reduce size of thoracic cavity

Determinants of Lung Compliance

Respiratory Mechanics (cont)

stretchability of lung tissue (elastin) and alveolar surface tension

Surfactant

reduces cohesive forces on alveolar surface- lowers surface tension- secreted by type II alveolar cells

Opposing Forces Acting on Lung

Forces Keeping Alveoli Open

transmural pressure gradient

pulmonary surfactant- opposes alveolar surface tension

Forces Promoting Alveolar Collapse elasticity of stretched elastin fibers in connective tissue

alveolar surface tension

4 Important Factors for Ventilation

- 1. Atmospheric
- 2. Intra-Alveolar

lower during respiration bc thoracic wall expands

boyle's law- at constant temp the pressure of a gas varies inversely with its volume


3. Intrapleural Pressure

chest wall pulls out, lungs pull in, small vacuum forms causing negative pressure inside pleural cavity

always less than intra-alveolar

4. Transmural Pressure Gradient pushes out on lungs, stretching them to fill larger thoracic cavity

Anatomy



Gas Exchange

exchange of O2 and CO2 between external environment and tissues

gas movement by passive diffusion (high to low pressure)

exchange across pulmonary and systemic capillaries

partial pressure of water vapor in lungs -> alveolar PO2 < atmospheric PO2

Factors That Influence Rate of Gas Exchange

partial pressure	direct relationship
gradients of O2	
& CO2	

	major determinant of
	rate
surface area of	direct relationship
alveolar-cap-	

illary membrane constant under resting

increase during exercise; decrease with pathological conditions

conditions

thickness of inverse relationship alveolar-capillary membrane

usually constant;
increase with pathological conditions
diffusion direct relationship
constant

CO2 20x greater than O2

Gas Transport

process of O2 & CO2 transportation between systemic tissues and lungs

Two Forms of O2 Transport

dissolved in blood (1.5%) & chemically bound to hemoglobin (98.5%)

Hemoglobin



By **lydiap34**

cheatography.com/lydiap34/

Not published yet. Last updated 28th May, 2025. Page 1 of 2. Sponsored by **ApolloPad.com**Everyone has a novel in them. Finish Yours!

https://apollopad.com



Respiratory System NPB 101 Cheat Sheet by lydiap34 via cheatography.com/213368/cs/46429/

Gas Transport (cont

soluble cytoplasmic protein in erythrocytesreversibly binds 4 molecules of O2

Oxygen Storage

hemoglobin stores O2 without affecting partial pressure gradient

Hemoglobin Saturation

proportional to PO2 of blood; follows Sshaped "oxygen hemoglobin dissociation curve"

Partial Pressures and Functions

Partial Pressure Gradients

from difference in partial pressures between two areas; gas moves from area of high partial pressure to low

Partial Pressures of CO2 and O2 are Different

higher solubility of CO2 compensates for smaller gradient; allows for approx equal exchange rates of O2 and CO2

Alveolar PO2 < Atmospheric PO2

due to partial pressure of water vapor in the lungs, and mixing of inspired air with residual alveolar air

Systemic PCO2 Higher in the Tissues due to production of CO2 during oxidative metabolism

Respiratory Conditions

Pneumothorax

condition occurring when air is allowed to enter plural cavity

transmural pressure gradient is lost

lungs collapse, thoracic wall expands

Newborn Respiratory Distress Syndrome (RDS)

condition occurring when lungs are not fully developed and lack surfactant

affects premature infants, typically born before 32 weeks

Pleurisy

Respiratory Conditions (cont)

infection or inflammation of pleura- often from pneumonia

Ventilation

pulmonary

volume of air breathed in/out per min

alveolar

volume of air exchanged between atmosphere and alveoli per min

Lung Volume

Spirometer

device for measuring the volume of air breathed in and out

Tidal Volume

volume of air inhaled and exhaled during a single normal breath

Residual Volume

The volume of air that remains in the lungs and airways even after a maximal exhalation

Total Lung Capacity

maximum volume of air that the lungs can hold

Anatomical Dead Space

volume of air not involved in gas exchangeapprox 150 ml in healthy adults

Factors Affecting Hemoglobin

Promote Unloading of O2 from Hemoglobin at Tissues

a. low: partial pressure of O2

b. high: partial pressure of CO2

c. low: pH

d. high: temperature

Promote Uploading of O2 From Hemoglobin at Lungs

a. high: partial pressure of O2

b. low: partial pressure of CO2

c. high: pH

d. low: temperature

Carbon Dioxide Transpor

Dissolved in Blood (10%)

Chemically Bound to Hemoglobin (30%)

haldane effect- increased carrying capacity of CO2 on hemoglobin when hemoglobin gives up oxygen

-tissue- reduced Hb has greater affinity for CO2, facilitates transport of CO2 out of tissue

-lungs- promotes CO2 unloading, facilitates release of CO2 from blood into alveoli

Bicarbonate HCO3 (60%)

CO2 converted into HCO3 within red blood cells by carbonic anhydrase

Control of Respiration

Neural Control	Effects of hypoventilation and hyperventilation
Respir- atory Centers	located in pons & medulla
	establish rhythmic firing pattern to drive motor neurons in spinal cord to stimulate skeletal inspir- atory muscles
Central Chemor ece- ptors	located near respiratory centers in medulla

respond to change in arterial PCO2 by increasing activity and ventilation rate



Not published yet. Last updated 28th May, 2025. Page 2 of 2. Sponsored by **ApolloPad.com**Everyone has a novel in them. Finish Yours!

https://apollopad.com