

Forces and Energy

$$p = mv$$

$$\text{impulse} = F\Delta t = \Delta(mv)$$

$$F = \Delta p / \Delta t$$

$$KE = 1/2mv^2$$

$$\Delta GPE = mg\Delta h$$

$$W = Fd = \Delta E$$

$$W = Fd$$

$$(\%) \text{ efficiency} = (\text{useful energy output} / \text{total energy input}) \times 100\%$$

$$(\%) \text{ efficiency} = (\text{useful power output} / \text{total power input}) \times 100\%$$

$$P = W / t$$

$$P = \Delta E / t$$

$$p = F / A$$

$$\Delta p = \rho g \Delta h$$

$$T (\text{in K}) = \theta (\text{in } ^\circ\text{C}) + 273$$

$$pV = \text{constant}$$

$$c = \Delta E / m\Delta\theta$$

Forces

$$\text{impulse} = F\Delta t = \Delta(mv)$$

$$F = \Delta p / \Delta t$$

$$KE = 1/2mv^2$$

$$\Delta GPE = mg\Delta h$$

$$W = Fd = \Delta E$$

$$W = Fd$$

$$a = v - u / t$$

$$W = m \times g$$

$$R.F / F = m \times a$$

$$R.F = F.F - B.F$$

$$\text{Pressure} = \text{force} / \text{area}$$

$$\Delta p = \rho g \Delta h$$

waves

$$v = f \lambda$$

$$n = \sin i / \sin r$$

$$n = 1 / \text{sinc}$$

Motion

$$\text{Density} = \text{Mass} / \text{Volume}$$

$$(\text{constant}) S = \text{distance} / \text{time}$$

$$a = v - u / t$$

$$D (\text{while accelerating}) = v + u \times t$$

$$D = \text{area under the graph}$$

$$W = m \times g$$

$$R.F / F = m \times a$$

$$R.F = F.F - B.F$$

$$\text{Moment} = \text{force} \times \text{perpendicular distance from the pivot}$$

$$\text{Pressure} = \text{force} / \text{area}$$

$$(\text{Liquid}) \text{ pressure} = \text{Density} \times g \times \text{height}$$

$$X = \text{new } L - \text{original } L$$

$$F = k/x$$



By lynm

cheatography.com/lynm/

Not published yet.

Last updated 18th November, 2025.

Page 1 of 1.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>