

Numpy - Functions

<code>import numpy as np</code>	Numpy importation
<code>np.sin(0)</code>	Returns sine of 0 (0)
<code>np.cos(0)</code>	Returns cosine of 0 (1)
<code>np.sinh(0)</code>	Returns hiperbolic sine of 0 (0)
<code>np.cosh(0)</code>	Returns hiperbolic cosine of 0 (1)
<code>np.pi</code>	Returns the value of π (3.1415...)
<code>np.array([1, 2, 3])</code>	Returns a 1-dimensional array
<code>np.array([[1, 2], [3, 4]])</code>	Returns a 2-dimensional array
<code>np.mat([[1, 2], [3, 4]])</code>	Returns a matrix
<code>np.linspace(0, 1, 11)</code>	Returns a 1-dimensional array from 0 to 1 with 11 elements
<code>np.logspace(1, 3, 11)</code>	Returns a 1-dimensional array from 10^1 to 10^3 with 11 elements
<code>np.arange(0, 1, 0.1)</code>	Returns a 1-dimensional array from 0 to 1 with step 0.1
<code>np.random.random(2)</code>	Returns a random 1-dimensional array with 2 elements
<code>np.random.random((2, 2))</code>	Returns a random 2-dimensional array with 2 rows and 2 columns
<code>np.random.random((2, 2, 2))</code>	Returns a random 3-dimensional array with 2 elements in each dimension
<code>np.eye(5)</code>	Returns a 5×5 identity matrix
<code>np.zeros(5)</code>	Returns a null vector with 5 elements
<code>np.zeros((5, 2))</code>	Returns a null matrix with 5 rows and 2 columns
<code>np.ones(5)</code>	Returns a 5 elements vector filled with 1

Numpy - Functions (cont)

`np.ones((5, 2))` Returns a 5×2 matrix filled with 1

- ¹Numpy has all functions and constants in the library `Math`.
- ²Numpy arrays can be used to do all sorts of linear algebra calculations since they are treated as mathematical tensors (vectors and matrices) rather than Python lists.
- ³Numpy matrices are a special type of array that is easier to use in common linear algebra problems. Matrices are always 2D

Numpy - Linalg

<code>np.linalg.dot(a, b)</code>	Returns the dot product between arrays a and b
<code>np.linalg.matmul(a, b)</code>	Returns the matrix product between arrays a and b
<code>np.linalg.eigvals(a)</code>	Returns the eigenvalues of the square array a
<code>np.linalg.eig(a)</code>	Returns the eigenvalues and eigenvectors of the square array a
<code>np.linalg.norm(a)</code>	Returns the a array norm
<code>np.linalg.det(a)</code>	Returns the determinant of a
<code>np.linalg.inv(a)</code>	Returns the inverse of a
<code>np.linalg.pinv(a)</code>	Returns the pseudo-inverse of a
<code>np.linalg.solve(a, b)</code>	Returns the solution of $aX = b$

Numpy - Slicing

```
import numpy as np
a = np.array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
a[1:, 1:] = [[50, 60], [80, 90]]
print(a)

[[ 1 2 3]
 [ 4 50 60]
 [ 7 80 90]]
```

Matplotlib - Example


```
from matplotlib import pyplot as plt
import numpy as np
x = np.linspace(0, 10, 200)
y1 = 3*np.sin(x) + np.cos(x)
y2 = 2*np.cos(x) - np.sin(x)
```



Matplotlib - Example (cont)

```
plt.plot(x, y1, '-b', label="y1")
plt.plot(x, y2, '-r', label="y2")
plt.xlabel("x")
plt.ylabel("y")
plt.title("Y Vs. X")
plt.legend()
plt.grid()
plt.show()
```

Matplotlib - Example (Output)



Matplotlib - Pyplot Functions

<code>from matplotlib import pyplot as plt</code>	Pyplot importation
<code>plt.plot(x, y[,args])</code>	Plots x Vs. y on current figure
<code>plt.xlabel("x")</code>	Sets x-axis label to x
<code>plt.ylabel("y")</code>	Sets y-axis label to y
<code>plt.title("Y Vs. X")</code>	Sets figure title to Y Vs. X
<code>plt.legend()</code>	Shows legends in figure
<code>plt.grid()</code>	Shows grid in figure
<code>plt.show()</code>	Shows figures
<code>plt.figure()</code>	Starts a new figure

¹ Many args can be set on `plt.plot()`. Some are shown on the next block.

Pyplot - Lines, Markers and Colors

'-'	solid line style
'--'	dashed line style
'-.'	dash-dot line style
'.'	dotted line style
'.'	point marker
'.'	pixel marker
'o'	circle marker
'v'	triangle_down marker
'^'	triangle_up marker
'<'	triangle_left marker
'>'	triangle_right marker
's'	square marker
'p'	pentagon marker
'*'	star marker
'h'	hexagon1 marker
'H'	hexagon2 marker
'+'	plus marker
'x'	x marker
'D'	diamond marker
'd'	thin_diamond marker
' '	vline marker
'_'	hline marker
'b'	blue
'g'	green
'r'	red
'c'	cyan
'm'	magenta
'y'	yellow
'k'	black
'w'	white

You can use a line style, a marker and a color directly at `plt.plot()` like this:
`plt.plot(x, y, '--+b')`