

Rows - Grid System

Rows are in `.container` or `.container-fluid`

Columns

<code>.col-xs-</code>	Always	Full
<code>.col-sm-</code>	>768	750 wide
<code>.col-md-</code>	>992	970 wide
<code>.col-lg-</code>	>1200	1170 wide

Resets, Offsets, Pushes, Pulls

`.clearfix`

`.col-xs-offset- (sm, md, lg)`

Nest using a .row inside a col

`.col-xs-push- (sm, md, lg)`

`.col-xs-pull- (sm, md, lg)`

`.visible-xs (sm, md, lg)`

`.hidden-xs (sm, md, lg)`

`.visible-print`

`.hidden-print`

Grid Variables

<code>@grid-columns:</code>	12
<code>@grid-gutter-width:</code>	30px
<code>@grid-float-breakpoint:</code>	768px

Using Grid Mixin CSS

```
.wrapper { .make-row();
.content-main { .make-lg-column(8);
.content-secondary {
.make-lg-column(3);
.make-lg-column-offset(1);
}
```

Using Grid Mixin HTML

```
<div class="wrapper">
<div class="content-main">...</div>
<div class="content-secondary">...</div>
</div>
```

Typography

<code>.h1</code>	<code>.h2</code>	<code>.h3</code>
<code>.h4</code>	<code>.h5</code>	<code>.h6</code>
<code>.small</code>	<code><small></code>	<code>.lead</code>

`@font-size-base` | `@line-height-base`

Align

<code>.text-left</code>	<code>.text-right</code>
<code>.text-center</code>	<code>.text-justify</code>

Text Helpers

<code>.text-muted</code>	<code>.text-primary</code>
<code>.text-success</code>	<code>.text-info</code>
<code>.text-warning</code>	<code>.text-danger</code>
<code>.bg-primary</code>	<code>.bg-success</code>
<code>.bg-info</code>	<code>.bg-warning</code>

`.bg-danger`

`.text-hide` `.sr-only`

Lists

<code>.list-unstyled</code>	<code>.list-inline</code>
-----------------------------	---------------------------

Descriptions

```
<dl> <dt>...</dt> <dd>...</dd> </dl>
```

`.dl-horizontal`

Images

`.img-responsive` (max-width:100%, height:auto)

`.img-rounded`

`.img-circle`

`.img-thumbnail` (double border)

Forms

NEED TO DO

Buttons

```
<button type="button" class="btn btn-default">Default</button>
<a href="#" class="btn btn-primary btn-lg active" role="button">Primary link</a>
```

Button Classes

`.btn-default` `.btn-primary`

`.btn-success` `.btn-info`

`.btn-warning` `.btn-danger`

`.btn-link` (to look like a link)

`.btn-lg` `.btn-sm`

`.btn-xs` `.btn-block`

`.active` (A tag) `.disabled` (A tag)

`disabled="disabled"`

Labels

`.label` `.label-default`

primary, success, info, warning, danger

```
<span class="label label-default">New</span>
```

Badge

```
<span class="badge">42</span>
```



By **John Mason** (masonjo)
cheatography.com/masonjo/
www.e-rehab.com

Published 29th April, 2014.
 Last updated 1st June, 2014.
 Page 1 of 3.

Sponsored by **Readability-Score.com**
 Measure your website readability!
<https://readability-score.com>

Alerts

```
.alert .alert-success
```

success, info, warning, or danger

```
.alert-dismissible
```

```
<button type="button" class="close" data-dismiss="alert" aria-  
hidden="true">&times;</button>
```

```
<a href="#" class="alert-link">...</a>
```



By **John Mason** (masonjo)
cheatography.com/masonjo/
www.e-rehab.com

Published 29th April, 2014.
Last updated 1st June, 2014.
Page 2 of 3.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>

Tables

.table .table-striped
 .table-bordered .table-hover
 .table-condensed
 .table-responsive

Wrap .table in .table-responsive
`<div class='table-responsive'>`
`...table`
`</div>`

Rows or Cells

.active .success .info
 .warning .danger

Tags

abbr

`<abbr title="attribute">attr</abbr>`

address

`<address> Twitter, Inc.`
`
 795 Folsom Ave, Suite 600
 San`
`Francisco, CA 94107
 <abbr`
`title="Phone">P:</abbr> (123) 456-7890`
`</address>`

blockquote

`<blockquote> <p>Lorem ipsum dolor sit`
`amet, consectetur adipiscing elit.`
`Integer</p> </blockquote>`

blockquote footer

`<footer>Someone famous in <cite`
`title="Source Title">Source`
`Title</cite></footer>`

blockquote right justify

`.blockquote-reverse`

code

`<code><section></code>`

kbd Keyboard Entry

`<kbd>cd</kbd>`

.pre-scrollable

Max Height 350px box, with y-axis scrollbar.
 Used with **pre** tag

Tags (cont)

close button

`<button type="button" class="close" aria-`
`hidden="true">×</button>`

Caret

` `

Floats

`.pull-left .pull-right`

Float Mixin

`.element { .pull-left(); }`

Clear Floats

`.clearfix`

Center Block (*mixin also*)

`.center-block (display:block, margin auto) |`
`.center-block();`

Show (*mixin also*)


`.show | .show();`

Hide (*mixin also*)

`.hide | .hide();`

Glyphicons

``
``



By **John Mason** (masonjo)
cheatography.com/masonjo/
www.e-rehab.com

Published 29th April, 2014.
 Last updated 1st June, 2014.
 Page 3 of 3.

Sponsored by **Readability-Score.com**
 Measure your website readability!
<https://readability-score.com>