

MODx Evo Doc. Vars

id / parent

pagetitle / menutitle / content

longtitle / alias / introtext / description

pub_date / unpub_date / createdon / editedon / deletedon

published / searchable / cacheable / richtext / donthit / haskeywords / hasmetatags / privateweb / privatemgr / hidemenu / content_dispo

createdby / editedby / deletedby

menuindex

template

contentType

MODx Evo PHx

date=*dateformat*

example: [+createdon:date=%d.%m.%Y+]

md5

returns md5-hash

limit=*length*

substr(\$str,length), default:100

reverse

reversing letters

wordwrap=*length*

lcase

example: [+string:lcase+]

ucase

example: [+string:ucase+]

ucfirst

example: [+string:ucfirst+]

length | len

example: [+string:len+]

notags

example: [+string:notags+]

userinfo=*field*

MODx Evo Wayfinder non-tpl Params

startId

def. *current doc*

level

def. 0

limit

def. 0

sortOrder

def. ASC, opt: ASC || DESC

sortBy

def. menuindex

excludeDocs

includeDocs

debug

def. false

hideSubMenus

def. false, hides submenus, and shows for cur. item

removeNewLines

def. false, deletes new line symbol from result

textOfLinks

def. menutitle, parameter for text of link

titleOfLinks

def. pagetitle, parameter for title of link

rowIdPrefix

def. false, inserts prefix for id of each link

useWebLinkIdUrl

def. false, outputs full link into [+wf.link+]

showSubDocCount

def. false, output count of child docs into [+wf.subitemcount+]

ignoreHidden

def. false

ph

name of placeholder, which will insert results

MODx Evo Wayfinder tpl Params

outerTpl

def. [+wf.wrapper+], menu container chunk

rowTpl

def. [+wf.linktext+][+wf.wrapper+], menu item chunk

parentRowHereTpl

def. false, active container-document chunk

parentRowTpl

def. false, container-document *ITEM* chunk

hereTpl

def. false, current menu chunk

innerTpl

def. false, all container-documents *CONTAINER* chunk

innerRowTpl

def. false, submenu item chunk

innerHereTpl

def. false, current container-document *CONTAINER* chunk

activeParentRowTpl

def. false, current item parents chunk

categoryFoldersTpl

def. false, category chunk

firstClass

def. none, first menu item class

hereClass

here, current item-chain class

selfClass

none, current item class

parentClass


parent, container-documents class

rowClass

none, all menu-items class

levelClass

none, each level class



By **media_slave**
cheatography.com/media-slave/

Published 28th September, 2012.
Last updated 2nd June, 2014.
Page 1 of 2.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>

MODx Evo Wayfinder tpl Params (cont)

outerClass

none, container class

innerClass

none, submenu items class

webLinkClass

none, links class

cssTpl

insert css chunk

jsTpl

insert javascript chunk



By **media_slave**

cheatography.com/media-slave/

Published 28th September, 2012.

Last updated 2nd June, 2014.

Page 2 of 2.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>