

Fireplace	
cqq	Open form under cursor.
cqc	Open empty command line.
cqp	Eval innermost form.
cm	macroexpand-all form under cursor.
c1m	macroexpand-1 form under cursor.
K	Look up symbol with doc.
[d	Look up symbol with source.
[<C-D>	Jump to definition.
gf	Go to file for namespace.
:Connect	Connect to nREPL server.
:Doc	clojure.repl/doc
:Eval	Eval a range.
:%Eval	Eval entire file.
:FindDoc	clojure.repl/find-doc
:lopen	Show last stack trace.
:Require	Require :reload.
:Require!	Require :reload-all.
:RunTests	clojure.test/run-tests
:Source	clojure.repl/source

Buffers	
ah	Go to previous buffer.
al	Go to next buffer
aT	Create a new buffer.
abq	Kill current buffer.
abl	List open buffers.

CtrlP	
<C-x>	Invoke CtrlP.
<C-f>	Next mode.
<C-b>	Previous mode.
<C-d>	Switch to filename mode.
<C-r>	Switch to regex mode.
<C-t>	Open selection in new tab.
<C-v>	Open in new vertical split.
<C-CR>	Open in new horizontal split.
<C-n>	Prompt history next.



By **micha**
cheatography.com/micha/

Not published yet.
Last updated 15th November, 2014.
Page 1 of 1.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>