

Main

<code>git commit --amend</code>	I wrote the wrong thing in a commit message	If the commit hasn't been push you can do the following, which will allow you to edit the message on the most recent commit
<code>git reset --hard HEAD~1</code>	How can I undo the last commit?	HEAD~1 means HEAD-1 commit. It should be noted that this is the nuclear option, and any changes you made will be discarded.
<code>git reset --soft HEAD~1</code>		If you want to keep your changes in the working tree use
<code>git revert HEAD~1..HEAD</code>		If you've already published your commits, you should use revert. This is create new commits undoing the last change
<code>git revert \$commitid</code>		If you've already published your commits, you should use revert. This is create new commits undoing the last change
<code>git push origin --delete \$branchname</code>		Delete a Git branch remotely
<code>git reset \$filename</code>		How do I undo a 'git add' before committing
<code>git clean -f -d</code>		Remove all local untracked files (and directories) from your local clone
<code>git branch -m \$oldname \$newname</code>		Rename local branch
<code>git reset --hard commitid</code>		Revert to a previous Git commit
<code>git fetch --all & git reset --hard origin/master</code>		Over-write local files when doing a git pull
<code>git archive --format zip --output /full/path/to/zipfile.zip master</code>		git export, exporting the source code as with "svn export"
<code>git checkout -- .</code>		Discard all my unchecked in changes
<code>git config --global push.default current & git push -u</code>		Create a new remote branch from the current local one
<code>git rev-list -n 1 HEAD -- \$filename & git checkout \$deletingcommitid^ -- \$filename</code>		Restore a deleted file, First find the commit when the file last existed
<code>git checkout \$commitid \$filename</code>		Revert a single file to a specific previous commit



By **missoxd**
cheatography.com/missoxd/

Published 17th July, 2015.
 Last updated 14th September, 2015.
 Page 1 of 2.

Sponsored by **Readability-Score.com**
 Measure your website readability!
<https://readability-score.com>

Main (cont)

<code>git config core.fileMode false</code>	Make git ignore permissions/filemode changes
<code>git config --global credential.helper cache</code>	Get git to remember my password when checking out with https
<code>git show \$commitid:\$filename</code>	Take a quick look at an old revision of a single file

Tudo que tem o simbolo "\$" na frente deve ser mudado de acordo com a necessidade



By **missoxd**
cheatography.com/missoxd/

Published 17th July, 2015.
Last updated 14th September, 2015.
Page 2 of 2.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>