Cheatography

Visualization Data Cheat Sheet

by mliafol via cheatography.com/70309/cs/17821/

BAR_PLOT_UNIVARIATE_PANDAS



pandas.dataframe.plot.bar(x = optional)

LINE_PLOT_UNIVARIATE_PANDAS



pandas.dataframe.plot.line(x = optional)

AREA_PLOT_UNIVARIATE_PANDAS



pandas.dataframe.plot.area(x = optional)

HIST_PLOT_UNIVARIATE_PANDAS



pandas.dataframe.plot.hist(x = optional)

SCATTER_PLOT_BIVARIATE_PANDAS



pandas.dataframe.plot.scatter(x = col_name1, y = col_name2)

HEXBIN_PLOT_BIVARIATE_PANDAS



pandas.dataframe.plot.hexbin(x = col_name1, y = col_name2, gridsize = a_number)

STACKED_BAR_BIVARIATE_PLOT_-PANDAS



pandas.dataframe.plot.bar(stacked = True)

LINE_PLOT_BIVARIATE_PANDAS



pandas.dataframe.plot.line(x = optional, y = [])

STYLING_PLOT_MATPLOTLIB

pandas.dataframe.plot.bar(figsize = (width, height),
color = 'color',
fontsize = '',
title = 'title')

By **mliafol**

cheatography.com/mliafol/

Published 14th July, 2024.

Last updated 8th November, 2018.

Sponsored by **ApolloPad.com**

Everyone has a novel in them. Finish Yours!

https://apollopad.com

REMOVE_AXIS_SEABORN



sns.despine(bottom = True/False, left = True/False)

SUBPLOT_MATPLOTLIB



import matplotlib.pyplot as plt
fig, ax = plt.subplots(2, 1, figsize = ())
pandas.dataframe.plot,bar(ax = ax[0])
pandas.dataframe.plot.bar(ax = ax[1])

MAP2_PLOT

import folium
map_1 = folium.Map(location = [lat, long], zoom_start = 3.2, tiles = 'Stamen Terrain')

MAP_PLOT



import folium
map = folium.Map(location = [lat,long], zoomstart, tiles = Stamen Toner)

SURFACE3D_PLOT_MATPLOTLIB



from mpl_toolkits.mplot3d import Axes3D
import matplotlib.pyplot as plt
fig = plt.figure()
ax = fig.gca(projection='3d')
surf = ax.plot_surface(X, Y, Z)

LOG_PLOT



seaborn.distplot(np.log())

LINE_REG_PLOT_SEABORN



seaborn.kdeplot(data:1d array-like)

DISTPLOT_SEABORN



seaborn.distplot(data, bins, kde = True/False)

JOINTPLOT_SEABORN



seaborn.jointplot(data, x, y)

BOXPLOT_SEABORN



seaborn.boxplot(x, y, data)

VIOLIN_BOX_PLOT



seaborn.violinplot(x, y, data)

FACET_GRID_SEABORN



g = seaborn.FacetGrid(data, row, col)
g.map(sns.kdeplot, x)

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish Yours!
https://apollopad.com

PAIR_PLOT_SEABORN



seaborn.pairplot(data)

LMPLOT_SEABORN



seaborn.lmplot(x, y, hue, data)

HEATMAP_SEABORN



seaborn.heatmap(data)

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish Yours!
https://apollopad.com