

Windows Server 2012 R2 (ADDS)

Computernavn	ZBC5-ADDS
IP-adresse	192.168.5.0
Gateway	192.168.5.1
Domain	ZBC5.local
Organizational Units	Ringsted, Elever, Underviser, Administration, IT & RED
Klargøring af Active Directory commands	Setup /PrepareSchema /IAcceptExchangeServerLicenseTerms, Setup /PrepareAD /OrganizationName:[ZBCRingsted] /IAcceptExchangeServerLicenseTerms
Forbedret Installation af Exchange	Mount ISO filer til Virtuelle maskiner fra Datastore1 .NET Framework 4.6.2, Microsoft Unified Communications Managed API 4.0
Installér Exchange på Exchange serveren	Kør Setup.exe & kør som administrator
	Typisk Installation (Mailbox server)

Windows Exchange Server

Installér Exchange prerequisites	.NET Framework 4.6.2, Microsoft Unified Communications Managed API 4.0
Installér RSAT	Remote Server Administration Tools
Exchange Tools (PowerShell)	Setup.exe /Role:ManagementTools /IAcceptExchangeServerLicenseTerms som Admin i CMD
Oprette grupper i domæne	Universal Security Gruppe: UExchOrganisation, UExchRecipient, UExchPublicFolder, UExchViewOnly


Windows Exchange Server (cont)

Exchange rettigheder	Medlem af Exchange: Organization, Recipient, Public Folder & View-Only Organization Management
	Opret bruger i domæne.
Brugernavn: Blak (jbp)	Domæne: ZBC5/Administration
Domæne: ZBC5/Administration	Gruppe: UexchOrganisation
Gruppe: UexchOrganisation	Custom Attribute 2: RED
Log på EAC ExchInstal	Tilknyt grupper under permissions -> Admin roles
Log på EAC	Egen konto, dernæst Jesper.
Konfigurer DNS MX Record	DNS konsol -> MX på forward zone ZBC5.local
	Browse -> ZBC5.local for forward lookup zone -> ZBC5.local
	Vælg Host(A) For din Exchange server
	PowerShell: Add-DnsServerResourceRecordMX -ZBC5-ADDS [AD-Server ZBC5-ADDS] -Preference 10 -Name "." -MailExchange "Exchange Server FQDN" -ZoneName "[ZBC5.local]"
Konfigurer HUB	Tilføj de to nye Accepted domains under mail flow i EAC

Windows Exchange Server (cont)

Konfigurer Mailbox	Powershell(admin): Invoke-Command -ComputerName [Exchange Server Hostnavn] { New-Item C:\MBX1,C:\MBX2,C:\MBX3 -ItemType directory } &
	EMS Kør kommando: Move-DatabasePath -Identity "Mailbox Database 0764427888" -EdbFilePath 'C:\MBX1\Mailbox Database 0764427888.edb' -LogFolderPath C:\MBX1\Logs svar ja til at dismounte

Windows Exchange Server 2016



By **mnn**
cheatography.com/mnn/

Not published yet.
Last updated 1st October, 2017.
Page 1 of 1.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>