BUS 464 Cheat Sheet

Cheatography

by mochimeomeo via cheatography.com/195066/cs/40786/

Relational Model		
relation	two dimensional table arranged in rows & columns	
relational database	collection of relations	
	unique identifier of each row	

PRIMARY unique identifier of each row KEY

Database Purposes

 Humans record information • Individual internal memory is limited • External memory extends internal memory

Components of Database

storage medium: paper / electronic

data structures: labelled spaces

data organization: interface organized for rapid data entry & retrieval



By mochimeomeo

cheatography.com/mochimeomeo/

Organizational Database Management

• Like people needs to remember a lot of things	 Information usually scattered around org like puzzles
• Deciding where and how to store data requires trade- off	• Uses a variety of IS
Components:	people, text, multimedia, model, knowledge

Foreign Key

Purpose: enforce referential integrity

• For every value of foreign key, there is a primary key with that value

-> Primary key must exist before foreign key can be defined

• Primary and Foreign Key can be the same or different

Not published yet. Last updated 13th October, 2023. Page 1 of 1.

VIEW

- don't require extra storage
- subset the data contained in a table
- join and simplify tables in a single virtual table
- act as aggregate tables, where
 aggregated data (sum, average etc.) are
 calculated and presented as part of data
- · hide the complexity of database
- provide extra security from unauthorizes users and illegal access
- 1+ source tables make up a VIEW readonly
- is a virtual dynamic computed from data in the database
- is NOT a part of the relational schema

Sponsored by CrosswordCheats.com

Learn to solve cryptic crosswords! http://crosswordcheats.com