SAP

Make sure to run these commands as *<sid>adm* user

Monitoring SAP instances

sapcontrol -nr <nr> -function GetSystemInstanceList
Shows all configured instances and their respective status

Starting and stopping SAP instances

sapcontrol -nr <nr> -function Start
Starts the given SAP instance

sapcontrol -nr <nr> -function Stop
Stops the given SAP instance

SAP log file locations

`/usr/s ap/ <SI D>/ <IN STA NCE >/work/`
Workprocess and other log files

`/home/ <si d>a dm/ [st art |st op] sap _<I NST ANC -E>.log`
Startup and shutdown trace

Oracle

Make sure to run these commands as *ora<sid>* user

Monitoring Oracle instances

lsnrctl status
Displays the status or the Oracle listener

Starting the Oracle listener

lsnrctl start
Starts the Oracle listener

Oracle log file locations

`/oracl e/< SID >/s apt rac e/d iag /rd bms /<s id>/<SI D>/ tra ce/ alt ert _<S ID>.log`
Oralce instance log

Cluster

Make sure to run these commands as *root* user

Monitoring the Cluster status

crm_mon -1Arfj
Displays the configured Cluster resources and their respective status

Manging cluster resources

crm resource start <name>
Starts the given resource

crm resource stop <name>
Stops the given resource

crm resource cleanup <name>
Removes a given resources failure state (and does a recheck)

Migrating Cluster resources

crm resource migrate <resource> PT<N>M
Forces a resource away from the current node for N minutes

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com