

useState

State as Object:

The state is an object that holds information about a certain component.

Two Factor:

State change is one of the two things that make a React component re-render (the other is a change in props)

Behavior

The state stores information about the component and controls its behavior.

Updater Function

The `setState()` function is asynchronous.

Time Taken by Re-render

The time it takes for a component to render after a call to `setState()` depends upon the various factors, including the size and complexity of the component, the speed of the Computer or device and the amount of data being processed.

Optimization

It reduces unnecessary re-renders and updates only the components that have changed.

useEffect

Side Effects

Actions which are Unpredictable because they are performed with the outside world.

Meaning

Side Effects basically means something that happens after Some other specific thing happens.

Common Side Effects

useEffect (cont)

1. Making a request to an API for data on back end server.

2. Interact with browser API e.g. use `document` or `windows` directly.

3. Using unpredictable timing functions like `setTimeout()` or `setInterval()`.

How

If we need to perform side effects it should be after the component renders.

useEffect

`useEffect` has one function (callback) and an array (dependency array)

Callback

Call back function will be called after the component renders. And this is the function which is used to perform our side effects.

Dependency Array

The dependencies array should include all of the values that our side Effect relies upon.

1. The array will cause the `useState()` to execute again if one of its variables changes

2. If provided incorrectly the array with the local state. this may cause an infinite loop.

Cleanup Function

When component unmounts this functions cleans up any changes made by effect.

useEffect and useState

```
import React, { useState,
useEffect } from 'react';
function Example() {
  const [data, setData] =
useState([]);
  use Effect(() => {
    fet ch( 'ht tps :// -
jso npl ace hol der. ty pic -
ode.co m/p osts')
    .th en( res ponse =>
respon se.j son())
    .th en(json =>
setDat a(j son))
    .ca tch (error =>
consol e.e rro r(e rror));
  }, []);
  return (
    <di v>
      {da ta.m ap (post =>
(
        <div key={p -
ost.id }>
          <h2 >{p -
ost.ti tle }</ h2>
          <p> {po -
st.b od y}< /p>
        </d iv>
      )}}
    </d iv>
  );
}
```

