

### Dictionaries

```
ages = {"Dave": 24, "Mary": 42, "John": 58}
print(ages["Dave"])
print(ages["Mary"])
OR
primary = {
    "red": [255, 0, 0],
    "green": [0, 255, 0],
    "blue": [0, 0, 255],
}
```

Dictionaries are data structures used to map arbitrary keys to values

### get Function

```
pairs = {1: "apple",
        "orange": [2, 3, 4],
        True: False,
        None: "True",
}
print(pairs.get("orange"))
print(pairs.get(7))
print(pairs.get(12345, "not in dictionary"))
.....
>>>
[2, 3, 4]
None
not in dictionary
>>>
```

A useful dictionary method is get. It does the same thing as indexing, but if the key is not found in the dictionary it returns another specified value instead ('None', by default).

### Assignment

```
squares = {1: 1, 2: 4, 3: "error", 4: 16,}
squares[8] = 64
squares[3] = 9
print(squares)
-----
{1: 1, 2: 4, 3: 9, 4: 16, 8: 64}
```

Just like lists, dictionary keys can be assigned to different values.

### finding keys

```
nums = {
    1: "one",
    2: "two",
    3: "three",
}
print(1 in nums)
print(4 not in nums)
print(not 4 in nums)
-----
True
True
```

To determine whether a key is in a dictionary, you can use in and not in, just as you can for a list.



By **Nima** (nimakarimian)

[cheatography.com/nimakarimian/](https://cheatography.com/nimakarimian/)

Published 26th June, 2020.

Last updated 26th June, 2020.

Page 1 of 1.

Sponsored by **ApolloPad.com**

Everyone has a novel in them. Finish Yours!

<https://apollopad.com>