

most common elements in all living matter

CHONPS

bonds

ionic transfer of electrons

covalent sharing of electrons

^polar unequal sharing

^non equal sharing
polar

hydrogen bonds weak bonds between hydrogen and negatively charged item

hydrophobic interactions how non-polar compounds congregate together (lipids)

van der waal weak forces over short distances bet non polar, elec end up in one part of mlc

strong vs weak bonds

strong bond covalent

weak bond hydrogen, ionic

pH

ranges from 0-14 measures amount of hydrogen ion concentration

acid 0-6, molecule that increases hydronium concentration, more H+ concentration

distilled water / neutral 7

base 8-14, molecule that increases hydroxide concentration, less H+ concen

formula $\text{pH} = -\log [\text{H}^+]$

pH (cont)

each increment on the pH scale is a tenfold change $-\text{pH } 3 = 10^{-3} = 1/1000$

Blood-7.4, stomach-2, small intestine-8 enzymes are specific to pH
buffer accepts/donates H+ to stabilize pH

chemical reactions

dehydration synthesis loss of water, monomers join together to make polymers, water is BYPRODUCT

hydrolysis input of water, polymers are broken down, water is USED

isomers

organic compounds that have the same molecular formula, but diff structures

structural differ in arr of atoms

cis-trans spatial arrangement of double bonds (double not flexible like single)

enantiomers mirror images of each other, think hands

properties of water

properties are all because of hydrogen bonding except for high heat of vap and specific heat

polarity

cohesion water mlcs stick to itself caused by polar mlcs//surface tension

properties of water (cont)

adhesion water mlcs sticking to/attached to other charged compounds capillary action//water climbs glucose and glass

low density when frozen most substances become denser as a solid, not water//ice floats//hydrogen bonds create a lattice and puts space bet mlcs ocean doesn't freeze solid/- surface ice insulates below water

versatile solvent solute - sub you dissolve into a liq (sugar)//solvent - dissolves other subs (water)//aqueous solution-solution in which water is the solvent like dissolves like, water can dissolve other polar mlcs//water's a versatile solvent due to its polarity - it forms H-bonds easily

high heat of fusion/vaporization the heat a liquid must absorb for 1g to be converted to gas evaporative cooling:surface cools down once water leaves it

high specific heat Must add lots of heat to increase temp H2O moderates earths temperature



carbohydrates	
CHO	1:2:1
monomer	monosaccharide
(2 mono)	disaccharide
polymer (3 or more mono)	polysaccharide
Provide cells with quick/short-term energy, source of dietary fiber	Used for energy (cell respiration)
end with suffix -ose	
glycosidic bond/linkages	covalent bond formed by dehydration synthesis formed bet monosaccharides to form di- and polysaccharides
maltose	glucose/glucose
sucrose	glucose/fructose
lactose	glucose/galactose
disaccharide	C12 H22 O11 (double then remove H2O)
glucose	C6 H12 O6

types of carbs			
function	animal	plant	
storage	glycogen (stored in liver and skeletal muscle) "animal starch"	starch (two forms are amylose and amylopectin/are both glucose monomers)	(starch)-oined through alpha glycosidic bonds (CAN be digested by humans)

types of carbs (cont)			
structural	chitin (exoskeleton in arthropods and cell wall in fungi)	cellulose used for plant cell walls	both are by beta glycosidic bonds (CANNOT be broken down by animals)

glucose

Glucose is an abundant and very important monosaccharide. It contains six carbon atoms so it is a **hexose** sugar. Its general formula is $C_6H_{12}O_6$.

Glucose is the major energy source for most cells. It is highly soluble and is the main form in which carbohydrates are transported around the body of animals.

The structure of glucose can be represented in different ways:

straight chain ring ring (simplified)

lipids

Provide cells with long-term energy, make up biological membranes

in all membranes; stored energy, protection, insulation, myelin sheath of nerves

generally considered hydrophobic

used for insulation and buoyancy in marine and Artic animals	
monomer	fatty acids and glycerol
CHO (P only in phospholipids)	NOT in 1:2:1 ratio
Phospholipids (glycerol + phosphate + TWO fatty acids)	makeup cell membranes (Hydrophilic head, hydrophobic tail)
amphipathic	having both hydrophilic and hydrophobic parts

lipids (cont)	
steroids	liquids that consist of 4 fused rings; many steroid hormones in animals are produced from cholesterol
saturated	single bonds between carbons
unsaturated	have at least one double bond between carbons (kinky)
plants make polyunsaturated	several double or triple bonds between carbon atoms
animals make monounsaturated	saturated except for one multiple bond

structure of lipids

fat/triglyceride (glycerol + 3 fatty acids)

most energy-rich of biologically important compounds

too much leads to buildup in arteries - atherosclerosis

lipid structure

What are lipids made from?

Key Concepts:

- Monomer: hydrocarbon.
- They are made of long carbon chains with hydrogen atoms bonded to it.
- They are hydrophobic or nonpolar.

Key Terms:

- Hydrocarbon
- Nonpolar
- Hydrophobic

unsaturated vs saturated

Saturated vs. Unsaturated Fats

Beverly Biology

proteins

protein carriers in the cell membrane, antibodies, hemoglobin, enzymes, most hormones

Provide cell structure, send chemical signals, speed up chemical reactions, etc

perform structural, catalytic, signalling, defense, and transport duties in a cell

CHON (may have other elements in R group)

monomer amino acid (20 types)

dipeptide

polymer polypeptide (3 or more)


parts of an amino acid carboxyl (COOH) group on one end, amino a group on the other end (NH₂), the central carbon atom and variable R-group

Protein folding shape determines function

protein shape depends on primary, secondary, tertiary and quaternary structure

denaturation a protein back to an inactive form can take place with changes to pH, salt concentration, temperature, or exposure to toxic compounds

amino acid structure



protein folding


primary amino acid chain

secondary beta pleated sheet or alpha helix (hydrogen bonds)

tertiary globular; folds in on itself (disulfide bridges, hydrogen bonds, hydrophobic interaction; ionic bonding)

quaternary more than one polypeptide.

protein folding



nucleic acids

Store and pass on genetic information

CHONPS

monomer nucleotide

dinucleotide


polymer (3 or more mono)(3 or more)

nucleotide structure sugar, phosphate, and base

DNA double-stranded, has deoxyribose, bases A, G, C, T

RNA single-stranded, has ribose, bases A, G, C, U

nucleotide structure



deoxyribose vs ribose (these are CARBS)

