

### most common elements in all living matter

CHONPS

### bonds

ionic transfer of electrons

covalent sharing of electrons

^polar unequal sharing

^non equal sharing  
polar

hydrogen bonds weak bonds between hydrogen and negatively charged item

hydrophobic interactions how non-polar compounds congregate together (lipids)

van der waal weak forces over short distances bet non polar, elec end up in one part of mlc

### strong vs weak bonds

strong bond covalent

weak bond hydrogen, ionic

### pH

ranges from 0-14 measures amount of hydrogen ion concentration

acid 0-6, molecule that increases hydronium concentration, more H<sup>+</sup> concentration

distilled water / neutral 7

base 8-14, molecule that increases hydroxide concentration, less H<sup>+</sup> concen

formula  $\text{pH} = -\log [\text{H}^+]$

### pH (cont)

each increment on the pH scale is a tenfold change

Blood-7.4, stomach-2, small intestine-8  
buffer enzymes are specific to pH accepts/donates H<sup>+</sup> to stabilize pH

### chemical reactions

dehydration synthesis loss of water, monomers join together to make polymers, water is BYPRODUCT

hydrolysis input of water, polymers are broken down, water is USED

### isomers

organic compounds that have the same molecular formula, but diff structures

structural differ in arr of atoms

cis-trans spatial arrangement of double bonds (double not flexible like single)

enantiomers mirror images of each other, think hands

### properties of water

properties are all because of hydrogen bonding except for high heat of vap and specific heat

polarity

cohesion water mlcs stick to itself caused by polar mlcs//surface tension

### properties of water (cont)

adhesion water mlcs sticking to/attached to other charged compounds capillary action//water climbs glucose and glass

low density when frozen most substances become denser as a solid, not water//ice floats//hydrogen bonds create a lattice and puts space bet mlcs ocean doesn't freeze solid/- surface ice insulates below water

versatile solvent solute - sub you dissolve into a liq (sugar)//solvent - dissolves other subs (water)//aqueous solution-solution in which water is the solvent like dissolves like, water can dissolve other polar mlcs//water's a versatile solvent due to its polarity - it forms H-bonds easily

high heat of fusion/vaporization the heat a liquid must absorb for 1g to be converted to gas evaporative cooling:s-surface cools down once water leaves it

high specific heat Must add lots of heat to increase temp H<sub>2</sub>O moderates earths temperature

C

By njags21

[cheatography.com/njags21/](https://www.cheatography.com/njags21/)

Not published yet.

Last updated 9th May, 2020.

Page 1 of 3.

Sponsored by [ApolloPad.com](https://www.apollopad.com)

Everyone has a novel in them. Finish Yours!

<https://www.apollopad.com>

### carbohydrates

CHO	1:2:1
monomer	monosaccharide
(2 mono)	disaccharide
polymer (3 or more mono)	polysaccharide
Provide cells with quick/short-term energy, source of dietary fiber	Used for energy (cell respiration)
end with suffix -ose	

glycosidic bond/linkages covalent bond formed by dehydration synthesis formed bet monosaccharides to form di- and polysaccharides

maltose glucose/glucose

sucrose glucose/fructose

lactose glucose/galactose

disaccharide C<sub>12</sub> H<sub>22</sub> O<sub>11</sub> (double then remove H<sub>2</sub>O)

glucose C<sub>6</sub> H<sub>12</sub> O<sub>6</sub>

### types of carbs

function	animal	plant
storage	glycogen (stored in liver and skeletal muscle) "animal starch"	starch (two forms are amylose and amylopectin/are both glucose monomers) (starch)-oined through alpha glycosidic bonds (CAN be digested by humans)

### types of carbs (cont)

structural	chitin (exoskeleton in arthropods and cell wall in fungi)	cellulose used for plant cell walls	both are by beta glycosidic bonds (CANNOT be broken down by animals)
------------	---	-------------------------------------	--

### glucose

**Glucose**

Glucose is an abundant and very important monosaccharide. It contains six carbon atoms so it is a **hexose** sugar. Its general formula is C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>.

Glucose is the major energy source for most cells. It is highly soluble and is the main form in which carbohydrates are transported around the body of animals.

The structure of glucose can be represented in different ways:

straight chain ring ring (simplified)

### lipids

Provide cells with long-term energy, make up biological membranes

in all membranes; stored energy, protection, insulation, myelin sheath of nerves

generally considered hydrophobic

used for insulation and buoyancy in marine and Arctic animals

monomer fatty acids and glycerol

CHO (P only in phospholipids) NOT in 1:2:1 ratio

Phospholipids (glycerol + phosphate + TWO fatty acids) makeup cell membranes (Hydrophilic head, hydrophobic tail)

amphipathic having both hydrophilic and hydrophobic parts

### lipids (cont)

steroids	liquids that consist of 4 fused rings; many steroid hormones in animals are produced from cholesterol
saturated	single bonds between carbons
unsaturated	have at least one double bond between carbons (kinky)
plants make polyunsaturated	several double or triple bonds between carbon atoms
animals make monounsaturated	saturated except for one multiple bond

### structure of lipids

fat/triglyceride (glycerol + 3 fatty acids)

most energy-rich of biologically important compounds

too much leads to buildup in arteries - atherosclerosis

### lipid structure

**What are lipids made from?**

**Key Concepts:**

- Monomer: hydrocarbon.
- They are made of long carbon chains with hydrogen atoms bonded to it.
- They are hydrophobic or nonpolar.

**Key Terms:**

- Hydrocarbon
- Nonpolar
- Hydrophobic

Triglyceride Phospholipid Cholesterol

### unsaturated vs saturated

**Saturated vs. Unsaturated Fats**

**Beverly Biology**

### proteins

protein carriers in the cell membrane, antibodies, hemoglobin, enzymes, most hormones

Provide cell structure, send chemical signals, speed up chemical reactions, etc

perform structural, catalytic, signalling, defense, and transport duties in a cell

CHON (may have other elements in R group)

monomer amino acid (20 types)

dipeptide

polymer polypeptide (3 or more)


parts of an amino acid carboxyl (COOH) group on one end, amino a group on the other end (NH<sub>2</sub>), the central carbon atom and variable R-group

Protein folding shape determines function

protein shape depends on primary, secondary, tertiary and quaternary structure

denaturation a protein back to an inactive form can take place with changes to pH, salt concentration, temperature, or exposure to toxic compounds

### amino acid structure



### protein folding


primary amino acid chain

secondary beta pleated sheet or alpha helix (hydrogen bonds)


tertiary globular; folds in on itself (disulfide bridges, hydrogen bonds, hydrophobic interaction; ionic bonding)

quaternary more than one polypeptide.


### protein folding



### nucleotide structure



### deoxyribose vs ribose (these are CARBS)



### nucleic acids

Store and pass on genetic information

CHONPS

monomer nucleotide

dinucleotide

polymer (3 or more mono)(3 or more) polynucleotide

nucleotide structure sugar, phosphate, and base

DNA double-stranded, has deoxyribose, bases A, G, C, T

RNA single-stranded, has ribose, bases A, G, C, U