

### STC Stream Template

Mediation Team 2017 ©

100

### Stream Names

*	<Company Id.>_<Vendor Id.>_<NE or Traffic Type>_PROCESS_STREAM	STC_CISCO_EPC_PROCESS_STREAM
*	<Company Id.>_<Technology>_<NE or Traffic Type>_PROCESS_STREAM	STC_EWSD_IGW_PROCESS_STREAM
<b>Reprocess</b>	<Company Id.>_<Technology>_<NE or Traffic Type>_<Suffix>	STC_EWSD_IGW_PROCESS_STREAM_REPROCESS
<b>Reload</b>	LOOKUP_RELOAD_<SERVER or TABLE>	LOOKUP_RELOAD_IN_SERVER
<b>Project</b>	Stream Name_<Project Name suffix>	STC_IN_CCN_CIP_PROCESS_STREAM_BCS1
<b>Test</b>	Stream Name_<Developer Suffix or TEST>	STC_IN_CCN_CIP_PROCESS_STREAM_TEST

### Stream Parameters

*	Pascal	LookupShmidDirectory
<b>Environment Variables</b>	All CAPS ,Separated by Underscore	DATA_SIZE,INPUT_SIZE

### Node Names

<b>Collectors</b>	COLLECTOR_<Collector ID. >	COLLECTOR_LAALK1
<b>File Duplicate Checkers</b>	FDC_<Collector Id. or Decoder Id.>_[Number]	FDC_NODE_2
<b>File Renamers</b>	FILE_RENAMER_[ Id.]	FILE_RENAMER_ODS
<b>File Enrichment</b>	ENRICH_<Destination>_[Type(Premiuim,DP)]_[Type2]	ENRICH_Geneva_Premiuim_B2B
<b>Decoders</b>	DECODER_[Type]	DECODER_WEB
<b>Correlators</b>	[PRE_]CORRELATE_[Id.]	CORRELATE
<b>Aggregators</b>	[PRE_]AGGREGATE_[Id.]	AGGREGATE
<b>Delivers</b>	<DELIVER>_[Traffic Type]_<Destination>	DELIVER_PremiuimSMS_ODS
<b>Branching</b>	BRANCH_[Id.]	BRANCH_Billing
<b>Business logic</b>	BLN_[Id.]	BLN
<b>Validation</b>	VALIDATE_[Id.]	VALIDATE
<b>Encoders</b>	ENOCDER_[Destination Id.]	ENCODER_BILLING_B2B

### Node Configuration

<b>Comptel</b>	EL_CFG_<Type Id.>_<Node Id.>	EL_CFG_MULTI_FORMAT_ENCODER
<b>STC</b>	STC_CFG_<Type Id.>_<Node Id.>	STC_CFG_HUAWEI_MSC_ICMS_ENCODER

### Node Library

<b>Comptel</b>	EL_LIB_<Id.>	EL_LIB_SFTP
<b>STC</b>	STC_LIB_<Id.>	STC_LIB_SFTP



Node Application		
Comptel	EL_APP_<Id.>	EL_APP_SFTP
STC	STC_APP_<Id.>	STC_APP_SFTP

  

Parameters(Node ,Application ,Libraries)		
*	Pascal	AuditBackupDirectory

  

Configuration Filenames		
Standard	As Existing	output.xml,in.desc
*	Small letters app_<Stream Id.>_<Node Id>	app_hua_ims_aggr.c

  

Output Links		
Collector	COLLECTED_[Id.]	COLLECTED
Decoder	DECODED_[Id.]	DECODED_1
Aggregator	AGGR_OUT_[Id.]	AGGR_OUT_EDW
Encoder	ENOCDED_<Downstream Id.>_[Traffic type]	ENCODED_EDW_PAYG
BLN	BLN_<Downstream Id. or Encoder Id.>	BLN_ICMS_ENC
Enrichment	ENRICHED_<Id.>	ENRICHED_ICMS
Validate Node	VALIDATED_[Id.]	VALIDATED

  

Node Datastorages		
*	INVALID_<Reason Id.>	INVALID_TIMESTAMP
Standard	CAPS	DEFAULT,INVALID

  

InMemory Datastorages		
Aggregation	<Stream Id.>_<Node Id.(AGGR) >_[Id. Number ,type ]	AXEMSC_AGGR
File Duplicate Checker	<Stream Id.>_FDC	AXE_MSC_FDC
Enrichment	FileEnrichment_[Stream Id.]	FileEnrichmentDS_HUA_MSC

  

Lookup Tables		
Backend	CAPS,underscore separated,starts with LT	LT_SWITCH_ID_MSC

  

IDs		
Destination Id.	CAPS <Downstream Id.>_<Id.>	BILLING_B2B
Source Id.	<Collector Id.>	3MRJ1

  

Directories		
Source	<BaseDirectory >/<StreamName>/input/<Collector Id.>	/Collection/STC_HUA_MSC_STREAM/input/COLLECTOR_HUAGSD7
Target	<BaseDirectory>/<StreamName>/output/<Distributor Id.>	/Delivery/STC_SMSC_STREAM_NEW/output/DELIVER_PreMed_MONETA_RA



### Notation

Naming Convention rules and best practices to use in Development Environment

<> Mandatory ,[] Optional ,**id.** reasonable Identifier

**Pascal Casing**The first letter in the identifier and the first letter of each subsequent concatenated word are capitalized.

\* All elements except which have specific rule

C

By **nostar4u**

[cheatography.com/nostar4u/](https://cheatography.com/nostar4u/)

Published 17th January, 2017.

Last updated 17th January, 2017.

Page 3 of 3.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>