

AWK - Part 2 Cheat Sheet

awk -F (cont)

>>> Blue

fields seperators.

awk -F , '{print \$2}' Yellow ,Bl ue,Red

We use t for tab separator.

In this code awk -F '[,!]'"," and "!" are

In this code "Hello" is a field seperator awk

{print " TEX T:", \$0}' awk.
>>> Tutorial: AWK is awesome

by Nouha_Thabet via cheatography.com/103894/cs/21387/

awk Output

" '{print T,\$0}' awk.t

We can save the output in output.txt:

>>> AWK is awesome

awk '{print \$2}' awk.txt > out.txt

We can send the output to a program. Let use

command sort to sort the output alphabetical

awk '{print NF, \$0}' awk.txt |sort

>>> AWK is used for text processi

>>> Let learn AWK together

Print lines that contain a specific field

Let take the file awk.txt as an example:

AWK is awesome

Let learn AWK together

AWK is used for text processing

We want to print lines that contain the word "is":

awk '/is/ {print \$0}' >>> AWK is awesome

>>> AWK is used for text processing -F Hello

What if we want to specify more than one field and print lines that contain the one of the

awk -v

Let choose the fields "is" and "text", and let print "IS" before the line that contains the The -V flag is used to specify the value of an AWK variable: field "is" and print "TEXT" before the line that contains the field "text". Let see the

awk -f

cat command

>>> {print \$0}

awk -f command awk.txt

>>> AWK is awesome

these fields?

```
awk '/is/ {print " IS: ", $0} /text/
txt
```

>>> IS: AWK is awesome

>>> IS: AWK is used for text processing

>>> TEXT: AWK is used for text prod

The f flag specifies that the following argument is

the name of a file that contains an AWK program.

We use f flag to tell AWK to execute this pogram

Let use the file "command" as an example:

on awk.txt and we get the following result:

>>> Let learn AWK together

awk Input

Here we see that the last line was printed twice because it contains the two fields.

As we've already seen we can specify an input file

for the awk command, but we can also specify more than one file at the same time:

>>> Tutorial: Let learn AWK together

>>> Tutorial: AWK is used for text processing

awk '{print \$0}' file1.txt file2.txt

We can also ommit the input file. In this case AWK will read from the input in the command line. We can use several inputs and then tape Ctrl+D to exit or (Ctrl+Z in Windows):

awk '{print \$0}' one two three

>>> two

Yellow Blue Red

>>> Blue

>>> AWK is used for text processing We can also specify the input from a file:

awk '{print \$0} < file.txt</pre>

We can also take an input from a command with a vertical bar. Let try an example with the command

date:

date

>>> Thur Sept 12 11:12:05 CEST 2019

date | awk '{print \$2}'

>>> Sept

awk -F

The -F flag tell AWK to use the indicated argument as a field seperator. For example if we have fields separated by comma, then we need to specify the field separator.



By Nouha_Thabet cheatography.com/nouhathabet/

Not published yet.

Last updated 12th December, 2019.

Page 1 of 1.

Sponsored by Readable.com Measure your website readability! https://readable.com