

Hello World

```

/* Noc_Luppus */
import java.util.Date;
public class Hello
{
    public static void
main(String[] args)
    {
        System.out.println("100 *
100 = 10,000 & 1000 * 100 =
100,000");
    }
} // dont forget me

```

Data Types


Primitive types	size	Reference types	size
byte	8	Byte	
short	16	Short	
int	32	Integer	
long	64	Long	
float	32	Float	
double	64	Double	
char	16	Character	
bool	8	Boolean	

All classes are reference type like:
Scanner, Random, Die, int[], String[]

holds value holds a **pointer** to a value

- Term primitive is used with several meanings:
- Provided as part of language
- Not composite (ie no component parts)
- Variable stores value
- Variable is not a pointer to the value
- Autoboxing is the automatic creation of a wrapper object from its corresponding primitive type

data convertoin



- Solid lines lose no information
- Dotted lines may lose precision (but not magnitude)
- Chars are unsigned 16 bit values, shorts are signed 16 bit values
- A narrowing conversion of a value of an integer type simply truncates the value

DecimalFormat

The advantages of the DecimalFormat class compared with the NumberFormat class include precise control over the number of digits to be displayed

Java.text's NumberFormat dose not truncate their display during the formatting process

```

DecimalFormat fmt=new
DecimalFormat("0.#####");

```

strings

- String objects' lengths never change and the shortest string has zero length
- Strings: have a .length() method (vs args.length field)
 - Strings are dynamic and immutable
 - Each version of s is newly allocated
 - Mutable strings do exist
 - Strings are not arrays of characters
 - Although a String does contain an array of characters

Class Math

- Clients of Math can access its members using the class rather than objects
- Static members can be accessed using either the class or an object
- sqrt and PI are declared as static

enumeration

Consider the following enumeration

```
enum Speed { FAST, MEDIUM, SLOW };
```

```

Speed.charAt(0) = FAST
Speed.charAt(1) = MEDIUM
Speed.charAt(2) = SLOW

```

enumerations are like a sting of things, but they are unchangeable and, can be referenced by number

javafx comands

```

Rectangle name= new Rectangle(x, y, <>x X <>y);
rectangle upper-left corner is at coordinates (x, y) and its dimensions are <>x X <>y;

```

```

Circle name= new Circle(x, y, r);
circle, centered at coordinates (x, y) and ridus of r

```

```
name.setStrokeWidth(2); sets the size of the lines
```

```
name.setFill(Color.GREEN); fills the shape with a color or.GREEN;
```

JavaFX Qs

The individual items held within the JavaFX scene graph are known as nodes. root = first, branch = parent, leaf = child

Parent, group, and stackPane nodes can be used as a root node in a JavaFX

The javafx.scene.shape packages includes classes that represent shapes in JavaFX

Event, control, and event handler are a kind of object that is used to create a **graphical user interface**

You should override the start method in a JavaFX Application

In a development environment that fully supports JavaFX, Since the launch method is called automatically, you do not need to write the main method

A color image is broken down into individual pixels (points), each of which is represented by RGB

The coordinate of the upper-left corner of a stage is 0,0

arrays

`DataType[]` creates an array, length `x`,
`name = new DataType = int, string, char,`
`DataType[x];` object...ect, index = 0 - x-1

`a(int arrays) =` will create an alias of `b`

`b(int array);`

"off-by-one" a loop goes +- too many times
 error

`ArrayIndexOut` when the input is out of
`OfBoundsExce` bounds like: `arr[-1] = 0;`
 ption

an int array is passed as a parameter to a
 method, `(int[] a)` would adequately define the
 parameter list for the method header

sorting algorithms

We compare sorting algorithms by examining
 the number of instructions

the amount of memory required by selection
 sort and insertion sort, neither method requires
 additional memory

selection sort: $O(n^2)$ time complexity

insertion sort: does one item at a time. It is
 much less efficient on large

binary search: $O(\log_2 n)$ efficiency

classes

- Everything in Java is declared inside a class
- Packages are collections of classes
- Multiple classes per file allowed. But only one public class per file
- If a file contains a public class, the file must have the same name as the public class
- Careful: What do we mean when we refer to the class Hello?
- Classes are the only structured or user-defined types

In addition to their usage providing a
 mechanism to convert (to box) primitive data
 into objects, the wrapper classes provide static
 constants

classes (cont)

All classes must have 1 parent (other than the
 object class which has no parent) but may have
 any number of children (derived or extended)
 classes

The relationship between a class and an object
 is best described as objects are instances of
 classes which is created by the reserved word
new

Java Classes' Purposes

- Template for creating objects
- Type for (reference) variables
- Encapsulation mechanism (eg visibility control)
- Library of routines and constants

Objects

Objects serve two purposes:

1. Objects model entities in real world (eg students, books)
2. Objects are instances of abstract data types (eg stacks and queues)

Objects typically described as having 3 characteristics:

1. State: Data
2. Behavior: Actions the object can take, perhaps modifying data
3. Identity: Objects are distinct (even if data is the same) and can be distinguished

Programming with objects involves

Creating objects
 Sending them messages

Consider modeling a library's books

1. State: Author, title, status, ...
2. Behavior: getTitle, hold, checkout, return
3. Identity: Object of each book
 Hmmm, multiple copies???

Methods

- **Important rule:** *Static methods can call static methods only*
- **Instance methods** are declared without keyword `static`
- **Private** methods are not visible outside the class

Methods (cont)

- **Method** declarations methods are declared inside classes, not other methods (i.e., no nested methods)
- Having multiple class methods of the same name but differing types or numbers of variables **method overloading**
- **Static** methods can not reference instance data
- methods define the object's behavior

Abstract

Abstract methods are used when defining:
 abstract classes, derived classes

variable

In Java a variable may contain a value or a
 reference not a class, method, or package

If two variables contain aliases of the same
 object, then: the object may be modified using
 either alias, the object will become an
 "orphan" if both variables are set to null

a Java identifier can contain only A-Z, a-z, 0-9,
 _ and \$, and start only with one of A-Z, a-z, or
 \$.

A Java variable is the name of a data value
 stored in memory that can change its value but
 cannot change its type during the program's
 execution

Literals

```
(2 > 3) ? true : false;
"text".substring(2);
System.out.println("Display a hard
coded float: " + 37.19f);
```

The code section 3.62 contains two number
 literals followed by two boolean literals at line
 1, one string literal followed by one number
 literal at line 2, and one string literal followed
 by one real number literal at line 3:

Instance Variables

Variables length and width are called instance variables

Each instance of the class gets a copy

Instance Variables are also called fields

Instance data for a Java class may be primitive types or objects

Scope: Entire class (and beyond, if not private)

Declared inside class but not inside any method

Instance variables should always be declared private

```
public class Box{
    int foo = 5;
    int bar = 10;}
```

default values

integer type: 0

floating point type: 0.0

type boolean: false

type char: null character (\u0000)

reference type: null

array references: null

Program Development

establishing the requirements **what**

creating a design **how**
determine the classes and objects needed

implementing the code least creative step

testing the implementation goal: to find logical and run-time errors

simbles

comments .

```
// one line    method(args)
              sum(int1, int2)...
```

```
/* multi */   ++
              adds one
```

```
/** javadoc */ +
              adding
```

```
/ + %
divition + remainder
```

```
^= |= &= >> = >>> =
```

Terms

Packages are collections of classes

class everthing is written with in a class, blue print of object

object an instance of a class

Method main is a method (ie procedure or function)

Member Methods are one of the kinds of members that can be in a class

Access modifier specifies visibility

Kernighan and Ritchie (K & R) style

Allmann style nl.stase nl.starts nl.code end

camel style (eg doSomethingBig())
Variables, methods, packages

capitalized (eg Hello) classes

all_uppercase CM_PER_INCH = 2.54;
Constants

instantiation means creating a new object of the class or a new alias of a object

alias two different numeric variables refer to the same physical object

API Application Programming Interface

flow of control the idea that code runs right though unless told other wise

arrays are objects

Precedence

postfix . [] method(args)

unary ++ -- + - new (type)

multiplicative * / %

additive + -

assignment = += -= *= /= %= ^= &= |= <<= >>= >>>=

Constructors

- Constructor has same name as class
- No return type for constructors
- Possible to have method and constructor with same name!
- Default no parameter constructor provided if no other constructors are provided
- Default constructor is NOT provided if others are (which can cause problems in some circumstances)
- Constructors override initializations in declarations

Declare

public everyone can see

privet only child can inderectly interact

protected only child can see

static static means it belongs to the class not an instance

final cannot be changed

Access modifiers: public, protected, and private

Modifier **requiring override**: abstract

Modifier restricting to **one instance**: static

Modifier **prohibiting** value **modification**: final

```
final double CM_PER_INCH = 2.54;
```

```
-----
```

```
final double CM_PER_INCH;
```

```
CM_PER_INCH = 2.54;
```

```
-----
```

```
public static final double PI = 3.1415;
```



Object Assignment and Garbage

- Object variables are always references
- Assignment assigns references
- Java has automatic garbage collection


Inheritance

- Inheritance through an extended (derived) class supports code reuse
- All classes in Java are directly or indirectly subclasses of the "Object" class
- "the default constructor", "equals" and, "toString" are a method of the Object class
- Using the reserved word, **super**, one can access a parent class' constructor(s) , methods and instance data
- An object that refers to part of itself within its own methods can use **this** reserved words to denote this relationship
- The expressions that are passed to a method in an **invocation** are actual parameters

parent class	child class
base class	driver class
super class	extended class

Unified Modeling Language

UML Diagram Key:



Loops

all three loop (do, while, for) statements are functionally equivalent

while(x=y)	as long as the condition is true it will run
{ stuff}	

do{ stuff }while(x!=y)	the do loop is the same as the while except it will execute at least once
------------------------------	---

Loops (cont)

for(x;y; z){ stuff}	x = inst; y = condition; z = change; it checks the condition then does the change
---------------------------	--

Loop Site

object-oriented programming

encapsulation, inheritance, polymorphism are the main programming mechanisms that constitute object-oriented programming

Polymorphism: achieved by overriding

inheritance:

polymorphism:

