

### Basic Tags

<code>&lt;!DOCTYPE&gt;</code>	Defines the document type	<code>&lt;!DOCTYPE html&gt;</code>
<code>&lt;html&gt;</code>	Defines an HTML document	<code>&lt;html&gt;...&lt;/html&gt;</code>
<code>&lt;title&gt;</code>	Defines a title for the document	<code>&lt;title&gt;...&lt;/title&gt;</code>
<code>&lt;body&gt;</code>	Defines the document's body	<code>&lt;body&gt;...&lt;/body&gt;</code>
<code>&lt;h1&gt;</code> to <code>&lt;h6&gt;</code>	Defines HTML headings	<code>&lt;h1&gt;Title&lt;/h1&gt;</code>
<code>&lt;p&gt;</code>	Defines a paragraph	<code>&lt;p&gt;Text&lt;/p&gt;</code>
<code>&lt;br&gt;</code>	Inserts a single line break	<code>&lt;br&gt;</code>
<code>&lt;hr&gt;</code>	Defines a thematic change in the content	<code>&lt;hr&gt;</code>
<code>&lt;!-- --&gt;</code>	Defines a comment	<code>&lt;!-- comment --&gt;</code>

### Formatting

<code>&lt;abbr&gt;</code>	Defines an abbreviation	<code>&lt;abbr title="Example"&gt;Ex&lt;/abbr&gt;</code>
<code>&lt;address&gt;</code>	Defines contact information	
<code>&lt;b&gt;</code>	Defines bold text	
<code>&lt;bdi&gt;</code>	Isolates a part of text that might be formatted in a different direction	<code>&lt;bdi&gt;href&lt;/bdi&gt;</code>
<code>&lt;bod&gt;</code>	Overrides the current text direction	
<code>&lt;blockquote&gt;</code>	Defines a section that is quoted	
<code>&lt;cite&gt;</code>	Defines the title of a work	
<code>&lt;code&gt;</code>	Defines a piece of computer code	
<code>&lt;del&gt;</code>	Defines text that has been deleted	
<code>&lt;dfn&gt;</code>	Defines a definition term	
<code>&lt;em&gt;</code>	Defines emphasized text	
<code>&lt;i&gt;</code>	Defines a part of text in an alternate voice	
<code>&lt;ins&gt;</code>	Defines a text that has been inserted into a document	
<code>&lt;kbd&gt;</code>	Defines keyboard input	
<code>&lt;mark&gt;</code>	Defines marked text	
<code>&lt;meter&gt;</code>	Defines a scalar measurement	
<code>&lt;pre&gt;</code>	Defines preformatted text	
<code>&lt;progress&gt;</code>	Represents the progress of a task	
<code>&lt;q&gt;</code>	Defines a short quotation	
<code>&lt;rp&gt;</code>	Defines what to show in browsers that don't support ruby	
<code>&lt;rt&gt;</code>	Defines an explanation of characters	
<code>&lt;ruby&gt;</code>	Defines a ruby annotation	
<code>&lt;s&gt;</code>	Defines text that is no longer correct	
<code>&lt;samp&gt;</code>	Defines sample output from computer program	
<code>&lt;small&gt;</code>	Defines smaller text	
<code>&lt;strong&gt;</code>	Defines important text	
<code>&lt;sub&gt;</code>	Defines subscripted text	

### Formatting (cont)

<code>&lt;sup&gt;</code>	Defines superscripted text
<code>&lt;time&gt;</code>	Defines a date/time
<code>&lt;u&gt;</code>	Defines text that should be stylistically different
<code>&lt;var&gt;</code>	Defines a variable
<code>&lt;br&gt;</code>	Defines a possible line-break

C

By **Nuno Fidalgo** (nunof9)  
[cheatography.com/nunof9/](https://cheatography.com/nunof9/)  
[linha.net](https://linha.net)

Not published yet.  
Last updated 10th October, 2014.  
Page 2 of 2.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>