

Testcase Keywords

BeginTest(TCN)

EndTest()

Application Handling

EN.StartApp("MyApp"); Starts the application "MyApp"

EN.StopApp("MyApp"); Stops the application "MyApp"

User Activities Keywords

ClickOn(CAT) Executes a single left-click on the GUI-Object with the functional name **FN**

DoubleClickOn(CAT) Keyword executes a double left-click on the GUI-Object with the category name **CAT**

SetFocus(CAT); Sets the focus to the GUI-Object with the category name **CAT**

SetValue(CAT, VAL); Sets the text-content of the GUI-Object FN to the given VAL
Der Unterscheid zwischen TypeKey und SetValue ist, das TypeKey die Tastatur Simuliert

TypeKey(CAT, VAL);

Select(CAT, VAL);

Example 1:

```
EN.SelectWindow( "Login" );
EN.SetValue( "User", "myValue" );
EN.SetValue( "Password", "myPassword" );
EN.Select( "Domain", "harmony.ac" );
EN.ClickOn( "OK" );
```

Example 2: Same Example with TypeKey and Select.

```
EN.SelectWindow( "Login" );
EN.TypeKey( "User", "myValue" );
EN.TypeKey( "Password", "myPassword" );
EN.Select( "Domain", "harmony.ac" );
EN.ClickOn( "OK" );
```

User Activities with Data

SetValue(FN, Val) Sets the text-content of the GUI-Object **FN** to the given **Val**

Select(FN, Val) Selects the given value or values of the GUI-Object **FN**.
Select is mostly Used with List-Objects to select one or more possible options.

TypeKey(FN, Val)

Constants

\${DELETE} The value of the GUI object will be deleted/cleared.

\${IGNORE} A OKW-keyword is skipped when **\${IGNORE}** is entered as a value.

\${EMPTY}

\${SEP} **\${SEP}** is used to separate values. E.g. multiple selection in a ListBox.

\${TCS}

OKW Annotation

FN Functional Name

WaitForMe_TO

WaitForMe_PT

VerifyHasFocus_TO

VerifyHasFocus_PT

VerifyHasFocus_TO

VerifyHasFocus_PT

VerifyIsActive_TO

VerifyIsActive_PT

VerifyLabel_TO

VerifyLabel_PT

VerifySelectedValue_TO

VerifySelectedValue_PT

VerifyTableCellValue_TO

VerifyTableCellValue_PT



By ZH (openkeyword)

Not published yet.

Last updated 2nd June, 2021.

Page 1 of 2.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

OKW Annotation (cont)

VerifyTooltip_TO

VerifyTooltip_PT

VerifyValue_TO

VerifyValue_PT

VerifyCaption_TO

VerifyCaption_PT

VerifyExists_TO

VerifyExists_PT

*_PO - **Polling Time** is allway in [ms] => 1sec <=> *_PO=1000

*_TO - **TimeOut** is allway given in [s] => 1sec <=> *_PT=1

Example:

```
@OKW( FN = "Funktional Name", VerifyExists_TO="5" )
```

Glossary

AN **App Name**, e.g. "Chrome"; "Firefox"

CAT **Categorie-name**, the name of Variable or GUI-Object

'Val' **Value**. This is the input value used in UserActions

ExpVal **Expected Value**: Use in Verify* Keyword.

XPath

//*[contains(@class, 'myclass')] - find all elements that contains 'myclass' in class

//*[contains(text(), 'qwerty')] - find all elements that contains 'qwerty' as text

//*[normalize-space()='qwerty'] - find all elements that have 'qwerty' as text. The normalize-space function strips leading and trailing white-space from a string, replaces sequences of whitespace characters by a single space, and returns the resulting string.



By **ZH** (openkeyword)

cheatography.com/openkeyword/

Not published yet.

Last updated 2nd June, 2021.

Page 2 of 2.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>