Cheatography

Python Cheat Sheet by pa0361 via cheatography.com/140352/cs/29763/

Rules

Python relies on proper indentation.
For example:
age = 18
if age >=18:
print("Be sure to vote")
else:
print("Sorry, too young")

Naming Rules

A variable name: MUST begin with a letter	
or underscore(_)	

CANNOT contain spaces, punctuation or special characters others than the underscore

CANNOT begin with a number

CANNOT be the same as a reserved keyword in Python such as print, True, else, etc

A variable name is case sensitive

built-in functions

print()	this outputs something to the screen
input()	ask for input from the program user
str()	converts a variable to a string data type
int()	convert a variable to an int data type
float()	convert a variable to a float(dec- imal) data type
round()	rounds a number

Comparison Operators

==	Equal to
!=	Not equal to
>	Greater than
<	Less than
>=	Greater than or equal to
<=	Less than or equal to

Basic Math Operators

+	Addition
-	Subtraction
*	Multiplication
/	Division
%	division remainder
**	Exponent

Data Types

str	string(characteres typically words, sentences)
int	integer(0,5,133)
float	decimal number(1.23,623.664)
list	a collection of variables (mango, banana, oranges)
bool	boolean value (True, False)

Special Characters

\n

\t

new line tab

LOCAL/GLOBAL Variables

LOCAL Variable created within a function and only can be used by the function that defines them

By pao361 cheatography.com/pao361/ Published 8th January, 2022. Last updated 31st August, 2024. Page 1 of 3.

LOCAL/GLOBAL Variables (cont)

GLOBAL	Variable defined outside of a
	function and can be accessed
	by any function without passing
	them to the function. Read-only
	and cannot be modified

Boolean Operators		
not x	x and y	x or y

try and except try: code statements except: #for all exceptions code statements

try:

code statements except ValueError: #Specific error type code statements

Concatenate using "+" or "f"

combining strings myName = "Name" print("Hello " + myName) print(f"Hello {myName}") string and a numeric value age= 22 print("Your age: " + age) print(f"Your age: {age}")

Capital and lowercase letters

```
hello = "hello world"
print( hel lo.u pp er())
    # will print HELLO WORLD
print( hel lo.l ow er())
    # will print hello world
print( hel lo.c ap ita lize())
```

Sponsored by Readable.com Measure your website readability! https://readable.com

Cheatography

Python Cheat Sheet by pa0361 via cheatography.com/140352/cs/29763/

Capital and lowercase letters (cont)

> # will print Hello world

Control loops

break	breaks out of your loop causing the program to move to the next line after the loop
	•
continue	while skip this round of the loop and go into the next loop
	iteration

Statements

If Statement if expression: statements elif expression: statements else: statements While Loop while expression: statements For Loop for var in collection: statements Counting For Loop for in range(start, end[, step]): statements (start is included; end is not)

if statements

```
if myAge < 18:
        pri nt( "Too young") #If
TRUE prints this
elif my Age <21:
        pri nt( "Go ahead") #If
TRUE prints this
else:
        pri nt( "Bye !") #if
FALSE prints this
```



While loops

```
#while loops run as long as, or
while, a certain condition is
true
while True:
         #do something
else:
         #do something
#Example:
curren t n umber = 1 \#set the
first value
  #check the value of curren -
t n umber and see if it is less
than or equal to 5
while curren t n umber <=5:
      pri nt( cur ren t n umber)
#print out the value of the
variable
      cur ren t n umber += 1
#add one to the variable
The loop will run again until the curren-
```

t_value variable becomes 6 and then it will stop. Use break and continue to control loop

for loops

write() method example

**Opening in append mode will add the new data to the end of the file" with open ("*filename.txt*, "a") as File: File.write("Hello\n")

Published 8th January, 2022. Last updated 31st August, 2024. Page 2 of 3.

Read methods

read()	read the entire file and return its contents as a string
readli- nes()	read the entire file and return its contents as a list
readline()	read the next line in the file and returns its content as a string

read() adn readlines() work best for smaller files. readline() for larger files.

Function Definition

Function named blocks of code that are designed to do a specific task def *name*(*arg1*, *arg2*, ...): *code statements* return *expr* return: stores the variable

It can be with arguments or without it

Functions Example

Function definition with NO arguments/parameters def helloWorld(): print("Hello, world!") Function definition WITH arguments/parameters def helloUser(*firstName*): print("Hello", *firstName*) Calling a function helloWorld()

LISTS/TUPLE

List [Collection of items in a particular
]	order. List indexes start at 0
Tuple	It is a list but Unable to be changed
()	

Sponsored by Readable.com Measure your website readability! https://readable.com

Cheatography

Python Cheat Sheet by pa0361 via cheatography.com/140352/cs/29763/

Lists functions	Example
fruits =	['apple', 'banana' , 'orange']
print(fruits)	Output an entire list
print(fru- its[2])	Output an element in a list: orange
fruits[0] = 'grapes'	Modifying an element in a list: apple by grapes
fruits.ap- pend('pear')	Adding an element to the end of a list
fruits.in- sert(0, 'mango')	adding a list element in a specific position
fruits.re- move('ban- ana')	removing a list element
fruits.pop(0)	removing a specific list element
fruits.pop()	removing the last list element
del fruits	removing an entire list
fruits.clear()	emptying a list
findApple = (fruits.coun- t("apple"))	count for specific item
fruits. reverse()	reverse the order of list
fruits.sort()	sort the list. fruits.sort(key- =str.lower) to make sure everything is in lowercase

By pao361

cheatography.com/pao361/

Lists functions Example (cont)

sorted	If you want the list to remain the
_fruits	same positions, you can use the
=	sorted to create a copy of the
sorted	sorted list without impacting the
(fruits)	original list

Types of files Text each lin

Text files	each line ends with a new line character (\n) or a carriage return character (\r) on Windows systems
Binary files	Are intended to be read by other programs, not humans. common types are: program files, image files, audio files, video files, database files and compressed files.

File fuctions	
open(<i>filename</i> , mode)	mode is an optional argument that specifies how you want to open the file. r = read, a = append, w = write, b = binary.
filename.close()	close an open file object
print(<i>filename</i> . read())	output the content of the file

Published 8th January, 2022. Last updated 31st August, 2024. Page 3 of 3.

File fuctions (cont)

with open(<i>filename</i>) as <i>newfil-</i> <i>ename</i> :	automatically close a file if an exception happens. Also, it allows to assign a name to the file object in the same line of code and ends with a colon: creating a code block		
write() method	use write mode when you are creating a new file, not when you are working with an existing file of data, Open the file in append mode ("a") if you wish to add to an existing file.		

A file path must be included if the file is not in the same directory as the Python program

Sponsored by Readable.com Measure your website readability! https://readable.com