

### Rules

Python relies on proper indentation.  
For example:  
age = 18  
if age >= 18:  
 print("Be sure to vote")  
else:  
 print("Sorry, too young")

### Naming Rules

A variable name: **MUST** begin with a letter or underscore(\_)  
  
CANNOT contain spaces, punctuation or special characters others than the underscore  
  
CANNOT begin with a number  
  
CANNOT be the same as a reserved keyword in Python such as print, True, else, etc  
  
A variable name is case sensitive

### built-in functions

print()	this outputs something to the screen
input()	ask for input from the program user
str()	converts a variable to a string data type
int()	convert a variable to an int data type
float()	convert a variable to a float(decimal) data type
round()	rounds a number

### Comparison Operators

==	Equal to
!=	Not equal to
>	Greater than
<	Less than
>=	Greater than or equal to
<=	Less than or equal to

### Basic Math Operators

+	Addition
-	Subtraction
*	Multiplication
/	Division
%	division remainder
**	Exponent

### Data Types

str	string(characters typically words, sentences)
int	integer(0,5,133)
float	decimal number(1.23,623.664)
list	a collection of variables (mango, banana, oranges)
bool	boolean value (True, False)

### Special Characters

\n	new line
\t	tab

### LOCAL/GLOBAL Variables

**LOCAL** Variable created within a function and only can be used by the function that defines them

### LOCAL/GLOBAL Variables (cont)

**GLOBAL** Variable defined outside of a function and can be accessed by any function without passing them to the function. Read-only and cannot be modified

### Boolean Operators

not x	x and y	x or y
-------	---------	--------

### try and except

**try:**  
    *code statements*  
**except:** *#for all exceptions*  
    *code statements*  
  
**try:**  
    *code statements*  
**except ValueError:** *#Specific error type*  
    *code statements*

### Concatenate using "+" or "f"

**combining strings**  
myName = "Paola"  
print("Hello " + myName)  
print(f"Hello {myName}")  
**string and a numeric value**  
age= 22  
print("Your age: " + age)  
print(f"Your age: {age}")

### Capital and lowercase letters

```
hello = "hello world"
print( hel lo.u pp er())
    # will print HELLO WORLD
print( hel lo.l ow er())
    # will print hello world
print( hel lo.c ap ita lize())
```

### Capital and lowercase letters (cont)

```
> # will print Hello world
```

### Control loops

**break** breaks out of your loop causing the program to move to the next line after the loop

**continue** while skip this round of the loop and go into the next loop iteration

### Statements

#### If Statement

if *expression*:

*statements*

elif *expression*:

*statements*

else:

*statements*

#### While Loop

while *expression*:

*statements*

#### For Loop

for *var* in *collection*:

*statements*

#### Counting For Loop

for *i* in range(*start*, *end* [, *step*]):

*statements*

(*start* is included; *end* is not)

### if statements

```
if myAge < 18:
    print( "Too young") #If
    TRUE prints this
elif my Age <21:
    print( "Go ahead") #If
    TRUE prints this
else:
    print( " Bye !") #if
    FALSE prints this
```

### While loops

```
#while loops run as long as, or
while, a certain condition is
true
while True:
    #do something
else:
    #do something
#Example:
current_number = 1 #set the
first value
#check the value of current -
number and see if it is less
than or equal to 5
while current_number <=5:
    print( current_number)
#print out the value of the
variable
    current_number += 1
#add one to the variable
```

The loop will run again until the current\_value variable becomes 6 and then it will stop. Use break and continue to control loop

### for loops

```
colors = ['red', 'green',
'blue']
#colors is a list data type
for color in colors:
    #name each individual
    item color within the colors
    list so that you can output the
    individual variable
    print( color)
```

### write() method example

**\*\*Opening in append mode will add the new data to the end of the file"**

with open ("filename.txt, "a") as File:

File.write("Hello\n")

### Read methods

read()	read the entire file and return its contents as a string
readlines()	read the entire file and return its contents as a list
readline()	read the next line in the file and returns its content as a string

read() and readlines() work best for smaller files. readline() for larger files.

### Function Definition

Function named blocks of code that are designed to do a specific task

def *name*(*arg1*, *arg2*, ...):

*code statements*

return *expr*

return: stores the variable

It can be with arguments or without it

### Functions Example

#### Function definition with NO arguments/parameters

```
def helloWorld():
    print("Hello, world!")
```

#### Function definition WITH arguments/parameters

```
def helloUser(firstName):
    print("Hello", firstName)
```

#### Calling a function

```
helloWorld()
```

### LISTS/TUPLE

List [ ]	Collection of items in a particular order. List indexes start at 0
Tuple ( )	It is a list but Unable to be changed



### Lists functions Example

<code>fruits =</code>	<code>['apple', 'banana', 'orange']</code>
<code>print(fruits)</code>	Output an entire list
<code>print(fruits[2])</code>	Output an element in a list: orange
<code>fruits[0] = 'grapes'</code>	Modifying an element in a list: apple by grapes
<code>fruits.append('pear')</code>	Adding an element to the end of a list
<code>fruits.insert(0, 'mango')</code>	adding a list element in a specific position
<code>fruits.remove('banana')</code>	removing a list element
<code>fruits.pop(0)</code>	removing a specific list element
<code>fruits.pop()</code>	removing the last list element
<code>del fruits</code>	removing an entire list
<code>fruits.clear()</code>	emptying a list
<code>findApple = (fruits.count("apple"))</code>	count for specific item
<code>fruits.reverse()</code>	reverse the order of list
<code>fruits.sort()</code>	sort the list. <code>fruits.sort(key=str.lower)</code> to make sure everything is in lowercase

### Lists functions Example (cont)

<code>sorted</code>	If you want the list to remain the same positions, you can use the
<code>_fruits</code>	sorted to create a copy of the
<code>=</code>	sorted list without impacting the original list

### Types of files

Text files	each line ends with a new line character (\n) or a carriage return character (\r) on Windows systems
Binary files	Are intended to be read by other programs, not humans. common types are: program files, image files, audio files, video files, database files and compressed files.

### File fuctions

<code>open(filename, mode)</code>	<code>mode</code> is an optional argument that specifies how you want to open the file. r = read, a = append, w = write, b = binary.
<code>filename.close()</code>	close an open file object
<code>print(filename.read())</code>	output the content of the file

### File fuctions (cont)

<code>with</code>	automatically close a file
<code>open(filename)</code>	if an exception happens.
<code>as newfilename:</code>	Also, it allows to assign a name to the file object in the same line of code and ends with a colon: creating a code block
<code>write()</code> method	use write mode when you are creating a new file, not when you are working with an existing file of data, Open the file in append mode ("a") if you wish to add to an existing file.

A file path must be included if the file is not in the same directory as the Python program