

Extralab#9

```
#include <stdio.h>

int main(){
    int n;
    printf("enter n: ");
    scanf("%d",&n);
    int array1[n][n],array2[n][n];
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            printf("Enter element for array1[%d][%d]:", i+1,j+1);
            scanf("%d", &array1[i][j]);
        }
    }
    printf("\n");
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            printf("Enter element for array2[%d][%d]:", i+1,j+1);
            scanf("%d", &array2[i][j]);
        }
    }
    int count = 0;
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            if (array1[i][j] == array2[i][j]){
                count++;
            }
        }
    }
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            printf("%d ",array1[i][j]);
        }
        printf("\n");
    }
    printf("\n");
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            printf("%d ",array2[i][j]);
        }
    }
    printf("\n");
```

Extralab#9 (cont)

```
    }
    if (count == n * n){
        printf("Both are equal\n");
    }
    else{
        printf("Both are not equal\n");
    }
    printf("Multiplication of matrices is: \n");
    int ans_array[n][n];
    int sum = 0;
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            for (int k = 0;k < n;k++){
                sum += array1[i][k]*array2[k][j];
            }
            ans_array[i][j] = sum;
            sum = 0;
        }
    }
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            printf("%d ",ans_array[i][j]);
        }
        printf("\n");
    }
    int sum_matrix = 0;
    for (int i = 0;i < n;i++){
        for (int j = 0;j < n;j++){
            if (i==j){
                sum_matrix += ans_array[i][j];
            }
        }
    }
    printf("Sum of the diagonal is %d",sum_matrix);
}
```

Extralab#10

```
#include <stdio.h>
#include <string.h>
int main(){
    char sentence1[255],sentence2[255];
    printf("Input sentence1: ");
    gets(sentence1);
    printf("Input sentence2: ");
    gets(sentence2);
    printf("String is longer than string2?");
    fputs(strlen(sentence1) > strlen(sentence2) ? "
true" : " false",stdout);
    printf("\nString has more vowel than string2?");
    int count_string1 = 0;
    int c = 0;
    while(sentence1[c] != '\0'){
        if (sentence1[c] == 'a' || sentence1[c] == 'A'
|| sentence1[c] == 'e' || sentence1[c] == 'E'
|| sentence1[c] == 'i' || sentence1[c] == 'I'
|| sentence1[c] == 'o' || sentence1[c] == 'O'
|| sentence1[c] == 'u' || sentence1[c] == 'U'){
            count_string1++;
        }
        c++;
    }
    int count_string2 = 0;
    int d = 0;
    while(sentence1[d] != '\0'){
        if (sentence1[d] == 'a' || sentence1[d] == 'A'
|| sentence1[d] == 'e' || sentence1[d] == 'E'
|| sentence1[d] == 'i' || sentence1[d] == 'I'
|| sentence1[d] == 'o' || sentence1[d] == 'O'
|| sentence1[d] == 'u' || sentence1[d] == 'U'){
            count_string2++;
        }
        d++;
    }
    fputs(count_string1 > count_string2 ? " true" : "
false", stdout);
    int first[26] = {0}, second[26] = {0};
    int e = 0;
    // Calculating frequency of characters of first
string
```

Extralab#10 (cont)

```
while (sentence1[e] != '\0'){
    first[sentence1[e] - 'a']++;
    e++;
}
int f = 0;
while (sentence1[f] != '\0'){
    first[sentence1[f] - 'a']++;
    f++;
}
// Comparing frequency of characters
int count_similar = 0;
for (int c = 0;c < 26;c++){
    for (int d = 0;d < 26;d++){
        if (first[c] == second[d]){
            count_similar++;
        }
    }
}
if (count_similar != 0){
    printf("\nThe strings are anagrams.\n");
}
else{
    printf("\nThe strings are not anagrams.\n");
}
return 0;
}
Input sentence1: cineman
Input sentence2: iceman
String is longer than string2? true
String has more vowel than string2? false
The strings are anagrams.
```