

### VIRUSES

Viruses are non-cellular, non-living infectious agents that are composed of nucleoproteins which can multiply inside animals and plants or bacterial cells. It consists of both living and non-living properties

#### LIVING PROPERTIES OF VIRUSES

1) They are obligate intracellular parasites,

i.e., cannot exist outside.

2) They can multiply inside the living organisms

3) They contain a genetic material namely DNA or RNA

#### NON-LIVING PROPERTIES OF VIRUSES

1) They can be crystallized and stored in bottles

2) They cannot multiply outside the host

3) They don't have cells

**SIZE:-** Viruses range in size from 300 nanometers as in TMV to 20nm as in parvoviruses.

Viruses approximate the sizes of the smallest bacterial cells as mycoplasmas.

Largest virus is **vaccinia virus and pox virus**,

smallest virus is **foot and mouth disease virus, polio virus**

### SHAPE

Spherical	<b>polio virus</b>
rod shaped	<b>TMV virus, influenza virus</b>
rectangular	<b>vaccinia virus</b>
polyhedral	<b>adeno virus, herpes virus, polio virus</b>
tadpole shaped	<b>bacteriophages</b>
Helical	<b>Rabies virus, TMV</b>

#### classification of viruses

**phytophages** viruses that infect plants

**zoophages** viruses that infect animals

**bacteriophages** viruses that infect bacteria

**cyanophages** viruses that infect blue green algae

**zymophages** viruses that infect yeast cells

**mycophages** viruses that infect fungi

### NUCLEIC ACID

Generally plant virus consists of **RNA** but in **cauliflower mosaic virus** and **dahlia mosaic virus** the genetic material is **double stranded DNA**

Generally animal virus consists of **DNA** but in **polio virus, flu virus** it is single stranded **RNA**

A single stranded DNA is present in bacteriophage **M14** and coliphage **S13**

A double stranded RNA is present in **Wound tumor virus, Rice dwarf virus, Maize dwarf virus, Reo virus**

## CAPSID

1) Chemically viruses contain a protein coat called **capsid**. The capsid consists of many protein subunits called **capsomere**. The number of capsomere varies from one virus to another virus

eg:- **TMV** capsid contains **2130** capsomeres.

**Adeno virus** contains **252** capsomeres.

2) Some animal viruses like **influenza virus** and **AIDS** contain a lipid-protein complex external to capsid. This is called **peplos or envelope**.

The capsomeres in capsid may be arranged in helically (eg:-**TMV**) polyhedral (eg:- **adeno virus**) and binal symmetry (eg:- **TMV**)

## DIFFERENT TYPES OF VIRUSES

TMV VIRUS	BACTERIOPHAGE	POX VIRUS	AIDS VIRUS
<b>TMV</b> is most extensively studied plant virus.	They are pathogenic virus infecting bacteria	<b>POX</b> virus is a casual agent of small pox.	Acquired immune deficiency syndrome( <b>AIDS</b> ) is an infectious disease is caused by a virus known as human immunodeficiency virus ( <b>HIV</b> )
It is elongated rod-like, 3000Å <sup>0</sup> long, 180Å <sup>0</sup> in diameter, molecular weight being $39.4 \times 10^6$ , 95% protein and 5% RNA by weight intertwined to form helical, grooved, cylindrical rods.	<b>Twort</b> discovered the bacteriophages. The structure of T4 bacteriophage contains head and tail regions.	pox virus are among the largest of animal virus, have complex structure and rectangular shaped	This virus also called as Human T lymphotropic virus 3 or AIDS related retrovirus (ARV)
The walls of the cylinder are 70Å <sup>0</sup> thick. 2130 capsomeres are arranged helically to form a capsid.	Head is folded <b>double standard DNA</b> is packed in head. Head is hexagonal with around 2000 capsomeres.	This is rectangular shaped (300*2-30mU) in size, 6% double standard DNA, 89% protein, 5% lipids.	AIDS virus consists of <b>single standard RNA</b> surrounded by protein coat (core shell) the entire structure is wrapped around in an envelope.
49 capsomeres are present in 3 turns and 130 turns in complete virus capsid. Each capsomere has a molecular weight of 17,400 and is formed by condensation of <b>158 aminoacids</b>	Tail is helically symmetrical with a core tube surrounded by a protein tail sheath consists of 144 capsomeres arranged in 24 rings of 6 subunits. The sheath is connected to collar at its upper end and base plate at lower end.	Genome is dumb bell shaped; central core has dsDNA.	After entering the blood, AIDS virus infects the helper T-LYMPHOCYTES (not the suppressor T-cells) and destroy them. Helper T cell plays an essential role in antibody production.



### DIFFERENT TYPES OF VIRUSES (cont)

RNA strand is embedded in furrow and therefore, it is helical; ssRNA consists of 6400 nucleotides. Thus, the approximate ratio of <b>nucleotides and capsomers</b> is <b>3:1</b>	basal plate is hexagonal with single pin or spike at each corner. A thin tail fibre is also given out of the corner. A enzyme <b>lysozyme</b> is responsible for dissolving the bacterial cell wall is present in tail fibers.	The core contains two enzymes - <b>RNA polymerase</b> and <b>ATP-phosphohydrolase</b> . On both sides of the core lie lateral bodies one on each side.	Thus, AIDS virus destroy an important link in immune defence rendering the individuals prone to infectious diseases and tumour formation.
--	--	--	---

### VIRIIDS

★ **DIENER** discovered the viroids. They are small, circular, single standard RNA molecules without protein coat. they cause many plant diseases.

Eg:- **Citrus exocortosis viroid**, **potato spindle tuber viroid**

★ Although the viroid RNA (300 to 400) nucleotides is single standard circle but can exhibit considerable secondary structure and resembles the short standard molecules with close ends.

★ viroids enter the plant through wound or by insects. It replicates in the host cell nucleus with the help of one plant of RNA polymerases.

### PRIONS

★ **PRUSINER** discovered the prions. The infectious proteins are called **prions**. Nucleic acid is absent. Protein coat is infectious and cause variety of diseases. The **mad cow disease** causing prion may reach man through beef cause **Creutzfeldt-Jakob disease** in him. eg:- **MAD COW disease (Bovine spongiform encephalitis)** and **Scrapie** disease in sheep.



By **BOMMISETTI PRAVALLIKA** (pravallika)  
[cheatography.com/pravallika/](https://cheatography.com/pravallika/)

Published 13th September, 2022.  
 Last updated 13th September, 2022.  
 Page 3 of 3.

Sponsored by **Readable.com**  
 Measure your website readability!  
<https://readable.com>