

Filters	Services	Services (cont)
<b>amount   currency[:symbol:]</b> Formats a number as a currency (ie \$1,234.56).	\$anchorScroll \$cacheFactory compiledHtml = \$compile(html)(scope) \$controller \$cookieStore \$document \$exceptionHandler(exception[, cause]) \$filter(name) \$http[(options)] \$httpBackend \$injector \$interpolate(text[, mustHaveExpression]) \$locale \$location \$log \$parse(expression) \$provide \$q \$resource(url[, paramDefaults][, actions]) \$rootElement \$rootScope \$route \$routeParams \$routeProvider \$sanitize(html) \$scope See \$rootScope \$templateCache \$timeout(fn[, delay][, invokeApply])	\$window
<b>date   date[:format:]</b>		<b>Directive Definition Object</b>
<b>array   filter:expression</b> Selects a subset of items from array. Expression takes string Object function()		<b>name {string}</b> Name of the current scope. Optional defaults to the name at registration.
<b>data   json</b> Convert a JavaScript object into JSON string.		<b>priority {integer}</b> Specifies order multiple directives apply on single DOM element (higher = first)
<b>array   limitTo:limit</b> Creates a new array containing only a specified number of elements in an array.		<b>terminal {true}</b> Current priority will be last set of directives to execute
<b>text   linky<sup>1</sup></b> Finds links in text input and turns them into html links.		<b>scope {true   object}</b> True - create child scope. Undefined false - use parent scope. {} - isolate scope (with specified attributes/scope variables passed): @ or @attr - bind local model to value of DOM attribute (string), = or =attr - bi-directional binding between local model and the parent scope, & or &attr - execute an expression in context of parent. Reference attr OR assumes model of same name
<b>string   lowercase</b> Converts string to lowercase.		<b>controller function(\$scope, \$element, \$attrs, \$transclude)</b> Controller constructor function instantiated before pre-linking phase and shared with other directives if requested by name
<b>number   number[:fractionSize:]</b> Formats a number as text. If the input is not a number an empty string is returned.		
<b>array   orderBy:predicate[:reverse:]</b> Predicate is function(*) string Array. Reverse is boolean		
<b>string   uppercase</b> Converts string to uppercase.		
You can inject the \$filter service and do \$filter('filterName')(value[, :optionalParam][, :optionalParam]) in use it in your javascript.		

<sup>1</sup> Requires ngSanitize Module



By **ProLoser**  
[cheatography.com/proloser/](http://cheatography.com/proloser/)

Published 9th August, 2012.  
Last updated 29th February, 2020.  
Page 1 of 5.

Sponsored by **ApolloPad.com**  
Everyone has a novel in them. Finish Yours!  
<https://apollopad.com>

Directive Definition Object (cont)	Directives	Directives (cont)
<pre>require {string   array[strings]}</pre> <p>Require another controller (<code>ngModel</code>). Prefixes: <code>? - Don't raise error.</code> ^ - Look on parent elements too</p>	<code>ng-app="plaintext"</code> <code>ng-bind[-html-unsafe]="expression"</code> <code>ng-bind-</code> <code>template="string{{expression}}string{{expression}}"</code> <code>ng-change="expression"</code> <code>ng-checked="boolean"</code> <code>ng-class[-even -odd]="string object"</code> <code>ng-[dbl]click="expression"</code> <code>ngcloak="boolean"</code> <code>ng-controller="plaintext"</code> <code>&lt;html ng-csp&gt; (Content Security Policy)</code> <code>ng-disabled="boolean"</code> <code>&lt;form ng-form name="plaintext"&gt;   ng-form="plaintext"</code> <code>ng-hide show="boolean"</code> <code>ng-href="plaintext{{string}}"</code> <code>ng-include="string"  &lt;ng-include src="string" onload="expression" autoscroll="expression"&gt;</code> <code>ng-init="expression"</code> <code>&lt;input ng-pattern="/regex/" ng-minlength ng-maxlength ng-required</code> <code>&lt;input ng-list="delimiter regex"&gt;</code> <code>&lt;input type="checkbox" ng-true-value="plaintext" ng-false-value="plaintext"&gt;</code> <code>ng-model="expression"</code> <code>ng-mousedown="expression"</code> <code>ng-mouseenter="expression"</code> <code>ng-mouseleave="expression"</code> <code>ng-mousemove="expression"</code> <code>ng-mouseover="expression"</code> <code>ng-mouseup="expression"</code> <code>&lt;select ng-multiple&gt;</code> <code>ng-non-bindable</code> <code>ng-options="select [as label] [group by group] for ([key,] value) in object array"</code> <code>ng-pluralize &lt;ng-pluralize count="number" when="object" offset="number"&gt;</code>	<code>ng-readonly="expression"</code> <code>ng-repeat="([key,] value) in object array"</code> <code>&lt;option ng-selected="boolean"&gt;</code> <code>ng-src="string"</code> <code>ng-style="string object"</code> <code>ng-submit="expression"</code> <code>ng-switch="expression"  &lt;ng-switch on="expression"&gt;</code> <code>ng-switch-when="plaintext"</code> <code>ng-switch-default</code> <code>ng-transclude templates</code> <code>ng-view &lt;ng-view&gt;</code> <code>ng-bind-html="expression"</code>
<code>restrict {string: 'EACM'}</code> <p><b>E - Element:</b> <code>&lt;my-directive /&gt;</code>. <b>A - Attribute</b> (default): <code>&lt;div my-directive="exp" /&gt;</code>. <b>C - Class:</b> <code>&lt;div class="my-directive: exp;" /&gt;</code>. <b>M - Comment:</b> <code>&lt;!-- directive: my-directive exp --&gt;</code></p>		<p><b>Bold</b> means the actual directive  <i>Italics</i> mean optional  Pipes mean either or  Plaintext means no string encapsulation  Superscript means notes or context  &lt;Brackets&gt; mean tag compatibility  Lack of &lt;brackets&gt; means the attribute can apply to any tag</p>
<code>template {string}</code> <p>Replace current element with contents and migrates all attributes / classes</p>		
<code>templateUrl {string}</code> <p>Same as <code>template</code> but the template is loaded from the specified URL</p>		
<code>replace {boolean}</code> <p><code>true</code>: template replaces element instead of appending</p>		
<code>transclude {boolean}</code> <p>Compiles contents on parent (pre-isolate) scope. Usually used with <code>ngTransclude</code> &amp; templates.</p>		
<code>compile function(tElement, tAttrs, fn transclude(function(scope, cloneLinkingFn) returns link()</code> <p>For transforming the template (rare, run once per template instance).</p>		
<code>link function(scope, iElement, iAttrs, controller)</code> <p>Executed after template is cloned (run once per clone). Contains most logic (DOM listeners, etc). <code>Controller</code> can be an array.</p>		
<a href="http://docs.angularjs.org/guide/directive">http://docs.angularjs.org/guide/directive</a>		



### Module (cont)

#### `run(initializationFn)`

Use this method to register work which needs to be performed when the injector with the current module is finished loading.

#### `service(name, constructor)`

`value(name, object)`

#### `name`

Name of the module.

Holds the list of modules which the injector will load before the current module is loaded.

<http://docs.angularjs.org/api/angular.Module>

### Scope Properties and Methods

#### `$root or $rootScope`

Move to the top-most \$scope (ng-app)

#### `$parent`

Move to the immediate parent of the current \$scope

#### `$id`

Auto generated Unique ID

#### `$destroy (event)`

Broadcasted when a scope and its children are being destroyed

#### `$apply(exp)`

Executes logic within the AngularJS context and refreshes all models checks.

#### `$broadcast(name, args)`

Dispatches an event name downwards to all child scopes

### Scope Properties and Methods (cont)

#### `$destroy()`

Removes the current scope (and all of its children) from the parent scope

#### `$digest()`

Process all of the watchers of the current scope and its children. Since watchers can change models, they will continue firing until all changes stop. **BEWARE OF RECURSIVE CODE**

#### `$emit(name, args)`

Dispatches an event name upwards through the scope hierarchy

#### `$eval(expression)`

Executes the expression on the current scope and returns the result

#### `$evalAsync(expression)`

Executes the expression on the current scope at a later point in time

#### `$new(isolate)`

Creates a new child scope

#### `$on(name, listener)`

Lists on events of a given type

#### `$watch(watchExp, listener(newVal, oldVal, scope), objectEquality)`

Watch a model (exp) for changes and fires the listener callback. Pass `true` as a third argument to watch an object's properties too.

The following directives create child scopes: `ngInclude`, `ngSwitch`, `ngRepeat`, `ngController`, `uiIf`. Calls to the same `ngController` will create multiple instances and **do not** share scopes. Remember to traverse up the tree to affect *primitives* on the intended scope: `ng-click="$parent.showPage=true"`

### Global Functions

#### `angular.bind(self, fn, args)`

Returns a function which calls function fn bound to self (self becomes the this for fn).

#### `angular.bootstrap(element[, modules])`

Use this function to manually start up angular application.

#### `angular.copy(source[, destination])`

Creates a deep copy of source, which should be an object or an array.

#### `angular.element(element)`

Wraps a raw DOM element or HTML string as a jQuery element.

#### `angular.equals(o1, o2)`

Determines if two objects or two values are equivalent.

#### `angular.extend(dst, src)`

Extends the destination object dst by copying all of the properties from the src object(s) to dst.

#### `angular.forEach(obj, iterator[, context])`

Invokes the iterator function once for each item in obj collection, which can be either an object or an array.

#### `angular.fromJson(json)`

Deserializes a JSON string.



By ProLoser  
[cheatography.com/proloser/](http://cheatography.com/proloser/)

Published 9th August, 2012.  
Last updated 29th February, 2020.  
Page 3 of 5.

Sponsored by [ApolloPad.com](https://apollopad.com)  
Everyone has a novel in them. Finish Yours!  
<https://apollopad.com>

### Global Functions (cont)

#### `angular.identity()`

A function that returns its first argument.  
This function is useful when writing code in the functional style.

#### `angular.injector(modules)`

Creates an injector function that can be used for retrieving services as well as for dependency injection.

#### `angular.isArray(value)`

Determines if a reference is an Array.

#### `angular.isDate(value)`

Determines if a value is a date.

#### `angular.isDefined(value)`

Determines if a reference is defined.

#### `angular.isElement(value)`

Determines if a reference is a DOM element (or wrapped jQuery element).

#### `angularisFunction(value)`

Determines if a reference is a Function.

#### `angular.isNumber(value)`

Determines if a reference is a Number.

#### `angularisObject(value)`

Determines if a reference is an Object.  
Unlike `typeof` in JavaScript, nulls are not considered to be objects.

#### `angular.isString(value)`

Determines if a reference is a String.

#### `angular.isUndefined(value)`

Determines if a reference is undefined.

### Global Functions (cont)

#### `angular.lowercase(string)`

Converts the specified string to lowercase.

#### `angular.mock`

Namespace from 'angular-mocks.js' which contains testing related code.

#### `angular.module(name[, requires], configFn)`

The angular.module is a global place for creating and registering Angular modules. Requires argument always creates a new module.

#### `angular.noop()`

A function that performs no operations.

#### `angular.toJson(obj[, pretty])`

Serializes input into a JSON-formatted string.

#### `angular.uppercase(string)`

Converts the specified string to uppercase.

#### `angular.version`

An object that contains information about the current AngularJS version.

### NgModelController

#### `$render()`

Called when the view needs to be updated. It is expected that the user of the ng-model directive will implement this method.

#### `$setValidity(validationErrorKey, isValid)`

#### `$setViewValue(value)`

#### `$viewValue`

mixed

#### `$modelValue`

mixed

#### `$parsers`

array of function after reading val from DOM to sanitize / convert / validate the value

#### `$formatters`

array of functions to convert / validate the value

#### `$error`

object

#### `$pristine`

boolean

#### `$dirty`

boolean

#### `$valid`

boolean

#### `$invalid`

boolean

<http://docs.angularjs.org/api/ng.directive:ng-Model.NgModelController>

### FormController

#### `$pristine`

#### `$dirty`

#### `$valid`

#### `$invalid`

#### `$error`

<http://docs.angularjs.org/api/ng.directive:form.FormController>



By ProLoser  
[cheatography.com/proloser/](http://cheatography.com/proloser/)

Published 9th August, 2012.

Last updated 29th February, 2020.

Page 4 of 5.

Sponsored by [ApolloPad.com](https://apollopad.com)

Everyone has a novel in them. Finish Yours!  
<https://apollopad.com>

### Deferred and Promise

#### \$q.all([array of promises])

Creates a Deferred object which represents a task which will finish in the future.

#### \$q.defer()

Creates a Deferred object which represents a task which will finish in the future.

#### \$q.reject(reason)

Creates a promise that is resolved as rejected with the specified reason

#### \$q.when(value)

Wraps an object that might be a value or a (3rd party) thenable promise into a \$q promise

#### Deferred.resolve(value)

Resolves the derived promise with the value

#### Deferred.reject(reason)

Rejects the derived promise with the reason

#### Deferred.promise

Promise object associated with this deferred

#### Promise.then(successCallback, errorCallback)

[http://docs.angularjs.org/api/ng.\\$q](http://docs.angularjs.org/api/ng.$q)



By ProLoser

[cheatography.com/proloser/](http://cheatography.com/proloser/)

Published 9th August, 2012.

Last updated 29th February, 2020.

Page 5 of 5.

Sponsored by [ApolloPad.com](https://apollopad.com)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>