

Editing	
Barf Backwards	^ ⌘K
Slurp Forwards	↑ ⌘K
Barf Forwards	↑ ⌘J
Slurp Backwards	^ ⌘J
Splice Sexp	⌘S
Split	⌘⇧S
Raise	⌘'
Join	^ ⌘S
Kill	^ K
Kill Sexp	^ ⌘K
Wrap with ""	↑ ⌘'
Wrap with ()	↑ ⌘9
Wrap with []	⌘[
Wrap with {}	↑ ⌘[
Close () and newline	↑ ⌘0
Close [] and newline	⌘]
Close {} and newline	↑ ⌘]
Move Form Down	↑ ⌘↓
Move Form Up	↑ ⌘↑
Thread Form	⌘⌘,
Unthread Form	⌘⌘.
Still deciding which ones go in Editing and which ones don't.	

REPL	
Execute the current statement	⌘↔
Load file in REPL	↑ ⌘L
Next REPL history item	⌘↓
Previous REPL history item	⌘↑
Search REPL history	⌘⇧E
Send top form to REPL	↑ ⌘P
Sync files in REPL	↑ ⌘M

Other	
Select around	⌘↑
Narrow selection	⌘↓
Copy as kill	^ ↑ K
Move forward	⌘→
Move backward	⌘←
Show element type	^ ↑ P
Clear all test markers	↑ ⌘⌘
Close () and newline	↑ ⌘0
Close [] and newline	⌘]
Close {} and newline	↑ ⌘]
Join	^ ⌘S
Kill	^ K
Kill sexp	^ ⌘K
Move form down	↑ ⌘↓
Move form up	↑ ⌘↑
Thread form	⌘⌘,
Unthread form	⌘⌘.
Wrap with ""	↑ ⌘'
Wrap with ()	↑ ⌘9
Wrap with []	⌘[
Wrap with {}	↑ ⌘[
Still deciding which ones go in Editing and which ones doesn't.	

Refactoring	
Rename	↑ F6



By **J. Pablo Fernández**
(pupeno)
cheatography.com/pupeno/
pupeno.com

Published 2nd July, 2015.
Last updated 7th September, 2016.
Page 1 of 1.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>