

### Nervous & Endocrine systems

	Nervous system	Endocrine system
Communication	Action potential/Impulses	Hormones
Nature of communication	Electrical (& chemical)	Chemical
Mode of transmission	Neurons/Nerve cells	Blood
Response destination	Muscles/Glands	Target organs/Tissues/Cells
Transmission speed	Faster	Slower
Effects	Specific/localised	Widespread
Response speed	Faster	Slower
Duration	Short-lived/Temporary	Long-lasting/Permanent
Receptor location	On cell surface membrane	On cell surface membrane or within the cell
ATP requirement	Higher	Lower

Both systems involve *cell signaling, chemicals & signal molecules binding to receptors.*

### Definitions

<b>Dendrites</b>	Thin, short and highly branches cytoplasmic processes extend from the cell body.
<b>Receptor cells</b>	Cells that respond to a stimulus by initiating an action potential.
<b>Transducers</b>	Convert energy from one form into energy in an electrical impulse in a neurone.
<b>Reflex arc</b>	The pathway along which impulses are transmitted from a receptor to an effector without involving the conscious regions of the brain.
<b>Reflex action</b>	An immediate response by an effector to a specific stimulus without involving the conscious regions of the brain.
<b>Neurotransmitters</b>	Chemical messengers that are released from neurons and they are used to stimulate another cell.

## Structure of the sensory & motor neurones

	Sensory neurone	Motor neurone
<b>Function</b>	Transmits impulse from receptors to the CNS.	Transmits impulse from the CNS to the effectors.
<b>Cell body</b>	In the middle of the neurone and NOT within the CNS.	At the end of the neurone and within the CNS.
<b>Axon</b>	Short	Long
<b>Dendrites</b>	Attached to dendron.	Attached to cell body.
<b>Terminal branches</b>	present	present

\$ The dendrites provide *large surface area* for the axon terminals of the other neurons.

\$ Relay neurons are found *entirely within the CNS* & they transmit impulses from the sensory to the motor neuron.

## Role of a chemoreceptor cell (in human taste buds)

1. Chemicals act as a stimulus.
2. Chemoreceptors are specific in detecting taste and they are transducers.
3.  $\text{Na}^+$  diffuses into the cell upon the stimulation of the receptor, via microvilli.
4. The membrane gets depolarized.
5.  $\text{Ca}^{2+}$  channels are stimulated to open and  $\text{Ca}^{2+}$  enter the cell.
6. This causes the movement of vesicles containing neurotransmitters, and the neurotransmitters are released by exocytosis, stimulating an action potential.



By **rana mohamed**  
[cheatography.com/rana-mohamed/](https://cheatography.com/rana-mohamed/)

Not published yet.  
Last updated 11th April, 2025.  
Page 2 of 2.

Sponsored by **Readable.com**  
Measure your website readability!  
<https://readable.com>