

### Introduction

Javascript was designed to run only in browsers so every browser uses a Javascript Engine. Node combines C++ and JS so JS can run outside of browsers.

ECMAScript, Specification, defines JS standards.

The Javascript Console can be found in Chrome > Inspect > Console.

Just like browsers, Node includes the v8 JavaScript engine, so it can read and execute JavaScript scripts

### Operator's precedence

The precedence is as follows: multiplication \*, sum +

### Bitwise operators

A little less practical.

1 = 00000001, 2 = 00000010

Bitwise are similar to Logical operators, but they operate on the singular bits of a number: each bit/8 is compared.

Bitwise OR  
consol-  
e.log(1 |  
2); //3

With OR, each individual bit is compared, if any of them is 1, the result is zero, like:

00000010  
//2

00000011  
//(1 | 2)

Bitwise AND  
consol-  
e.log(1 &  
2); //

### Bitwise operators (cont)

With AND, each individual bit is compared, if both bits are 1, the result is one, otherwise 0:

### Logical operators with non-booleans

If the operand/'condition' is not 'true' or 'false'(boolean) JS will try to interpret it as 'truey' or 'falsey'.

"Falsey" undefined, null, 0, false, "", NaN  
values:

"Truthy" anything else - Strings, natural numbers  
values:

### Logical operators

Logical	Returns	true && true =>
AND (&&)	'true' if both operands or conditions are 'true'	true; true && false => false

Logical	Returns	true    false =>
OR (  )	'true' if one of the operands/-conditions are 'true'	true; true    true => true; false    false => false

Logical	Will turn the operand /condition into false if true, true if false	let happy = !sad
NOT (!)		

### Ternary operators

```
// Ternary operators
// If a costumer has over 10
points they're a GOLD costumer,
otherwise they're silver.
let points = 110;
// Condition (produces boolean),
if true, set to 'gold',
otherwise, 'silver'
let custom erType = points > 100
? 'gold' : 'silver';
consol e.l og( cus tom erT ype);
There's a better way to shorten
this if the condit ion's result
is true or false:
return width > height;
instead of : return width >
height ? true : false;
```

These conditions use booleans to return a value depending on the boolean type.

### Operators

Operators are used alongside variables to create expressions. With these we can create logic and algorithms.

In JavaScript we have Arithmetic, Assignment, Comparison, Bitwise and Logical Operators.

#### Arithmetic

#### Assignment

### Arithmetic Operators

```
let x = 10;
let y = 3;
consol e.log(x + y);
consol e.log(x - y);
consol e.log(x * y);
consol e.log(x / y);
consol e.log(x % y);
```

### Arithmetic Operators (cont)

```
> console.log(x ** y);
//// Increment and Decrement Operators
// 10
console.log(x);
// 11+1 (operation applied first)
console.log(++x);
// 11+1 (operation applied later)
console.log(x++);
```

Used for performing calculations, like mathematics. Usually variables with numeric values are used (operands) to produce new values (expression - something that produces a value). For increment and decrement operators, if applied before the variable, the operation will be performed before the action. If applied after, after the action is executed.

### Assignment operators

```
// Assignment operators (=)
let m = 20;
let p = 3;
let r = 2;

m++;
// is the same as:
m = m + 1;

p += 5;
p = p + 5;

r *= 5;
r = r*5;
```

### Comparison operators

```
// Relational operators
let xx = 1;
console.log(xx > 0);
// true, 1 is bigger than 0
console.log(xx >= 1);
// true, 1 is equal or bigger than 1
console.log(xx < 1);
// false, 1 is no less than 1
console.log(xx <= 1);
// true, 1 is equal or smaller to 1
// Equality operators
console.log(xx === 1);
// true, x is the same value and type as 1
console.log(xx !== 1);
// false, x is no different to 1
```

We use them to compare the value of a variable with something else. The result of an expression that includes a comparison operator is a boolean (true or false).

### Equality operators

```
// Equality operators
console.log(xx === 1);
// true, x is the same value and type as 1
console.log(xx !== 1);
// false, x is no different to 1
//// Loose equality operators
console.log(xx == y);
//// Strict equality operators
console.log(xx === y);
// true
console.log('1' == 1);
// false
```

### Equality operators (cont)

```
> console.log('1' === 1);
```

Loose equality operators ensure that two variables share value, Strict equality operators ensure that two variables share value and type. Type such as number, string, etc.

Loose equality will take the first variable's type and convert the second to that type automatically when compared.

### Boilerplate project

To start off, create an HTML document. Set a `<script>` tag on the head or body, but best practice is at the end of the `<body>` element because the browser will parse the content the DOM first.

```
// This is a comment.
```

```
console.log("This is a sequence. It logs this message from the console.")
```

```
<script src="index.js">
```

From the terminal, launch "node index.js" to run the JavaScript script

From VSCode, run View > Terminal to run the JavaScript script

### Reference types

Objects	A type that holds properties - when multiple properties are related we can fit them inside an Object.	let person = {}
	Inside an object there's value and keys:	{ name: 'Mosh', age: 27 }
	Objects can also be printed	console.log(person);

### Reference types (cont)

Object properties can be changed. (Dynamic typing, remember?)

```
person.name = 'Sara'
```

```
person['name'] = "Mary"
```

**Arrays** A type used to store other types in a list-like manner. Technically an Object.

```
let selectedColors = [];
```

```
let selectedColors = ['red', 'blue'];
```

Array elements each have an index, in this case: red is 0, blue is 1. To access them

```
selectedColors[0]; // red
```

Because JavaScript is a dynamic language, variables can be set, added, deleted at runtime or any time. And they can be of any type

```
selectedColors[2] = 'yellow';
```

```
selectedColors[3] = 8;
```

### Reference types (cont)

Because Arrays are Objects, they have their own inherited properties like `indexOf`, `length`...

**Functions** A set of statements that perform a task or calculates a value

```
greet('Maria');
```

The variable we parse into the function is an 'argument'.

```
greet("Juana", lastName);
```

If we don't parse a second variable, it will print undefined.

All functions in JavaScript are objects, so they have properties and methods that we can access using the dot notation (I.e.: `Object.keys`)

### Primitive variable types

```
let surname = 'raposinha'; // String literal
let age = 27; // Number literal
let isApproved = true; // Boolean - used for yes/no logic
let zodiacSign; // Undefined
let favoriteColor = null; // Null - for explicitly clearing the variable
```

To check a primitive variable type **typeof** is used:

```
typeof n !== 'number'
```

### Control flow

- If ... Else

```
switch(case) {
```

Switch

...

Case

```
case 'guest':
```

```
console.log('Guest');
```

```
break;
```

```
case 'moderator':
```

```
console.log('Moderator');
```

```
default:
```

```
console.log('Unknown');
```

```
}
```

Note 1: If break is not added, the condition doesn't skip and case doesn't work, it just executes the next statement within the first case read.

### JavaScript is a Dynamic Typing language

```
// Dynamic typing
let input;

input = "Sara";
typeof input;

input = 7;
typeof input;
```



By **raposinha**  
[cheatography.com/raposinha/](https://cheatography.com/raposinha/)

Not published yet.  
 Last updated 15th December, 2024.  
 Page 3 of 8.

Sponsored by **CrosswordCheats.com**  
 Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>

### Control flow (cont)

Note 2: An expression is any valid unit of code that resolves to a VALUE. Case is an expression, whether it is 2, 'a', or true. When case matches the variables, wether with a given variable or a set expression like 'true', code will execute, check the condition and if matching, execute and break.

- 'for' includes 3 statements: Initial For expression, where a variable is initialized, it's usually set like 'i', short for Index. Condition, where we usually compare the value of the Index to something else; the loop will continue unless this condition is false. If we want the loop to go on 5 times, we make it likeso:  $1 < 5$  and add the next expression. IncrementExpression will be next, so for each time the statements under for are executed it will sum one to the initial expression , check for the condition, and when i is no longer less than 5 it will stop.

### Control flow (cont)

for (let i = 0; i < 5; i++;)

for (let i = 5; i >= 1; i--;)

- while(condition){statement}

While

...

- Do Do-whiles are always executed once even if the condition is not true.

do { sentence } while ( condition )

Infinite loops You can create them accidentally, causing a system break. Check for them on the console

- For for( let key in person ){  
... in

For each iteration the key variable will hold the name of one of the properties of the oobject.

To access object's values:  
person.name, person["name"] or person[key] if we don't know the properties name beforehand and we need to calculate it at runtime. Here, 'key' inside the brackets is the throwaway name for the properties' value. 'key' on its own will print the property name (name, age...)

- For for (let color of colors)  
... of

### Control flow (cont)

In this type of loop, the property's value is selected instead of the whole object

Objects are not iterable, only Arrays and Maps. To force an Object into an array, use Object.keys(object) like For ... in or Object.entries(object)

Break and continue They can be used in any kind of loop. 'break;' interrupts the code, 'continue' jumps to the beginning of the loop on its breakpoint and the next execution happens.

### Arrays

#### Adding elements

Even on const declarations, arrays can be written onto. const numbers = [3,4]

Arrays (cont)		Arrays (cont)		Arrays (cont)	
But not like <code>numbers = [3, 4, 5];</code> Because Arrays are Objects, we can use their function properties, like: <code>push</code> (adding to the end), <code>.unshift</code> (pushes existing elements to the right, adds new elements to beginning), <code>.splice</code> (access a specific position and add or remove elements - args: start, amount of numbers to delete, items to add )		<code>numbers.push(5,6)</code> <code>numbers.unshift(1,2)</code> <code>numbers.splice(2,0,2.5,'b')</code> <code>console.log(numbers)</code> -> 1, 2, 2.5, 'b', 3, 4, 5, 6	<code>.lastIndexOf()</code> -> Looks for a given input inside the array and, if existing, will return the index number of said array. If not, it will return -1.  <code>.includes()</code> -> Checks for a given element existing in the array. Returns true or false.  <code>numbers.includes(3)</code> -> true  'fromIndex': A second argument available for all last 3 methods. It starts the search from the given index number.  <b>- Reference types:</b> <code>find()</code> -> <code>courses.find(function(course){ return course.name === 'a' })</code> -> true	<code>const course = courses.find( course =&gt;{ return course.name === 'a'; })</code>  <code>const courseB = courses.find( course =&gt; course.name === 'a');</code>  <code>const courseC = courses.find( (course) =&gt;{ return course.name === 'a'; })</code>	
<b>Finding elements</b>				<b>Functions</b>	
<b>- Primitives:</b>	<code>numbers = [1,2,3,4,1]</code>			<pre>// Functions // Performing a task: function greet (name, lastName){     console.log( 'Hello ' +         name + ' ' + lastName + '!!!') }  greet( " Jua na");  let lastName = "la Loca" greet( " Jua na", las tName);  // Calcul ating a value: function square (Number) {     return Number * Number; }  let n = square(2); console.log(n);  //4 console.log( 4/2);</pre>	
<code>.indexOf()</code> -> <code>numbers.indexOf(1)</code> -> 0	Looks for a given input inside the array and, if existing, will return the index number of said array. If not, it will return -1.		<b>- Reference types:</b> <code>const courses = [ {id: 1, name: 'a'}, {id: 2, name: 'b'} ]</code>  Here because the reference is allocated in another memory slot, <code>'includes()'</code> can't be used.		
		<b>Arrow functions</b>	Used to call functions, pre-existent or not		



### Basic concepts

**Variables** Variables are data stored somewhere in memory temporarily. When addressed, the variable address will be accessed by the variable's name. Like a box. The name will describe its content, the contents will be stored in the box.

Declaring/initializing variables (as of ES6)

`let name = 'raposa';`

Variables cannot be reserved keywords. They should be concise and meaningful, meaning they give us a clue of the contents. They cannot start with a number. They can't contain spaces or hyphens. Camel notation should be used (firstName)). They're case sensitive. They can be declared in the same line (`let name, firstName, lastName;`)

### Basic concepts (cont)

**Constant variables** They are used when we don't want the values to ever change. If you don't want to redefine constant should be the default.

**Types** There are primitive and reference types.

**Primitive types:** String, number, boolean, undefined, null

### Objects

**Declaring an object**

```
const = circle {
  radius:1,
  location : {
    x: 1,
    y : 1
  }
  draw: function(){ console.log('draw')}
}
```

**Factory functions** Functions that create objects in order to not repeat code everytime you need a new one

### Objects (cont)

```
function create Circle (radius, x, y) {
  return {
    radius: radius,
    location: {
      x: x,
      y: y
    },
    draw() {
      console.log('draw')
    }
  };
}
```

**Constructor functions** Written in Pascal Notation. These to generate objects.

`function Object() {}` is an example of a constructor function. Whenever we create an object using Object literal syntax, a call is made to the constructor function

The keyword 'this' is used instead of reference to the object executing the function

### Objects (cont)

When using the 'new' operator a new empty object is created, then the properties used with 'this' are set dynamically, then the object is returned.

```
function Address (street, city,
zipcode) { this.street = street;
this.city = city; this.zipcode =
zipcode; this.showAddress =
function showAddress() { for
(let key in Address){ console.l-
og(key, Address[key]) } } }
```

#### Dynamic

Objects in JavaScript are dynamic, which means that once created you can always add new properties or methods, or remove existing ones.

#### Functions

Circle.constructor -> f

are  
objects,  
they have  
constr-  
uctors

### Objects (cont)

Circle.call({},1) and const circle7 = new Circle(1) are the same, .call is a function prebuilt method. {} stands for the first argument, an empty object - then this will reference the new empty object instead of the base object, window. The rest of the arguments will be passed explicitly (like -> this.radius = radius; Circle(radius);circle7({},5). Which is to mean that if the 'new' keyword isn't used, 'this' will point to window object.

The **apply** method can also be used the same as "call", but the explicit argument are parsed through an array, like Circle.apply({}, [1,2])

In JavaScript, radius: radius, and 'radius,' is the same when defining an object.  
camelCaseNotation, PascalNotation

### Objects

Cloning for (let key in circle) another1[key] = circle[key]

Object.assign(another2, circle)

```
const another3 = Object.assign({
color: 'yellow' }, circle)
```

```
const another4 = {...circle}
```

### Garbage collection

In low level languages when creating an object we have to allocate memory for it then deallocate it, not with JS. This is where the Garbage Collector comes in. It finds the variables and constants that are not used and deallocate the memory

### Math Object

It's a built-in Object.

The Math namespace object contains static properties and methods for mathematical constants and functions.

It's designed for mathematical calculations and so are its Properties and Functions (Math.PI, Math.floor(), ...)

Math.random(), Math.round(), Math.max(-1,2,3), Math.min(1,2,3) (...)

[https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\\_Objects/Math](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Math)

### String Objects

String is a primitive type, primitive types don't have properties and methods, only objects. But a String Object also exists for JavaScript.

```
const message = new String('hi');
```

Its typeof will be 'object'

However, the internal JavaScript engine will automatically convert a String primitive type onto a String Object if we use the dot notation

```
String.length, String[3], String.includes-
('my'), String.startsWith('a'), String.index-
Of('my')
```

[https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\\_Objects/String](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String)

### Strings

\n adds a new line within a String

Template literals	With these, ``, the text formats prints as it's written
-------------------	---

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

### Date Object (Built-in)

const now      Creates the current date and  
= new          time when object is created  
Date()

Has get, set methods

[https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\\_Objects/Date](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) -> to check formats, methods

C

By **raposinha**  
[cheatography.com/raposinha/](https://cheatography.com/raposinha/)

Not published yet.

Last updated 15th December, 2024.

Page 8 of 8.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>