


### Elements and compounds



### Isotopes of Hydrogen


$^1\text{H} \rightarrow \text{Deuterium } (^2\text{H}) \rightarrow \text{Tritium } (^3\text{H})$

### Mol: amount of substance SI

$N_A = 6,022 \times 10^{23}$  entities/mol

mass of 1 mol of substance = its atomic mass (uma), taken as grams

### Atomic spectra



### Rydberg relation

$$R = R_{\infty} \left( \frac{1}{n_1^2} - \frac{1}{n_2^2} \right)$$

only a limited number of energy values are available to excited gaseous atoms

### The Bohr Atom

#### First postulate

atom = nucleus (positive charge and much of the system mass) +  $e^-$  moving in circular orbits around it  $F_e = F_c \rightarrow r = (Ze^2)/(4\pi\epsilon_0 m v^2)$

#### Second postulate

The  $e^-$  has only a fixed set of stationary states, as long as it remains in the same orbit, its energy is constant and no energy is emitted

#### Third postulate

An  $e^-$  can pass only from one allowed orbit to another emitting or absorbing quanta (fixed discrete quantities of energy)

### Heisenberg's uncertainty principle

$$\Delta x \Delta p \geq \frac{h}{4\pi}$$

### De Broglie's wave-particle duality

$$\lambda = \frac{h}{mc}$$

### Particle in a box

### Law of conservation of mass

Matter cannot be created nor destroyed mass reactants = mass products

### Law of definite proportions

A chemical compound always contains exactly the same proportion of elements by mass

### The modern atom

	Electric Charge		Mass	
	SI (C)	Atomic	SI (g)	Atomic (u) <sup>a</sup>
Proton	$+1.6022 \times 10^{-19}$	+1	$1.6726 \times 10^{-24}$	1.0073
Neutron	0	0	$1.6749 \times 10^{-24}$	1.0087
Electron	$-1.6022 \times 10^{-19}$	-1	$9.1094 \times 10^{-28}$	0.00054858

<sup>a</sup>u is the SI symbol for atomic mass unit (abbreviated as amu).

Atomic Number = Z = protons

Mass number = A = protons + neutrons

### Electromagnetic spectrum

$$c = \lambda \cdot \nu$$

$\gamma$ rays	$[10^{-16}, 10^{-11}]m$
X rays	$[10^{-13}, 10^{-9}]m$
U.V.	$[10^{-9}, 390 \cdot 10^{-6}]m$
Visible	$[390, 760]nm$
Infrared	$[760 \cdot 10^{-6}, 10^{-3}]m$
Microwave	$[10^{-3}, 10^{-1}]m$
Radio	$[10^{-2}, 10^4]m$

the given values are for  $\lambda$

### Atomic spectrum of Hydrogen

Balmer experimentally found a frequency formula to define H spectral lines

$$\nu = 3,2881 \cdot 10^{15} (1/2 - 1/n^2) \text{ s}^{-1}$$

### The photoelectric effect

$$E_{\text{photon}} = h\nu = h\bar{c} = \frac{1}{2}(mv^2) + eV_0$$

Einstein postulated that light is not a wave but a collection of discrete wave packets (photons)

### The Zeeman effect

spectral lines are split in the presence of a magnetic field      the split was proportional to the applied magnetic field

### Quantum number

n (principal quantum number)	1, 2, ..., n
l (angular momentum number)	[0, ..., n-1]
m (magnetic quantum number)	[-l, ..., l]
s (spin number)	[-1/2, 1/2]

### Pauli Exclusion Principle

In an atom two electrons cannot have the same quantum numbers

### Planck's formula

$$E = h\nu$$

the quantum energy is proportional to the frequency of the emitted radiation, the energy of a system changes in specific quanta.  
 $h = 6,626 \cdot 10^{-34}$

### Orbitals

Description of the probability of finding the electron in the space  
 high electronic charge density

### Multielectron atoms

Different penetrating and shielding properties of the orbitals       $Z_{\text{eff}} = Z - \sigma$

