

Components

```
import React from 'react'
import ReactDOM from 'react-dom'
class Hello extends
React.Component {
render () {
return <div className='message-
box'>
Hello {this.props.name}
</div>
}
}

const el = document.body
ReactDOM.render(<Hello name='John'
/>, el)

Use the React.js jsfiddle to start
hacking. (or the unofficial jsbin)
```

Properties

```
<Video fullscreen={true} />

render () {
this.props.fullscreen
...
}

Use this.props to access properties
passed to the component.

See: Properties
```

Nesting

```
class Info extends React.Component
{
render () {
const { avatar, username } =
this.props
return <div>
<UserAvatar src={avatar} />
<UserProfile username={username} />
</div>
}
}
```

As of React v16.2.0, fragments can be used to return multiple children without adding extra wrapping nodes to the DOM.

States

```
constructor(props) {
super(props)
this.state = {}
}

this.setState({ username:
'rstacruz' })

render () {
this.state.username
...
}
```

Use states (this.state) to manage dynamic data.

See: States

Children

```
<AlertBox>
<h1>You have pending
notifications</h1>
</AlertBox>

class AlertBox extends
React.Component {
render () {
return <div className='alert-
box'>
{this.props.children}
</div>
}
}
```

Children are passed as the children property.



By **restran**
cheatography.com/restran/

Not published yet.
 Last updated 1st August, 2018.
 Page 1 of 1.

Sponsored by **Readability-Score.com**
 Measure your website readability!
<https://readability-score.com>