

Text Effects	
<code>*strong*</code>	bold
<code>_emphasis_</code>	<i>italic</i>
<code>??citation??</code>	Citation
<code>-deleted-</code>	striketrough
<code>+inserted+</code>	underlined
<code>^superscript^</code>	superscript
<code>subscript</code>	subscript
<code>{monospace}</code>	monosp ace /code
<code>bq. Text</code>	Block quote, like Cheato- graphy's Answer block
<code>{quote}</code> <code>quotable</code> <code>paragraph</code> <code>{quote}</code>	Block quote a multiline paragraph
<code>{color:red}</code> <code>text</code> <code>{color}</code>	Text color

Links	
<code>[#anchor]</code>	Internal link to an anchor or attachment
<code>[^attachment.ext]</code>	
<code>[http://exam- ple.com]</code>	External link
<code>[Alias http://...]</code>	External link with alias
<code>[mailto:foobar@- example.com]</code>	Email link, with icon
<code>[file:///c:/tmp/fo- o.txt]</code>	Download link to a file
<code>{anchor:anch- orname}</code>	Creates an anchor
<code>[~username]</code>	Link to user profile page

Text Breaks	
(empty line)	Produces a new paragraph
<code>\</code>	Creates a line break
<code>----</code>	Horizontal ruler
<code>---</code>	Long dash symbol
<code>--</code>	Dash symbol

Attachments	
Some attachments of a specific type can be embedded into a wiki renderable field from attached files, taking in a comma-separated list of properties:	
<code>!quick tim e.mov!</code>	
<code>!space Key :pa geT itl e^a tta chm - ent.mov!</code>	
<code>!quick tim e.m ov wid th= 300 ,he - igh t=40!</code>	
<code>!media.wm v i d=m edia!</code>	

Tables	
<code> heading 1 heading 2 heading 3 </code>	
<code> col A1 col A2 col A3 </code>	
<code> col B1 col B2 col B3 </code>	
Makes a table. Use double bars for a table heading row.	

Lists	
<code>* some</code>	A bulleted list (must be in first column)
<code>* bullet</code>	
<code>** indented</code>	
<code>** bullets</code>	
<code>* points</code>	
<code># a</code>	A numbered list (must be in first column).
<code># numbered</code>	
<code># list</code>	
<code>- different</code>	List items (with -), several lines create a single list
<code>- bullet</code>	
<code>- types</code>	
Use more (** , *** , ## , ###) for deeper indentations. Bulleted and numbered lists can be mixed (#* , *#).	

Headings	
<code>h1</code>	Biggest heading
<code>h2</code>	Bigger heading
<code>h3</code>	Big heading
<code>h4</code>	Normal heading
<code>h5</code>	Small heading
<code>h6</code>	Smallest heading

To create a header, place "hn. " at the start of the line (where n can be a number from 1-6).

Images	
<code>!http://example.com/img.gif!</code>	
<code>!attached-image.gif!</code>	
Inserts an image into the page.	
<code>!img.j pg thu mbnail!</code>	
Insert a thumbnail of the image into the page.	
<code>!img.g if ali gn= right, vspace =4!</code>	
For any image, you can also specify attributes of the image tag as a comma separated list of name=value pairs like so.	

Misc. (Icons/emoticons)			
<code>\x</code>	Escape a character		
<code>:)</code>		<code>:(</code>	
<code>:P</code>		<code>:D</code>	
<code>:)</code>		<code>(y)</code>	
<code>(n)</code>		<code>(i)</code>	(blue)
<code>(/)</code>	(green)	<code>(x)</code>	(red)
<code>(!)</code>	(yellow)	<code>(+)</code>	(green)
<code>(-)</code>	(red)	<code>(?)</code>	(blue)
<code>(on)</code>	(lit)	<code>(off)</code>	(off)
<code>(*)</code>	(yellow)	<code>(*r)</code>	(red)
<code>(*g)</code>	(green)	<code>(*b)</code>	(blue)
<code>(*y)</code>	(yellow)		
<code>(flag)</code>	(red)	<code>(flagoff)</code>	

Advanced Formatting

```
{noformat}
preformatted piece of text
so *no* further _forma tting_ is done her
e
```

```
{noformat}
```

Preformatted text block with no syntax highlighting.

```
{code:title=Bar.java}
public String getFoo() {
    return foo;
}
```

```
{code}
```

Makes a preformatted block of code with syntax highlighting. Languages: Java (default), JavaScript, ActionScript, XML, SQL.

```
{panel}
Some text
{panel}
```

Embraces a block of text within a fully customizable panel.

```
{panel :ti tle=My Title|borderStyle=dashe
d}
a block of text surrounded with a *panel*
{panel}
```

Panel with optional parameters.

The optional parameters you can define, for `panel` and `code`, are the following ones: `title`, `borderStyle`, `borderColor`, `borderWidth`, `bgColor`, `titleBGColor`

C

By **rhorber**
cheatography.com/rhorber/

Published 1st March, 2018.
Last updated 1st March, 2018.
Page 2 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>