

Data manipulation in R: dplyr Cheat Sheet by shanly3011 via cheatography.com/20988/cs/3879/

Select

Used to select specific columns from a data set.

To select a column -

Use the ":" sign to select a range of columns

Type in the specific column names to select individually

Use the "-" operator to exclude a column or a range of columns

```
#Select individal columns
hfligh ts_ mul tiple <- select (hf lights, ArrTim e
,A irT ime ,Ta xiIn)
#Shortcut to select a range of columns
hfligh ts_ range <- select (hf lig hts ,Ye ar: Day -
OfW eek , Ar rTi me: Air Time)
#Exclude a set of columns
hfligh ts sub tract <- select (hf lights, -(DayO f
We ek: Fli ghtNum)
```

Helper Functions

To search for column names, instead of typing each one manually or specifying range - we can use helper functions. These functions help us in making our work easier.

Common helper functions

```
ends_w ith ("A")
starts _wi th( " A")
contai ns( " A")
matche s("A ")
num_ra nge ("A")
one of ("A")
```



By shanly3011

cheatography.com/shanly3011/

Published 12th April, 2015. Last updated 8th May, 2016.

Page 1 of 1.

Everyone has a novel in them. Finish Yours!

https://apollopad.com

Sponsored by ApolloPad.com