Cheatography

Express Cheat Sheet

by Maciev (shengti) via cheatography.com/19584/cs/12708/

General

```
var express = requir e(' exp ress ');
```

```
var app = express();
```

Application

app.lo cal s.title / strftime / email

app.al l(path, callback)

app.us e([path], callback)

app.ge t(path, callback)

app.po st(path, callback)

app.pu t(path, callback)

app.de let e(path, callback)

app.en abl e(name) : Set to True

app.di sab le(name) : Set to False

app.en abl ed(name) : True if *name* is True

app.di sab led (name) : True if *name* is False

app.en gin e(ext, callback)

app.li ste n(path, callback)

app.pa ram ([n ame], callback)

app.re nde r(view, [locals], callback)

app.ro ute (path)

app.se t(name, value)

app.ge t(name)

Request properties

req.ba seUrl

req.path

req.or igi nalUrl : req.baseUrl + req.path

req.body : Require MW body-parser & multer

req.co okies : Require MV cookie-parser

req.si gne dCo okies : Require MV cookie-parser

req.fresh

req.stale

req.ho stname

req.ip : X-Forwarded-For

req.method GET / POST / PUT / DELETE ...

req.params Properties named route parameters

req.pr otocol

req.query

req.route

req.secure : TLS connection

req.su bdo mains

req.xhr : X-Requested-With

Request methods

Response properties

Response methods



By **Maciev** (shengti)

cheatography.com/shengti/

Not published yet.

Last updated 5th September, 2017.

Sponsored by **Readable.com**

Measure your website readability!

https://readable.com