

Paragraphs

Markdown

Paragraphs are lines of text
(single returns are collapsed into a space)
Blank lines indicate a new paragraph

HTML

```
<p>Paragraphs are lines of text (single returns are collapsed into a space)</p>
```

```
<p>Blank lines indicate a new paragraph</p>
```

Images

Markdown

Images can be embedded: !Image of dog

HTML

```
<p>Images can be embedded: <img source= "http://www.dogs.com/t-op_dog.png" title="" alt="Image of dog" /></p>
```

Ordered Lists

Markdown

1. First Item
2. Second Item
3. Third Item

HTML

```
<li>First Item</li>  
<li>Second Item</li>  
<li>Third Item</li>
```

List items are enclosed in

Unordered Lists

Markdown

- * Alpha
- * Beta
- * Gamma

HTML

```
<li>Alpha</li>  
<li>Beta</li>  
<li>Gamma</li>
```

List items are enclosed in

Headers - atx style

Markdown

```
# H1 Header  
## H2 Header  
### H3 Header
```

HTML

```
<h1>H1 Header</h1>  
<h2>H2 Header</h2>  
<h3>H3 Header</h3>
```

Headers - Setext style

Heading Level 1

=====

Heading Level 2

Text Effects

Resources

John Gruber Markdown site: [Daring Fireball](http://daringfireball.net/)

Markdown specification: [CommonMark](http://commonmark.org/)

GitHub flavored markdown: [GitHub Help](http://github.com/)

Horizontal Rule

Markdown

```
---  
*  
---
```

HTML

```
<hr />
```

Links

Markdown

Links are added like this: [link to my website](#)

HTML

```
Links are added like this: <a href="http://www.feedmecheese.org/">link to Cheatography</a>
```

Block Quotes

Markdown

```
> This is a  
> blockquote
```

HTML

```
<blockquote>  
<p>This is a  
blockquote</p>  
</blockquote>
```

Code Blocks Option 1

Markdown

```
Indent text 4 characters or one tab
```

HTML

```
<pre><code>Indent text 4 characters or one tab</code></pre>
```

Code Blocks Option 2

Markdown

```
`This is code`
```

HTML

```
<p><code>This is code</code></p>
```

Code Syntax Highlighting

Markdown	HTML
<code>_Italic_</code>	<code>Italic</code>
<code>**Bold**</code>	<code>Bold</code>
<code>~~Strikethrough~~</code>	<code>Strikethrough</code>

Markdown
Code fencing (with backticks) and language: <code>```javascript</code> if (isBad) { return false } <code>```</code>
HTML
<code><p>Code fencing (with backticks) and language:</p></code> <code><div class="highlight highlight-javascript"></code> <code><pre></code> if (isBad) { return false } <code></pre></code> <code></div></code> (incomplete, shown for GitHub)



By **Simon Fermor** (Simon Fermor)
cheatography.com/simon-fermor/

Published 9th April, 2015.
Last updated 2nd November, 2018.
Page 1 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>